

ATTACHMENT C
PRICE ADJUSTMENT GUIDE- TYPE I COARSE DUAL COATED PAVEMENT MARKING GLASS BEADS
INVITATION TO BID NUMBER xxxx OF

All testing will be conducted by NDOT and the field samples will be large enough for additional testing.

- 1. Price adjustments based on percent imperfect beads.** Field samples taken of the delivered glass beads will be checked for the percent of imperfect beads according to AASHTO R98. If the test results are out of specification, the contractor will be subject to price adjustments based on the total weight of the respective shipment as follows:

Percent Imperfect Beads	
≤ 30% imperfect on sieves #20, #30, and/or #50 <u>and/or</u> total imperfect ≤ 20%.	Full Pay
≤ 30% imperfect on sieves #20, #30, and/or #50 <u>and/or</u> total imperfect 21%	85% Pay
≤ 30% imperfect on sieves #20, #30, and/or #50 <u>and/or</u> total imperfect 22%	70% Pay
> 30% imperfect on sieves #20, #30, and/or #50 <u>and/or</u> total imperfect > 22%	40% Pay or Reject

- 2. Price adjustments based on index refraction.** Field samples taken of the delivered glass beads will be checked for the index of refraction according to AASHTO T346. If the test results are out of specification, the contractor will be subject to price adjustments based on the total weight of the respective shipment as follows:

Index Refraction	
≥ 1.50	Full Pay
< 1.50	40% Pay or Reject

- 3. Price adjustments based on gradation.** Field samples taken of the delivered glass beads will be checked for gradation according to AASHTO R98. If the test results are out of specification on any sieve, the contractor will be subject to price adjustments based on the total weight of the respective shipment as follows:

Gradation	
Within specification	Full Pay
≤ 3% specification	85% Pay
3-5% of specification	70% Pay
> 5% of specification	40% Pay or Reject

- 4. Price adjustments based on moisture coating presence.** Field samples taken of the delivered glass beads will be checked for the presence of the moisture coating according to AASHTO T346. If the test results are out of specification, the contractor will be subject to price adjustments based on the total weight of the respective shipment as follows:

Moisture Coating Presence	
Coating present	Full Pay
Coating absent	Reject

- 5. Price adjustments based on adherence coating presence.** Field samples taken of the delivered glass beads will be checked for the presence of the adherence coating according to AASHTO T346. If the test results are out of specification, the contractor will be subject to price adjustments based on the total weight of the respective shipment as follows:

Adherence Coating Presence	
Coating completely present	Full Pay
Coating partially present or absent	40% Pay or Reject