Attachment 8
PBM Claims Processing Edits for the
Nebraska Medicaid Psychotropic Drugs and Youth Initiative

Table 1. Claim Processing Edits

#	Edit	Description
1	Naltrexone age	Minimum age for naltrexone = 19 years
2	Stimulant age	Minimum age = 5 years for all stimulants
3	Abilify (aripiprazole) dose consolidation	Daily limit = • Abilify 2mg = 2 tablets • Abilify 5mg, 10mg, and 15mg = 1.5 tablets • Abilify 20mg and 30mg = 1 tablet
4	Zyprexa (olanzapine) dose consolidation	Daily Limit = • Zyprexa 2.5mg, 5mg, 7.5mg ,10mg = 1.5 tablets • Zyprexa 15mg = 1.5 tablets (ages 0-18 only) • Zyprexa 20mg = 1 tablet (ages 0-18 only)
5	Antidepressants age	Establish minimum age for all antidepressants - • Celexa (citalopram hydrobromide): 4 years • Prozac (fluoxetine HCL [all oral]): 4 years • Zoloft (sertraline HCL): 4 years • Lexapro (escitalopram oxalate): 6 years • Luvox and CR (fluvoxamine maleate): 8 years • Brisdelle, Pexeva (paroxetine mesylate): 13 years • Paxil and CR (paroxetine HCL): 13 years • Cymbalta (duloxetine HCL): 13 years • Desvenlafaxine Fumerate ER (desvenlafaxine fumarate): 13 years • Khedezla (desvenlafaxine): 13 years • Pristiq ER (desvenlafaxine succinate): 13 years • Effexor (venlafaxine HCL [all oral]): 13 years • Savella (milnacipran): 13 years • Fetzima (levomilnacipran HCL): 18 years • Brintellix (vortioxetine hydrobromide): 18 years • Emsam (selegiline): 18 years • Sinequan (doxepin hcl): 4 years • Surmontil (trimipramine maleate): 4 years • Tofranil-PM (imipramine pamoate): 4 years • Vivactil (protriptyline HCL): 4 years • Amitriptyline-Chlordiazepoxide (amitrip HCL/chlordiazepoxide): 4 years • Mirtazapine (mirtazapine): 4 years • Aplenzin (bupropion hbr): 4 years • Wellbutrin (bupropion HCL [all oral]): 4 years • Desyrel, Oleptro ER (trazodone HCL): 4 years • Serzone (nefazodone HCL): 4 years • Marplan (isocarboxazid): 4 years • Nardil (phenelzine sulfate): 4 years • Parnate (tranylcypromine sulfate): 4 years

Table 1. Claim Processing Edits

#	Edit	Description
6	Mood stabilizers age	Minimum age for mood stabilizers = 4 years • Lithobid (lithium citrate) • Eskalith (lithium carbonate) • Tegretol (carbamazepine) • Depakote (divalproex sodium) • Lamictal (lamotrigine) • Trileptal (oxcarbazepine)
7	Strattera (atomoxetine) high dose and age	Minimum age = 6 years Daily limits = • Strattera 10mg, 18mg, 25mg, 40mg = 2 tablets • Strattera 60mg, 80mg, 100mg = 1 tablet
8	Antipsychotics high dose	Limits apply to recipients < 19 years - • chlorpromazine: < 5 years – 40mg/day; 5-12 years – 75mg/day; 13-18 years – 800mg/day • perphenazine: 0-18 years – 64mg/day • haloperidol: 0-12 years – 6mg/day; 13-18 years – 15mg/day • pimozide: 0-18 years - 10mg/day • clozapine: 0-12 years - 300mg/day; 13-18 years 600mg/day • ziprasidone: 0-18 years - 160mg/day • paliperidone: 0-18 years - 12mg/day • risperidone: 0-12 years - 3mg/day; 13-18 years 6mg/day • quitiapine: 0-9 years - 400mg/day; 10-18 years - 800mg/day • olanzapine: 0-12 years - 12.5mg/day; 13-18 years 20mg/day • aripiprazole: 0-12 years – 15mg/day; 13 - 18 years - 30mg/day
9	Stimulants high dose	Limits apply to recipients < 19 years - • amphetamine mixed salts: 60mg/day • dextroamphetamine: 60mg/day • lisdexamfetamine: 70mg/day • methylphenidate: 108mg/day • methylphenidate transdermal patch: 30mg/day • dexmethylphenidate: 50mg/day
10	Antipsychotics age	• chlorpromazine HCL: minimum age = 6 • fluphenazine (all): minimum age = 6 • thioridazine HCL: minimum age = 6 • trifluoperazine HCL: minimum age = 6 • perphenazine/amitriptyline: minimum age = 6 • haloperidol (injection): minimum age = 6 • thiothixene: minimum age = 6 • pimozide: minimum age = 6 • molindone HCL: minimum age = 6 • iloperidone: minimum age = 6 • risperidone: minimum age = 5 • loxapine: minimum age = 6 • loxapine succinate: minimum age = 6

Table 1. Claim Processing Edits

#	Edit	Description
11	eszopiclone (Lunesta) and ramelteon (Rozerem)	eszopiclone (Lunesta) and ramelteon (Rozerem): minimum age = 19
12	trazodone: patients <14 years taking trazodone	trazodone: minimum age = 14
13	trazodone: patients <19 years or less taking > Trazodone 100mg	Child aged 19 or less taking > than trazodone 100mg
14	hydroxyzine high dose	Limits apply to recipients < 19 years Hydroxyzine High Dose
15	Antidepressants high dose	Limits apply to recipients < 19 years See limits in Table 2.
16	Antipsychotics concomitant therapy	Patients ages < 19 years taking two or more antipsychotics. Brand and generic drugs are included in the edit. List of those generic drug names are: chlorpromazine hcl, fluphenazine decanoate, fluphenazine hcl, perphenazine, fluphenazine enanthate, thioridazine hcl, trifluoperazine hcl, perphenazine/amitriptyline, haloperidol, haloperidol decanoate, haloperidol lactate, thiothixene, pimozide, molindone hcl, clozapine, iloperidone, ziprasidone hcl, paliperidone, paliperidone palmitate, lurasidone hcl, risperidone, risperidone microspheres, asenapine maleate, quetiapine fumarate, olanzapine, olanzapine pamoate, loxapine, loxapine succinate, aripiprazole, olanzapine/fluoxetine
17	Antidepressants concomitant therapy	Patients ages < 19 years on two or more antidepressants. Brand and generic drugs are included in the edit. List of those generic drug names are: selegiline, paroxetine mesylate, citalopram hydrobromide, escitalopram oxalate, fluvoxamine maleate, paroxetine hcl, paroxetine mesylate, fluoxetine hcl (all oral), sertraline hcl, amitriptyline hcl, clomipramine hcl, amoxapine, maprotiline hcl, imipramine hcl, desipramine hcl, nortriptyline hcl, doxepin hcl, trimipramine maleate, imipramine pamoate, protriptyline hcl, perphenazine/amitriptyline hcl, amitrip hcl/chlordiazepoxide, mirtazapine, duloxetine hcl, desvenlafaxine fumarate, levomilnacipran hydrochloride, desvenlafaxine, venlafaxine hcl, bupropion hbr, trazodone hcl, nefazodone hcl, isocarboxazid, phenelzine sulfate, tranylcypromine sulfate, olanzapine/fluoxetine hcl, vilazodone hydrochloride, vortioxetine hydrobromide
18	Stimulant concomitant therapy	Patients ages < 19 years on two or more stimulants. Brand and generic drugs are included in the edit. List of those generic drug names are: methylphenidate er tab, methylphenidate transdermal patch, dexmethylphenidate hcl, dexmethylphenidate hcl er, methylphenidate er cap, methylphenidate er tab, modafinil, armodafinil, methylphenidate oral suspension, methylphenidate, methylin, methylphenidate er cap, methylphenidate er, methylin er tab, amphetamine salt combo, amphetamine sulfate,

Table 1. Claim Processing Edits

#	Edit	Description
		methamphetamine hcl, dextroamphetamine sulfate (all brands), lisdexamfetamine, dextroamphetamine sulfate
19	Mood stabilizers concomitant therapy	Patients < 19 years taking three or more mood stabilizers (defined as carbamazepine, divalproex sodium, lithium, lamotrigine, and oxcarbazepine) – and WITHOUT diagnosis of seizures
20	Concomitant use of two or more alpha agonists	Concomitant use of two or more alpha agonists: this edit must be implemented either through the POS or another mechanism, such as retro DUR or provider profiling.
21	Concomitant use of four or more psychotropics	Concomitant use of four or more psychotropics: this edit must be implemented either through the POS or another mechanism such as retro DUR or provider profiling

Table 2. Antidepressant High Dose Limits

Generic Name	Recommended Max
citalopram	40mg/day
escitalopram	6-12 - 20mg/day; 13-18 yrs - 30mg/day
fluvoxamine	8-11 yrs 200mg/day; 12-17 years 300mg/day
paroxetine hcl	children - not recommended; 12-18 years - 40mg IR, 50mg CR
fluoxetine hcl (all oral)	60mg/day
sertraline hcl	200mg/day
duloxetine hcl	children - not recommended; 13-18 years - 60mg/day
desvenlafaxine	children - not recommended; 13-18 years - 100mg/day
venlafaxine hcl	0-12 years - 150mg; 13-18 years - 375mg/day