

Pete Ricketts, Governor

## ADDENDUM THREE QUESTIONS and ANSWERS

Date: December 17, 2015

To: All Bidders

From: Dianna Gilliland, Buyer  
State Purchasing Bureau

RE: Addendum for Invitation to Bid Number 5169 OF  
to be opened December 29, 2015 at 2:00 p.m. Central Time

### Questions and Answers

Following are the questions submitted and answers provided for the above mentioned Invitation to Bid. The questions and answers are to be considered as part of the Invitation to Bid. It is the Bidder's responsibility to check the State Purchasing Bureau website for all addenda or amendments.

QUESTIONS	ANSWERS
<p><b>1.</b> Page 29, section 3. What strength of frame do you require?</p> <p>a. Will a single frame rail, 3,160,000 RBM, 26.3 cu. In section modulus work for your application (will prevent rust jacking between rails)</p>	<p>Specification 3.A. is amended as follows:</p> <p>Shall be heat treated alloy steel double frame 120,000 psi yield, if available. A single frame rail, 3,160,000 RBM, 26.3 cu would be acceptable.</p>
<p><b>2.</b> Page 29, section 4. Are sealed hubs acceptable? We rarely install anything else.</p>	<p>Refer to 4.B. for specification requirement.</p>
<p><b>3.</b> Page 29, section 5. Are Bridgestone tires acceptable?</p>	<p>Specification 5.F. is amended as follows:</p> <p>Tire manufacturer should be Goodyear, Michelin, Continental, Firestone or equivalent.</p>
<p><b>4.</b> Page 30, section 7. Our 11 liter engine exceeds torque and HP spec. 405 horse power and 1480 ft lbs torque. Is this an acceptable option?</p>	<p>Specification 7.A. is amended as follows:</p> <p>Diesel, minimum actual displacement no less than 11 liters which must meet 400 bhp, 1,400 ft. /lbs. torque.</p>

<p><b>5.</b> Page 30, section 7 and 9. Will severe service air filter work in place of dual element?</p>	<p>Specification 7.E. is amended as follows: Exterior and interior to engine compartment air inlet system for air cleaner with dual element, severe service air filter, or equivalent. State make/model bid: _____</p> <p>Specification 9.B. is amended as follows: Dual element air cleaner, Donaldson or equivalent, or severe service air filter. State make/model bid: _____</p>
<p><b>6.</b> Page 30, section 8. Will equivalent transmission work? I can send gearing information if requested.</p>	<p>Transmission bid must meet specifications as listed for 8.A-B. Transmission.</p>
<p><b>7.</b> Page 31, section 10. Do you need 80 gallon tank or 80 gallon useable tank? a. Would a 72 useable gallon tank be acceptable. It would technically be considered a 80 gallon.</p>	<p>Specification 10.D. is amended as follows: Minimum of seventy-two (72) useable gallon capacity.</p>
<p><b>8.</b> Page 31, section 10. Will you allow any components to extend beyond the back of cab? If so, do you have a limit as long as lift axle fits properly?</p>	<p>No components should extend beyond the back of the cab per the specifications as referenced in 10.E.-F.</p>
<p><b>9.</b> Page 31, section 10. Do you want to specify between electric or fluid heat fuel/water separator heater?</p>	<p>Specification 10.C. is amended as follows: Fluid heat fuel/water separator with heater preferred, combination coolant and electric system acceptable. Bio-fuel compatible. State heater style bid (fluid or combo): _____</p>
<p><b>10.</b> Page 31, section 11. Is a 160A Delco alternator acceptable?</p>	<p>Specification 11.C. is amended as follows: Alternator shall be a Delco 28 SI of 160 amperes or OEM equivalent. State make/model/amperes bid: _____</p>
<p><b>11.</b> Page 32, section 13. Will low profile antenna mounted to side of cab behind LH door be acceptable?</p>	<p>Specification 13.O. is amended as follows: Factory installed AM/FM radio with cowl-mounted or low-profile cab-mounted antenna with power outlet on dash. Please note antenna location _____.</p>
<p><b>12.</b> Section #2 Wheel Base – C: Will a 54” rear axle spacing be acceptable?</p>	<p>Refer to specification 2.C. for rear axle spacing.</p>
<p><b>13.</b> Section #7 Engine – D: The engine we plan on bidding does not offer glow-plugs or pre-heaters or any other aid in cold weather starting. If there is not cold weather starting aid offered or needed will the State accept the engine?</p>	<p>The engine must meet all requirements per 7. A.-E.; including glow-plugs or pre-heater to aid in cold weather starting.</p>

**14.** Can you tell me where this one is going? I don't see it anywhere in the bid, but I may be missing it. Need info to supply to [REDACTED] for pricing assistance.

Per specification 23.A. Delivery: Unit shall be delivered to the Nebraska Standards Laboratory at 3721 West Cumming Street, Lincoln, NE 68524.

This addendum will become part of the ITB and should be acknowledged with the Invitation to Bid.