

Electrical Supplies						AWARD Wesco Distribution		
Number	Manufacturer	Manufacturer Number	Product Description	Estimated Usage	UOM	MFR Bidding	Bidder Item Number	Unit Price
Lighting Fixtures and Controls								
1	Ideal	30-382J	Luminaire Disconnect; Connectors - (1) Male/Load, (1) Female/Line; Electrical Rating - 3A, 120VAC; Number of Wires - 2W; Wire Type - 12-18 Sol AWG (not included); Housing Material - Nylon; Contacts - Copper Alloy; Temperature Rating - 220 deg F (105 deg C); Packaging - 75 (ctn); Additional Information - Additional Ratings: 1.3A/277V, 1.0A/347V, 0.75A/480V, 0.6A/600V	450	ea	Ideal	30-382J	\$ 0.6895
Tapes and Supplies								
2	3M	35-red-3/4x66ft	Coding tape red 3/4 x 66ft 7 mil	4	ea	3M	35-Red	\$ 3.40
3	3M	35-wht-3/4x66ft	Coding tape white 3/4 x 66ft 7 mil	2	ea	3M	35-Wht	\$ 3.40
4	3M	35-blue-3/4x66ft	Coding tape blue 3/4 x 66ft 7mil	2	ea	3M	35-Blue	\$ 3.40
5	Ideal	30-071	Wire nut Gray	400	ea	Ideal	30-071	\$ 0.05295
6	Ideal	30-073	Wire nut Orange	600	ea	Ideal	30-073	\$ 0.06910
7	Ideal	30-451	Wire nut Yellow	500	ea	Ideal	30-451	\$ 0.09615
8	Ideal	30-452	Wing-nut Red	800	ea	Ideal	30-452	\$ 0.12645
9	T&B	RC10-10F	Standard Fork; Insulation - Nylon; Stud Size - #10; AWG Min - 12; AWG Max - 10; Color - Yellow; Temperature Rating - 105 Degree C/221 Degree F	150	ea	T&B	RC10-10F	\$ 0.534
10	T&B	10RC-2577	Female Disconnect; Tab Size - .250x.032; Insulation - Nylon; AWG Min - 12; AWG Max - 10; Color - Yellow; Temperature Rating - 105 Degree C/221 Degree F	150	ea	T&B	10BC-2577	\$ 0.489
11	T&B	14RB-2577	Female Disconnect; Tab Size - .250x.032; Insulation - Nylon; AWG Min - 16; AWG Max - 14; Color - Blue; Temperature Rating - 105 Degree C/221 Degree F	300	ea	T&B	14RB-2577	\$ 0.4135
PVC and Fittings								
12	Carlton	E945J	Rigid PVC Expansion Joint; Expansion (in) - 6.00; Trade Size (in) - 2	20	ea	Carlton	E945J	\$ 14.80

Electrical Supplies						Wesco Distribution		
Number	Manufacturer	Manufacturer Number	Product Description	Estimated Usage	UOM	MFR Bidding	Bidder Item Number	Unit Price
13	Generic	Generic	Rigid PVC; Schedule/Series - 40; Trade Size (in) - 1/2; OD (in) - 0.840; Length (ft) - 10; Lb/100-ft - 17	100	ft	Generic	PVC Sch 40 1/2	\$ 0.161
14	Generic	Generic	PVC Schedule Conduit, Schedule 40, 2 In Diameter, 10 Ft Long, Sold In Multiples Of 10 Ft	220	ft	Generic	PVC Sch 40 2"	\$ 0.6177
Outlets, Switches and Breakers								
15	Cutler-Hammer	BAB2020	Standard: Breaker Type - Thermal Magnetic; Mounting - Panel, Bolt-On; Line Terminal - Bolt-On Tab; Load Terminal - Lug; Poles - 2P; Amps - 20; Voltage - 120/240V AC; Rating (kA IR) - 10; HxWxD - 2.31x2.00x2.37" (59x51x60mm)	6	ea	Cutler-Hammer	BAB2020	\$ 38.00
16	Cutler-Hammer	CH230	Standard: Breaker Type - Thermal Magnetic; Mounting - Loadcenter, Plug-On; Line Terminal - Plug-On Clip; Load Terminal - Lug; Poles - 2P; Amps - 30; Voltage - 120/240V AC; Rating (kA IR) - 10; HxWxD - 1.50" Width	15	ea	Cutler-Hammer	CH230	\$ 14.60
17	Leviton	5224-2I	Combination Device, (2) Single Pole Toggle Switches, 15 Amp, 120/277 VAC, Ivory, Side Wire, Grounding	2	ea	Leviton	5224-2I	\$ 5.904
18	Leviton	CSB1-20G	Switch Type - Toggle; Amps - 20A; Voltage - 120-277V; Operation - 1-Pole; Color - Gray; Grade - Commercial; Wiring - Back & Side	47	ea	Leviton	CSB1-20G	\$ 2.654
19	Leviton	5352-GY	Receptacle Type - Duplex, Standard; Rating - Amps - 20A; Rating - Volts - 125V AC; Number of Poles - 2P; Number of Wires - 3W; Ground - Grounding; NEMA - 5-20R; Color - Gray; Grade - Industrial; Wiring - Back & Side; Material - Thermoplastic Nylon	120	ea	Leviton	5352-GY	\$ 3.9506
20	Leviton	5373	Receptacle Type - Single; Rating - Amps - 50A; Rating - Volts - 125V; Number of Poles - 2P; Number of Wires - 3W; Ground - Grounding; NEMA - 5-50R; Mounting - Flush; Face OD - 2.11"; Mounting Depth - 1.79"	2	ea	Leviton	5373	\$ 8.5547

Electrical Supplies						Wesco Distribution		
Number	Manufacturer	Manufacturer Number	Product Description	Estimated Usage	UOM	MFR Bidding	Bidder Item Number	Unit Price
Boxes Covers and Conduit								
21	Generic	Generic	EMT Conduit, 1/2 In, 10 Ft Long	2650	ft	Generic	EMT 1/2	\$ 0.1858
22	Generic	Generic	EMT Conduit, 3/4", 10 Ft Long	2650	ft	Generic	EMT 3/4	\$ 0.3174
23	Generic	Generic	Flexible Steel Conduit, 1/2 In, Standard Wall, 100 Ft Coil	100	ft	Generic	Flex 1/2	\$ 0.3860
24	Blinc	BL1400	Conduit Hanger w/Mtg-Hole; Installation - Clamping Bolt, Included; Rigid Conduit (in) - 1/2; EMT (in) - 1/2; Mtg Hole - 9/32" Hole; Load (lb) - 400; Material - Steel; Finish - Zinc Plated	433	ea	Blinc	BL1400	\$ 0.3163
25	Blinc	BL1410	Conduit Hanger w/Mtg-Hole; Installation - Clamping Bolt, Included; Rigid Conduit (in) - 3/4; EMT (in) - 3/4; Mtg Hole - 9/32" Hole; Material - Steel; Finish - Zinc Plated	350	ea	Blinc	BL1410	\$ 0.3654
26	Blinc	BL1450	Conduit Hanger w/Mtg-Hole; Installation - Clamping Bolt w/Nut, Included; Rigid Conduit (in) - 2; EMT (in) - 2; Material - Steel; Finish - Zinc Plated	6	ea	Blinc	BL1450	\$ 0.9280
27	Blinc	B2209	Universal Conduit Clamp, Two-Piece, 3/4 In, Steel, Electro-Galvanized, Un-Assembled, For EMT, Rigid Conduit, IMC or Pipe, Slotted Hex Head Machine Screw and Square Nut Included	30	ea	Blinc	B2209	\$ 0.7942
28	T&B	BU504	Bushing Type - Rigid Conduit; Installation - Threaded Female; Material - Plastic; Throat - Plastic; Temperature - 105 Degree C/221 Degree F; Trade Size (in) - 1-1/4	4	ea	T&B	BU504	\$ 0.1587
29	Steel City	XC270	Connector Type - AC & Flex Conduit; Cable Openings - Single; Angle - Straight; Installation - Clamp, Squeeze; Material - Die-Cast Zinc; Trade Size (in) - 1/2; OD Min (in) - 0.74; OD Max (in) - 0.92; Throat - Non-Insulated	25	ft	Steel City	XC270	\$ 0.5472
30	Steel City	52171 1/2&3/4	Square Box, 4 In, Steel, 2-1/8 In Deep, 1/2 In & 3/4 In Eccentric KOs, Welded Corners	127	ea	Steel City	52171 1/2&3/4	\$ 0.6532

Electrical Supplies						Wesco Distribution		
Number	Manufacturer	Manufacturer Number	Product Description	Estimated Usage	UOM	MFR Bidding	Bidder Item Number	Unit Price
31	Steel City	XC270	Connector Type - AC & Flex Conduit; Cable Openings - Single; Angle - Straight; Installation - Clamp, Squeeze; Material - Die-Cast Zinc; Trade Size (in) - 1/2; OD Min (in) - 0.74; OD Max (in) - 0.92; Throat - Non-Insulated	25	ft	Steel City	XC270	\$ 0.5472
32	T&B	5233	Liquidtight Connector; Conduit Type- Flexible Metallic; Material - Steel; Angle - Straight; Throat - Insulated; Trade Size - 3/4 in	29	ft	T&B	5233	\$ 2.0311
Wire								
33	Generic	Generic	Building Wire - Type THHN, 6 AWG, 19 Strand, Green, 600 Volt, Copper	250	ft	Generic	THHN6 Green	\$ 0.44817
34	Generic	Generic	Building Wire, THHN; Conductor Material - CU; Insulation - Thermoplastic; Voltage - 600V; Conductor Size - 1/0 AWG; Conductor Strands - 19-Str; Color - Black; Temperature Rating - 90 Degree C Dry	50	ft	Generic	THHN 1/0	\$ 1.7577
35	Generic	Generic	Building Wire - Type THHN, 12 AWG, Solid, Black, 600 Volt, Copper	7500	ft	Generic	THHN12 SOLBlk	\$ 0.10398
36	Generic	Generic	Building Wire - Type THHN, 12 AWG, Solid, White, 600 Volt, Copper	9500	ft	Generic	THHN12 Sol Wht	\$ 0.10398
37	Generic	Generic	Building Wire - Type THHN, 12 AWG, Solid, Red, 600 Volt, Copper	7500	ft	Generic	THHN12 Sol Red	\$ 0.10398
38	Generic	Generic	Building Wire - Type THHN, 12 AWG, Solid, Blue, 600 Volt, Copper	5500	ft	Generic	THHN12 Sol Blu	\$ 0.10398
39	Generic	Generic	Building Wire - Type THHN, 12 AWG, Solid, Green, 600 Volt, Copper	6500	ft	Generic	THHN12 Sol Grn	\$ 0.10398
40	Generic	Generic	Building Wire - Type THHN, 12 AWG, 19 Strand, Black, 600 Volt, Copper	3500	ft	Generic	THHN12 Str Blk	\$ 0.12058
41	Generic	Generic	Building Wire - Type THHN, 12 AWG, 19 Strand, White, 600 Volt, Copper	6000	ft	Generic	THHN12 Str Wht	\$ 0.12058
42	Generic	Generic	Building Wire - Type THHN, 12 AWG, 19 Strand, Red, 600 Volt, Copper	3500	ft	Generic	THHN12 Str Red	\$ 0.12058
43	Generic	Generic	Building Wire - Type THHN, 12 AWG, 19 Strand, Blue, 600 Volt, Copper	2500	ft	Generic	THHN12 Str Blu	\$ 0.12058
44	Generic	Generic	Building Wire - Type THHN, 12 AWG, 19 Strand, Green, 600 Volt, Copper	4000	ft	Generic	THHN12 Str Grn	\$ 0.12058

Electrical Supplies						Wesco Distribution		
Number	Manufacturer	Manufacturer Number	Product Description	Estimated Usage	UOM	MFR Bidding	Bidder Item Number	Unit Price
45	Generic	Generic	Building Wire - Type THHN, 10 AWG, 19 Strand, Black, 600 Volt, Copper	4500	ft	Generic	THHN10 Str Blk	\$ 0.1863
46	Generic	Generic	Building Wire - Type THHN, 10 AWG, 19 Strand, Green, 600 Volt, Copper	5000	ft	Generic	THHN10 Str Grn	\$ 0.1863
47	Generic	Generic	Building Wire - Type THHN, 10 AWG, 19 Strand, Brown, 600 Volt, Copper	1000	ft	Generic	THHN10 Str Brn	\$ 0.1863
48	Generic	Generic	Building Wire - Type THHN, 10 AWG, 19 Strand, Purple, 600 Volt, Copper	1000	ft	Generic	THHN10 Str Pur	\$ 0.1863
49	Generic	Generic	Building Wire - Type THHN, 8 AWG, 19 Strand, Black, 600 Volt, Copper	595	ft	Generic	THHN8 Str Blk	\$ 0.2913
50	Generic	Generic	Building Wire - Type THHN, 2 AWG, 19 Strand, Black, 600 Volt, Copper	750	ft	Generic	THHN2 Str Blk	\$ 1.1035

Invalid Bid

CED DBA White Electric Supply - did not provide discounts for non-core items required by the specifications