STATE OF NEBRASKA SERVICE CONTRACT AWARD

State Purchasing Bureau
301 Centennial Mall South, 1st Floor
Lincoln, Nebraska 68508
OR
P.O. Box 94847
Lincoln, Nebraska 68509-4847
Telephone: (402) 471-2401
Fax: (402) 471-2089

PAGE	ORDER DATE
1 of 2	06/26/13
BUSINESS UNIT	BUYER
9002	PETER KROLL (AS)

VENDOR NUMBER: 618601

VENDOR ADDRESS:

ENERGY LABORATORIES INC
2393 SALT CREEK HWY (82601)
PO BOX 3258
CASPER WYOMING 82602-3258

CONTRACT NUMBER
32501 O4

AN AWARD HAS BEEN MADE TO THE VENDOR/CONTRACTOR NAMED ABOVE FOR THE SERVICES AS LISTED BELOW FOR THE PERIOD:

JULY 01, 2013 THROUGH DECEMBER 31, 2013

THIS CONTRACT IS NOT AN EXCLUSIVE CONTRACT TO FURNISH THE SERVICES SHOWN BELOW, AND DOES NOT PRECLUDE THE PURCHASE OF SIMILAR SERVICES FROM OTHER SOURCES.

THE STATE RESERVES THE RIGHT TO EXTEND THE PERIOD OF THIS CONTRACT BEYOND THE TERMINATION DATE WHEN MUTUALLY AGREEABLE TO THE VENDOR/CONTRACTOR AND THE STATE OF NEBRASKA.

Contract to provide Miscellaneous Environmental Testing Services to the State of Nebraska, Department of Health and Human Services for a period effective July 1, 2013 through December 31, 2013.

The State may request that payment be made electronically instead of by state warrant. ACH/EFT Enrollment Form can be found at: http://www.das.state.ne.us/accounting/forms/achenrol.pdf

The Contractor is required and hereby agrees to use a federal immigration verification system to determine the work eligibility status of new employees physically performing services within the State of Nebraska. A federal immigration verification system mean the electronic verification of the work authorization program authorized by the Illegal Immigration Reform and Immigrant Responsibility Act of 1996, 8 U.S.C. 1324a, known as the E-Verify Program, or an equivalent federal program designated by the United States Department of Homeland Security or other federal agency authorized to verify the work eligibility status of a newly hired employee.

The contractor certifies that the contractor is not presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded by any federal department or agency from participating in transactions (debarred). The contractor also agrees to include the above requirements in any and all subcontracts into which it enters. The contractor shall immediately notify the Department if, during the term of this contract, contractor becomes debarred. The Department may immediately terminate this contract by providing contractor written notice if contractor becomes debarred during the term of this contract.
If the Contractor is an individual or sole proprietorship, the following applies:
1. The Contractor must complete the United States Citizenship Attestation Form, available on the Department of Administrative Services website at: www.das.state.ne.us.
2. If the Contractor indicates on such attestation form that he or she is a qualified alien, the Contractor agrees to provide the US Citizenship and Immigration Services documentation require to verify the Contractor's lawful presence in the United States using the Systematic Alien Verification for Entitlements (SAVE) Program.
3. The Contractor understands and agrees that lawful presence in the United States is required and the Contractor may be disqualified or the contract terminated if such lawful presence cannot be verified as required by Neb. Rev. Stat. §4-108.

The contract shall incorporate the following previously submitted documents:
1. Contract Award;
2. Any Contract Amendments, in order of significance;
3. Any Request for Proposal Addenda and/or Amendments to include Questions and Answers;
4. The original RFP document;
5. The signed Request for Proposal form; and
6. The Contractor's Proposal.

CHIEF EXECUTIVE OFFICER
DEPARTMENT OF HEALTH AND HUMAN SERVICES

7/1/13 bp by ks 7/1/13
RK 7/1/13
BUYER

7-2-13
MATERIEL ADMINISTRATOR

R43500|NISK0002 100416

STATE OF NEBRASKA SERVICE CONTRACT AWARD

PAGE	ORDER DATE
2 of 2	06/26/13
BUSINESS UNIT	BUYER
9002	PETER KROLL (AS)
VENDOR NUMBER: 618601	

VENDOR CONTACT: Steven M. Dobos, Senior Project Manager
PHONE: 888-235-0515
FAX: 307-234-1639

State Purchasing Bureau
301 Centennial Mall South, 1st Floor
Lincoln, Nebraska 68508
OR
P.O. Box 94847
Lincoln, Nebraska 68509-4847
Telephone: (402) 471-2401
Fax: (402) 471-2089

CONTRACT NUMBER
32501 O4

THIS IS THE SECOND (2) EXTENSION OF THE THIRD (3) RENEWAL OF THIS CONTRACT as amended. (06/26/13 bl)

Line	Description	Quantity	Unit of Measure	Unit Price	Extended Price
1	MISC ENVIRONMENTAL TESTING SVC PER ATTACHED SPREADSHEET	150,000.0000	$	1.0000	150,000.00
	Total Order				**150,000.00**



PK
BUYER INITIALS

ATTACHMENT I ANALYTE COST SCHEDULE

Analyte	Report Level	Qty.	Lab Report Level	Method	Method used	Holding Time	Turn Around	Lab Routine Turnaround Time	Lab Fee	Comments
Asbestos	0.184 mf/L	100		TEM EPA 100.2	E100.1 TEM	48-hours	4 weeks		$ 195.50	Subbed to DataChem Laboratories
Alkalinity as CaCO3	20 mg/L	10	1 mg/L	SM 2320B	SM 2320B	14 days	7 days	10 BD*	$ 10.00	*BD = Business Days
Acid, dig. (soil, sludge)	NA	2	NA	SW3050B	SW3050	6 months	NA	10 BD	$ 25.00	
Ammonia Distilled	0.05 mg/L	20	0.05 mg/L	EPA 350.1	SM 4500 NH3-BG	28 days	10 days	10 BD	$ 22.50	W/ Distillation
Ammonia Non-Distilled	0.05 mg/L	10	0.05 mg/L	EPA 350.1	SM 4500 NH3 G	28 days	10 days	10 BD	$ 15.00	
Antimony	1ug/L	20	1 µg/L	EPA 200.8	EPA 200.8	6 months	20 days	10 BD	$ 10.00	
Arsenic	2 ug/L	20	1 µg/L	EPA 200.8	EPA 200.8	6 months	20 days	10 BD	$ 10.00	
Barium	10 ug/L	20	1 µg/L	EPA 200.8	EPA 200.8	6 months	20 days	10 BD	$ 10.00	
Beryllium	1 ug/L	20	1 µg/L	EPA 200.8	EPA 200.8	6 months	20 days	10 BD	$ 10.00	
BOD/CBOD	2 mg/L	5	2 mg/L	EPA 405.1	SM 5210 B	48 hours	10 days	10 BD	$ 40.00	
Cadmium	1 ug/L	20	1 µg/L	EPA 200.8	EPA 200.8	6 months	20 days	10 BD	$ 10.00	
Calcium Environmental	0.15 mg/L	20	0.5 mg/L	SM 3111B	EPA 200.7	6 months	20 days	10 BD	$ 10.00	
Calcium-Titration (DW)	NA	20	0.5 mg/L	EPA 215.2	EPA 200.7	6 months	10 days	10 BD	$ 10.00	
Chloride	1 mg/L	20	1 mg/L	SM 4500-Cl-E	SM 4500-Cl-E	28 days	10 days	10 BD	$ 10.00	
Chromium	1 ug/L	20	1 µg/L	EPA 200.8	EPA 200.8	6 months	20 days	10 BD	$ 10.00	
COD	12mg/L	20	1 mg/L	SM 410.4	HACH 8000	28 days	10 days	10 BD	$ 25.00	
Colilert (COLIFORM)	0 cfu/100	20	P/A	SM 9223B P/A	SM 9223B	30 hours	3 days	5 BD	$ 15.00	
Colilert Quantitray (COLIFORM)	0 cfu/100	20	1 cfu/100 ml	SM 9223B QT	SM 9223B	30 hours	3 days	5 BD	$ 35.00	
Conductivity	NA	10	1µmbos/cm	EPA 120.1	SM2510 B	28 days	7 days	10 BD	$ 10.00	
Copper	5 ug/L	20	1 µg/L	EPA 200.8	EPA200.8	6 months	20 days	10 BD	$ 10.00	
Cyanide	0.05 mg/L	20	0.005 mg/L	SM 4500CN-F	Kelada M.	14 days	10 days	10 BD	$ 30.00	
Fecal Coliform	NA	5	NA	SM 9222D	SM 9222D	6 hours	4 days	5 BD*	$ 35.00	*BD = Business Days
Fecal Strep	NA	5		SM 9230C		6 hours	4 days			ELI does not analyze SM 9230C
Fluoride	0.20 mg/L	20	0.1 mg/L	SM 4500F-C	SM 4500F-C	28 days	7 days	10 BD	$ 10.00	
Heterotrophic Plate Count Total Coliform/E.coli	NA	5	NA	SM 9215B	SM9215B	8 hr/24 hr if <4C	4 days	5 BD	$ 50.00	
Iron, Drinking Water	50 ug/L	20	30 µg/L	SM 3111B	EPA 200.7	6 months	20 days	10 BD	$ 10.00	
Iron, Environmental	50 ug/L	20	30 µg/L	SM 3111B	EPA 200.7	6 months	20 days	10 BD	$ 10.00	
Lead	1 ug/L	20	1 ug/L	EPA 200.8	EPA 200.8	6 months	20 days	10 BD	$ 10.00	
Magnesium – Environmental Water	0.15 mg/L	20	0.5 mg/L	SM3111B	EPA 200.7	6 months	20 days	10 BD	$ 10.00	
Magnesium – Drinking Water	0.15 mg/L	20	0.5 mg/L	SM3111B	EPA 200.7	6 months	20 days	10 BD	$ 10.00	
Manganese	1 ug/L	20	1 ug/L	EPA 200.8	EPA 200.8	6 months	20 days	10 BD	$ 10.00	
Membrane Filter (COLIFORM)	g/L	10		SM 9222B		30 hours	5 days			ELI does not analyze SM 9222B
Mercury Drinking Water & Environmental Water	1 ug/L	10	1 ug/L	SM 3112B	SM 3112B	28 days	20 days	10 BD	$ 10.00	
Microwave Digestion for Metals	NA	20		SM 3030K		6 months	NA			ELI does not use microwave digestions
Nickel	1 ug/L	20	1 ug/L	EPA 200.8	EPA 200.8	6 months	20 days	10 BD	$ 10.00	
Nitrate/Nitrite	0.05 mg/L	30	0.05 mg/L	EPA 353.2	EPA 353.2	28 days	5 days	10 BD	$ 15.00	
Nitrogen-Nitrite	0.02 mg/L	10	0.01 mg/L	EPA 353.2	EPA 353.2	48 hours	5 days	10 BD	$ 15.00	
pH	NA	5	NA	EPA 150.1	SM 4500-H B	0.25 hours	5 days	10 BD	$ 10.00	
Phosphate-Ortho, as P	0.02 mg/L	5	0.01mg/L	EPA 365.1	EPA 365.1	48 hours	7 days	10 BD	$ 10.00	

ATTACHMENT I ANALYTE COST SCHEDULE

Analyte	Report Level	Qty.	Lab Report Level	Method	Method used	Holding Time	Turn Around	Lab Routine Turnaround Time	Lab Fee	Comments
Phosphorus-Total	0.04 mg/L	10	0.001 mg/L	EPA 365.4	EPA 365.1	28 days	20 days	10 BD	$ 15.00	
Potassium – Environmental Water	0.30 mg/L	10	0.5mg/L	SM 3111B	EPA 200.7	6 months	20 days	10 BD	$ 10.00	
Potassium – Drinking Water	5 mg/L	10	0.5 mg/L	SM 3111B	EPA 200.7	6 months	20 days	10 BD	$ 10.00	*BD = Business Days
Sample Filtration	NA	5		NA		NA	NA	10 BD	$ 15.00	
Selenium	5 ug/L	20	1 ug/L	EPA 200.8	EPA 200.8	6 months	20 days	10 BD	$ 10.00	
Silver	1 ug/L	20	1 ug/L	EPA 200.8	EPA 200.8	6 months	20 days	10 BD	$ 10.00	
Sodium – Drinking Water	10 mg/L	10	0.5mg/L	SM 3111B	EPA 200.7	6 months	20 days	10 BD	$ 10.00	
Sodium – Environmental Water	0.15 mg/L	10	0.5mg/L	SM 3111B	EPA 200.7	6 months	20 days	10 BD	$ 10.00	
Sulfate	10 mg/L	10	1 mg/L	EPA 375.4	SM 4500SO4 E	28 days	7 days	10 BD	$ 10.00	
Thallium	1 ug/L	20	1 ug/L	EPA 200.8	EPA 200.8	6 months	20 days	10 BD	$ 10.00	
Total Dissolved Solids	10 mg/L	20	10 mg/L	EPA 160.1	SM 2540 C	7 days	7 days	10 BD	$ 10.00	
Total Hardness	4 mg/l	10	4 mg/L	SM 2340C	SM 2340C	6 months	7 days	10 BD		Calculation
Total Kjeldahl Nitrogen	0.50 mg/l	20	0.5mg/L	EPA 351.2	EPA 351.2	28 days	10 days	10 BD	$ 25.00	
Total Suspended Solids	5 mg/l	20	1 mg/L	EPA 160.2	SM 2540 D	7 days	7 days	10 BD	$ 10.00	
Turbidity	NA	20	0.1 NTU	EPA 180.1	SM 2130 B	NA	NA	10 BD	$ 10.00	
Uranium (Mass)	1 mg/L	20	0.3 ug/L	EPA 200.8	EPA 200.8	6 months	20 days	10 BD	$ 10.00	
Zinc	10 ug/L	20	1 ug/L	EPA 200.8	EPA 200.8	6 months	20 days	10 BD	$ 10.00	
Gamma Isotopic	****	50		EPA 901.1 or SM 7500-1B	EPA 901.1	6 months	8 weeks	15 BD	$ 75.00	
Gross Alpha	1.5 pCi/L	100	1.0 pCi/L	EPA 900	EPA 900.0	6 months	8 weeks	15 BD	$ 50.00	
Radon in Water	1.5 pCi/L	20	100 pCi/L	SM 7500-RN	ASTM 5072-92	3 days	8 weeks	10 BD	$ 50.00	
Radium-226	.1 pCi/L	50	0.2 pCi/L	EPA 903	EPA 903	6 months	8 weeks	15 BD	$ 75.00	
Radium-228	.8 pCi/L	50	1 pCi/L	RA-05 from EPA Doc 520	RA-05	6 months	8 weeks	15 BD	$ 75.00	
Uranium Isotopic	0.1 pCi/L	100	0.2 pCi/L	SM7500-UC	EPA 907.0	6 months	8 weeks	10 BD	$ 100.00	
1,2 Dibromoethane (EDB)	0.01 ug/L	25	0.01 ug/L	EPA 504.1	EPA 504.1	14 days from collection to extraction, 24 hours extraction to analysis	14 days	15 BD*	$ 130.00	*BD = Business Days
1,2 Dibromo-3-Chloropropane (DBCP)	0.01 ug/L	25	0.02 ug/L		EPA 504.1			15 BD		
PCB-1016 Aroclor	0.2 ug/L	25	0.08 ug/L	EPA 505	EPA 505	14 days from collection to extraction, 24 hours extraction to analysis	3 weeks	15 BD	$ 200.00	
PCB-1221 Aroclor	2 ug/L	25	2 ug/L		EPA 505			15 BD		
PCB-1232 Aroclor	0.5 ug/L	25	0.5 ug/L		EPA 505			15 BD		
PCB-1242 Aroclor	0.3 ug/L	25	0.3 ug/L		EPA 505			15 BD		
PCB-1248 Aroclor	0.2 ug/L	25	0.1 ug/L		EPA 505			15 BD		
PCB-1254 Aroclor	0.1 ug/L	25	0.1 ug/L		EPA 505			15 BD		
PCB-1260 Aroclor	0.2 ug/L	25	0.2 ug/L		EPA 505			15 BD		
Toxaphene	1 ug/L	25	1 ug/L		EPA 505			15 BD		
2,4-D	2 ug/L	50	1 ug/L	EPA 515.3	EPA 515.1	14 days from collection to extraction, 14 days extraction to analysis	20 days	15 BD	$ 160.00	
2,4,5-TP (Silvex)	0.6 ug/L	50	0.2 ug/L		EPA 515.1			15 BD		
Dalapon	2 ug/L	50	2.5 ug/L		EPA 515.1			15 BD		
Dicamba	1 ug/L	50	0.25 ug/L		EPA 515.1			15 BD		
Dinoseb	1.3 ug/L	50	1 ug/L		EPA 515.1			15 BD		

ATTACHMENT I ANALYTE COST SCHEDULE

Analyte	Report Level	Qty.	Lab Report Level	Method	Method used	Holding Time	Turn Around	Lab Routine Turnaround Time	Lab Fee	Comments
Pentachlorophenol	0.2 ug/L	50	0.04 µg/L		EPA 515.1			15 BD*		*BD = Business Days
Picloram	1.5 ug/L	50	0.5 ug/L		EPA 515.1			15 BD		
Bromodichloromethane	0.5 ug/L	100	0.5 ug/L	EPA 524.2	EPA 524.2	14 days	10 days	10 BD	$ 130.00	
Bromoform	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Chloroform	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
1,1,1,2-Tetrachloroethane	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
1,1,1-Trichloroethane	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
1,1,2,2-Tetrachloroethane	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
1,1,2-Tricholoroethane	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
1,1-Dichloroethane	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
1,1-Dichloroethene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
1,1-Dichloropropene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
1,2,3-Trichloropropane	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
1,2,4-Trichlorobenzene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
1,2,4-Trimethylbenzene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
1,2,3-Trichlorobenzene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
1,2-Dibromo-3-Chloropropane (DBCP)	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
1,2-Dichlorobenzene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
1,2-Dichloroethane	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
1,2-Dichloropropane	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
1,3-Dichloropropane	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
1,3,5-Trimethylbenzene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
1,3-Dichlorobenzene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
1,4-Dichlorobenzene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
2,2-dichloropropane	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		*BD = Business Days
2-Chlorotoluene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
4-Chlorotoluene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Benzene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Bromobenzene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Bromochloromethane	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Bromodichloromethane	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Bromomethane	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Carbon Tetrachloride	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Chlorobenzene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Chloroethane	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Chloroform	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Chloromethane	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Cis-1,2-dichloroethene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Cis-1,3-dichloropropene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Dibromomethane	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Dichlorodifluromethane	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Dichloromethane	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Ethylbenzene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Hexachlorobutadiene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Isopropylbenzene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		

ATTACHMENT I ANALYTE COST SCHEDULE

Analyte	Report Level	Qty.	Lab Report Level	Method	Method used	Holding Time	Turn Around	Lab Routine Turnaround Time	Lab Fee	Comments
M,P-Xylenes	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Methyl-T-butyl ether (MTBE)	0.5 ug/L	100	2.0 ug/L		EPA 524.2			10 BD		
Napththalene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
n-Butylbenzene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD*		*BD = Business Days
n-Propylbenzene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
O-Xylene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
P-Isopropyltoluene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Sec-butylbenzene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Styrene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Tert-butylbenzene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Tetrachloroethene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Toulene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Trans-1,2-dichloroethene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Trans-1,3-dichloropropene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Trichloroethene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Trichloroethene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Trichlorofluromethane	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Vinyl Chloride	0.4 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Alachlor	0.1 ug/L	50	0.1 ug/L	EPA 525.2	EPA 525.2	14 days to extraction, 30 days collection to analysis	14 days	15 BD	$ 300.00	
Aldrin	0.1 ug/L	50	0.1 ug/L		EPA 525.2			15 BD		
Atrazine	0.08 ug/L	50	0.1 ug/L		EPA 525.2			15 BD		
Benzo(a)pyrene	0.06 ug/L	50	0.1 ug/L		EPA 525.2			15 BD		
Butachlor	0.1 ug/L	50	0.1 ug/L		EPA 525.2			15 BD		
Butylate	0.1 ug/L	50	0.1 ug/L		EPA 507 M			15 BD	$ 150.00	Note Method Changed
Chlorpyrifos	0.1 ug/L	50	0.1 ug/L		EPA 507 M			15 BD		Note Method Changed
Cyanazine	0.15 ug/L	50	0.1 ug/L		EPA 507 M			15 BD*		*BD = Business Days
Di(2-ethylhexl)phthalate	2 ug/L	50	2 ug/L		EPA 525.2			15 BD		
Di(2ethylhexyl adipate	0.5 ug/L	50	0.5 ug/L		EPA 525.2			15 BD		
Dieldrin	0.1 ug/L	50	0.1 ug/L		EPA 525.2			15 BD		
Endrin	0.1 ug/L	50	0.1 ug/L		EPA 525.2			15 BD		
Fonofos	0.1 ug/L	50	0.1 ug/L		EPA 507 M			15 BD		Note method change
Heptachlor	0.08 ug/L	50	0.01 ug/L		EPA 505			15 BD		Note method change
Heptachlor Epoxide	0.04 ug/L	50	0.01 ug/L		EPA 505			15 BD		Note method change
Hexachlorobenzene	0.1 ug/L	50	0.1 ug/L		EPA 525.2			15 BD		
Hexcahlorocyclopentadiene	0.1 ug/L	50	0.1 ug/L		EPA 525.2			15 BD		
Lindane	0.04 ug/L	50	0.01 ug/L		EPA 505			15 BD		Note method change
Methoxychlor	0.1 ug/L	50	0.01 ug/L		EPA 525.2			15 BD		
Metolachlor	0.1 ug/L	50	0.1 ug/L		EPA 525.2			15 BD		
Metribuzin	0.1 ug/L	50	0.1 ug/L		EPA 525.2			15 BD		
Propachlor	0.1 ug/L	50	0.1 ug/L		EPA 525.2			15 BD		
Simazine	0.1 ug/L	50	0.1 ug/L		EPA 525.2			15 BD		
Total Chlordane	0.3 ug/L	50	0.1 ug/L		EPA 505			15 BD		Note method change
Trifluralin	0.1 ug/L	50	0.2 ug/L		EPA 525.2			15 BD		

ATTACHMENT I ANALYTE COST SCHEDULE

Analyte	Report Level	Qty.	Lab Report Level	Method	Method used	Holding Time	Turn Around	Lab Routine Turnaround Time	Lab Fee	Comments
3-Hydroxy carbofuran	0.6 ug/L	25	0.1 µg/L	531.1	EPA 531.1	28 days	20 days	15 BD	$ 175.00	
Aldicarb	0.5 ug/L	25	0.4 ug/L		EPA 531.1			15 BD		
Aldicarb sulfone	0.5 ug/L	25	0.4 ug/L		EPA 531.1			15 BD		
Aldicarb sulfoxide	0.4 ug/L	25	0.4 ug/L		EPA 531.1			15 BD		
Carbaryl	0.5 ug/L	25	0.4 ug/L		EPA 531.1			15 BD		
Carbofuran	0.6 ug/L	25	0.4 ug/L		EPA 531.1			15 BD		
Methomyl	0.4 ug/L	25	0.4 ug/L		EPA 531.1			15 BD*		*BD = Business Days
Oxamyl	0.4 ug/L	25	0.4 ug/L		EPA 531.1			15 BD		
Glyphosate	10 ug/L	50	5 ug/L	547	EPA 547	14 days	20 days	15 BD	$ 140.00	
Endothall*	9 ug/L	100	9 ug/L	548	EPA 548		6 weeks	15 BD	$ 200.00	
Diquat	1 ug/L	50	0.4 ug/L	549.2	EPA 549.2	7 days to extract, 21 days to analysis	20 days	15 BD	$ 180.00	
Paraquat	1 ug/L	50	0.4 ug/L		EPA 549.2			15 BD		
BCAA	1 ug/L	50	0.5	552.2	EPA 552.2	14 days collection to extraction, 7 days extraction to analysis	20 days	10 BD	$ 200.00	
DBAA	1 ug/L	50	0.25 ug/L		EPA 552.2			10 BD		
DCAA	1.5 ug/L	50	0.75 ug/L		EPA 552.2			10 BD		
MBAA	2.5 ug/L	50	0.5 ug/L		EPA 552.2			10 BD		
MCAA	6.5 ug/L	50	0.75 ug/L		EPA 552.2			10 BD		
TCAA	0.5 ug/L	50	0.5 ug/L		EPA 552.2			10 BD		
Dioxin	4.8e-06 ug/L	100	5 pg/L	1613	EPA 1613B		3 weeks		$ 299.00	Subcontracted Pace Analytical
Bromide		25	10 ug/L	EPA 300.1	EPA 300.0		2 weeks	10 BD	$ 28.75	Subcontracted to Underwriters Laboratories
Bromate		25	5 ug/L	EPA 300.1	EPA 300.1		2 weeks	10 BD	$ 115.00	Subcontracted to Underwriters Laboratories
Chorite		25	10 ug/L	EPA 300.0	EPA 300.0		2 weeks	10 BD	$ 28.75	Subcontracted to Underwriters Laboratories
Perchorate		25	4 ug/L	EPA 314	EPA 314		2 weeks	10 BD	$ 126.50	Subcontracted to Underwriters Laboratories
Silica		10	0.1 mg/L	EPA 200.7	EPA 200.7		2 weeks	10 BD	$ 10.00	
Microscopic Particulate Analysis		15	NA		E-MPA		3 weeks	7 BD	$ 225.00	
Giardia		5	NA	ICR or 1623	EPA 1623			7 BD	400**	1st sample includes a matrix spike plus the sample @ $900.00
Cryptosporium		5	NA	ICR or 1623	EPA 1623		3 weeks	7 BD		**Fee includes both Giardia and Cryptosprium
OA-1 BETEX Water		5	1µg/L	8260	EPA 8260		4 weeks	10 BD*	$ 90.00	*BD = Business Days
OA-1 BETEX Soil		5	0.2 mg/Kg	8260	EPA 8260		4 weeks	10 BD	$ 90.00	
OA-1 Gasoline finger print & OA-1 BETEX Water		5	0.5 µg/L	SW8021	SW8021		4 weeks	10 BD	$ 75.00	
OA-1 Gasoline finger print & OA-1 BETEX Soil		5	0.05 mg/Kg	SW8021	SW8021		4 weeks	10 BD	$ 75.00	
Oil & Grease Water/Waste Water		5	5 mg/L	1664	EPA 1664		4 weeks	10 BD	$ 60.00	
OA-2 Total Extractable Hydrocarbons, Diesel Range Organics - Water		5	1 mg/L	SW8015	SW8015		4 weeks	10 BD	$ 75.00	

ATTACHMENT I ANALYTE COST SCHEDULE

Analyte	Report Level	Qty.	Lab Report Level	Method	Method used	Holding Time	Turn Around	Lab Routine Turnaround Time	Lab Fee	Comments
OA-2 Total Extractable Hydrocarbons, Diesel Range Organics - Soil		5	10 mg/Kg	SW8015	SW8015		4 weeks	10 BD	$ 75.00	
RCRA 8 Total Metals Water/Waste Water		5		SW846-6010/6020	SW846-6010/7470		4 weeks	10 BD	$ 95.00	Price includes total metals digest
RCRA 8 Total Metals Soil		5		SW846-6010/6020	SW846-6010/7471		4 weeks	10 BD	$ 105.00	Price includes total metals digest
Total Cyanide Waste Water		5	0.005 mg/L	EPA 335.2	Kelada M.		7 days	10 BD	$ 30.00	
All Radiochemistry data must include precision data (1-sigma statistic)										
** Isotopic Uranium should be performed using an approved Uranium Isotopic method (Alpha Spectrometry) EPA 00-07, SM7500 UB,										
All Isotopic Uranium results must include the total combined uranium activity in pCi/L from the individual uranium isotopes										
(e.g., U-234. U-235, U-238), U-234 and U-238 activities as well as U-234/U-238 ratio need to be reported so that a unique activity to mass										
conversion factor can be used to calculate uranium mass concentration in ug/L. All uranium data must include presision data (e.g. 1 sigma statistic).										
Gross Alpha Grab perform: Gross Alpha only.										
Rad Chem Monitoring Rule compliance Testing perform a Gross Alpha then:										
If Gross Alpha equals or exceeds 5 pCi/L, perform a Radium-226 analysis										
If Radium-226 equals or exceed 3 pCi/L, perform a Radium-228 analysis										
If Gross Alpha equals or exceeds 15 pCi/L, perform a Isotopic Uranium analysis										
Water Quailty Test for a New Well: perform a Gross Alpha, Radium-226, Radium-228, and Isotopic Uranium on each sample										
Estimate 100 New Wells per year. Most new wells will also include Asbestos, Endothal, and Dioxin.										
Quarterly monitoring may include any of the following										
Gross Alpha & Uranium										
Gross Alpha, Radium-226, Radium-228, & Uranium										
Gross Alpha, Radium-226, and Radium-228										
Total numbers of samples of each method is impossible to predict. Our lab does most of the routine testing										
This lab would provide backup on all routine compliance monitoring and special requests by clients										
All RadChem, Endothall, Asbestos, Dioxin, TOC, Disinfiction by-products, soils would be sent to this lab										
All non-drinking water testing requests would be sent to this lab such as EPA 625, RCRA metals, oil and Grease, Gasoline										

STATE OF NEBRASKA SERVICE CONTRACT AWARD

State Purchasing Bureau
301 Centennial Mall South, 1st Floor
Lincoln, Nebraska 68508
OR
P.O. Box 94847
Lincoln, Nebraska 68509-4847
Telephone: (402) 471-2401
Fax: (402) 471-2089

CONTRACT NUMBER
32501 O4

PAGE	ORDER DATE
1 of 2	1/04/13
BUSINESS UNIT	BUYER
9002	MARY LANNING (AS)

VENDOR NUMBER: 618601

VENDOR ADDRESS:

ENERGY LABORATORIES INC
2393 SALT CREEK HWY (82601)
PO BOX 3258
CASPER WYOMING 82602-3258

AN AWARD HAS BEEN MADE TO THE VENDOR/CONTRACTOR NAMED ABOVE FOR THE SERVICES AS LISTED BELOW FOR THE PERIOD:

JANUARY 01, 2013 THROUGH JUNE 30, 2013

THIS CONTRACT IS NOT AN EXCLUSIVE CONTRACT TO FURNISH THE SERVICES SHOWN BELOW, AND DOES NOT PRECLUDE THE PURCHASE OF SIMILAR SERVICES FROM OTHER SOURCES.

THE STATE RESERVES THE RIGHT TO EXTEND THE PERIOD OF THIS CONTRACT BEYOND THE TERMINATION DATE WHEN MUTUALLY AGREEABLE TO THE VENDOR/CONTRACTOR AND THE STATE OF NEBRASKA.

Contract to provideMiscellaneous Environmental Testing Services to the State of Nebraska, Department of Health and Human Services for a period effective January 1, 2013 through June 30, 2013.

The State may request that payment be made electronically instead of by state warrant. ACH/EFT Enrollment Form can be found at: http://www.das.state.ne.us/accounting/forms/achenrol.pdf

The Contractor is required and hereby agrees to use a federal immigration verification system to determine the work eligibility status of new employees physically performing services within the State of Nebraska. A federal immigration verification system mean the electronic verification of the work authorization program authorized by the Illegal Immigration Reform and Immigrant Responsibility Act of 1996, 8 U.S.C. 1324a, known as the E-Verify Program, or an equivalent federal program designated by the United States Department of Homeland Security or other federal agency authorized to verify the work eligibility status of a newly hired employee.

The contractor certifies that the contractor is not presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded by any federal department or agency from participating in transactions (debarred). The contractor also agrees to include the above requirements in any and all subcontracts into which it enters. The contractor shall immediately notify the Department if, during the term of this contract, contractor becomes debarred. The Department may immediately terminate this contract by providing contractor written notice if contractor becomes debarred during the term of this contract.
If the Contractor is an individual or sole proprietorship, the following applies:
1. The Contractor must complete the United States Citizenship Attestation Form, available on the Department of Administrative Services website at: www.das.state.ne.us.
2. If the Contractor indicates on such attestation form that he or she is a qualified alien, the Contractor agrees to provide the US Citizenship and Immigration Services documentation require to verify the Contractor's lawful presence in the United States using the Systematic Alien Verification for Entitlements (SAVE) Program.
3. The Contractor understands and agrees that lawful presence in the United States is required and the Contractor may be disqualified or the contract terminated if such lawful presence cannot be verified as required by Neb. Rev. Stat. §4-108.

The contract shall incorporate the following previously submitted documents:
1. Contract Award;
2. Any Contract Amendments, in order of significance;
3. Any Request for Proposal Addenda and/or Amendments to include Questions and Answers;
4. The original RFP document;
5. The signed Request for Proposal form; and
6. The Contractor's Proposal.

RK 1/4/13
BUYER 1/4/12
1-7-13
MATERIEL ADMINISTRATOR

STATE OF NEBRASKA SERVICE CONTRACT AWARD

PAGE	ORDER DATE
2 of 2	1/04/13
BUSINESS UNIT	BUYER
9002	MARY LANNING (AS)
VENDOR NUMBER: 618601	

VENDOR CONTACT: Steven M. Dobos, Senior Project Manager
PHONE: 888-235-0515
FAX: 307-234-1639

State Purchasing Bureau
301 Centennial Mall South, 1st Floor
Lincoln, Nebraska 68508
OR
P.O. Box 94847
Lincoln, Nebraska 68509-4847
Telephone: (402) 471-2401
Fax: (402) 471-2089

CONTRACT NUMBER
32501 O4

THIS IS THE FIRST (1) EXTENSION OF THE THRID (3) RENEWAL OF THIS CONTRACT as Amended. (01/04/13 jh)

Line	Description	Quantity	Unit of Measure	Unit Price	Extended Price
1	MISC ENVIRONMENTAL TESTING SVC PER ATTACHED SPREADSHEET	150,000.0000	$	1.0000	150,000.00
	Total Order				**150,000.00**



BUYER INITIALS

STATE OF NEBRASKA SERVICE CONTRACT AWARD

State Purchasing Bureau
301 Centennial Mall South, 1st Floor
Lincoln, Nebraska 68508
OR
P.O. Box 94847
Lincoln, Nebraska 68509-4847
Telephone: (402) 471-2401
Fax: (402) 471-2089

CONTRACT NUMBER
32501 O4

PAGE	ORDER DATE
1 of 2	12/06/11
BUSINESS UNIT	BUYER
9002	SUZANNE SIEMER (AS)

VENDOR NUMBER: 618601

VENDOR ADDRESS:

ENERGY LABORATORIES, INC
2393 SALT CREEK HIGHWAY (82601)
PO BOX 3258
CASPER WYOMING 82602-3258

AN AWARD HAS BEEN MADE TO THE VENDOR/CONTRACTOR NAMED ABOVE FOR THE SERVICES AS LISTED BELOW FOR THE PERIOD:

JANUARY 01, 2012 THROUGH DECEMBER 31, 2012

THIS CONTRACT IS NOT AN EXCLUSIVE CONTRACT TO FURNISH THE SERVICES SHOWN BELOW, AND DOES NOT PRECLUDE THE PURCHASE OF SIMILAR SERVICES FROM OTHER SOURCES.

THE STATE RESERVES THE RIGHT TO EXTEND THE PERIOD OF THIS CONTRACT BEYOND THE TERMINATION DATE WHEN MUTUALLY AGREEABLE TO THE VENDOR/CONTRACTOR AND THE STATE OF NEBRASKA.

Contract to provide Miscellaneous Environmental Testing Services to the State of Nebraska, Department of Health and Human Services, for the period beginning January 1, 2012 through December 31, 2012.

The State may request that payment be made electronically instead of by state warrant. ACH/EFT Enrollment Form can be found at: http://www.das.state.ne.us/accounting/forms/achenrol.pdf

The Contractor is required and hereby agrees to use a federal immigration verification system to determine the work eligibility status of new employees physically performing services within the State of Nebraska. A federal immigration verification system mean the electronic verification of the work authorization program authorized by the Illegal Immigration Reform and Immigrant Responsibility Act of 1996, 8 U.S.C. 1324a, known as the E-Verify Program, or an equivalent federal program designated by the United States Department of Homeland Security or other federal agency authorized to verify the work eligibility status of a newly hired employee.

The contractor certifies that the contractor is not presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded by any federal department or agency from participating in transactions (debarred). The contractor also agrees to include the above requirements in any and all subcontracts into which it enters. The contractor shall immediately notify the Department if, during the term of this contract, contractor becomes debarred. The Department may immediately terminate this contract by providing contractor written notice if contractor becomes debarred during the term of this contract.
If the Contractor is an individual or sole proprietorship, the following applies:
1. The Contractor must complete the United States Citizenship Attestation Form, available on the Department of Administrative Services website at: www.das.state.ne.us.
2. If the Contractor indicates on such attestation form that he or she is a qualified alien, the Contractor agrees to provide the US Citizenship and Immigration Services documentation require to verify the Contractor's lawful presence in the United States using the Systematic Alien Verification for Entitlements (SAVE) Program.
3. The Contractor understands and agrees that lawful presence in the United States is required and the Contractor may be disqualified or the contract terminated if such lawful presence cannot be verified as required by Neb. Rev. Stat. §4-108.

The contract shall incorporate the following previously submitted documents:
1. Contract Award;
2. Any Contract Amendments, in order of significance;
3. Any Request for Proposal Addenda and/or Amendments to include Questions and Answers;
4. The original RFP document;
5. The signed Request for Proposal form; and

BUYER

MATERIEL ADMINISTRATOR

STATE OF NEBRASKA SERVICE CONTRACT AWARD

State Purchasing Bureau
301 Centennial Mall South, 1st Floor
Lincoln, Nebraska 68508
OR
P.O. Box 94847
Lincoln, Nebraska 68509-4847
Telephone: (402) 471-2401
Fax: (402) 471-2089

PAGE	ORDER DATE
2 of 2	12/06/11
BUSINESS UNIT	BUYER
9002	SUZANNE SIEMER (AS)
VENDOR NUMBER: 618601	

CONTRACT NUMBER
32501 O4

6. The Contractor's Proposal.

CONTACT: Steven M. Dobos, Senior Project Manager
PHONE: 888-235-0515
FAX: 307-234-1639

THIS IS THE THRID RENEWAL OF THIS CONTRACT. (12/06/11 jh)

Line	Description	Quantity	Unit of Measure	Unit Price	Extended Price
1	MISC ENVIRONMENTAL TESTING SVC PER ATTACHED SPREADSHEET	150,000.0000	$	1.0000	150,000.00
	Total Order				**150,000.00**



BUYER INITIALS

ATTACHMENT I ANALYTE COST SCHEDULE

Analyte	Report Level	Qty.	Lab Report Level	Method	Method used	Holding Time	Turn Around	Lab Routine Turnaround Time	Lab Fee	Comments
Asbestos	0.184 mf/L	100		TEM EPA 100.2	E100.1 TEM	48-hours	4 weeks		$ 195.50	Subbed to DataChem Laboratories
Alkalinity as CaCO3	20 mg/L	10	1 mg/L	SM 2320B	SM 2320B	14 days	7 days	10 BD*	$ 10.00	*BD = Business Days
Acid, dig. (soil, sludge)	NA	2	NA	SW3050B	SW3050	6 months	NA	10 BD	$ 25.00	
Ammonia Distilled	0.05 mg/L	20	0.05 mg/L	EPA 350.1	SM 4500 NH3-BG	28 days	10 days	10 BD	$ 22.50	W/ Distillation
Ammonia Non-Distilled	0.05 mg/L	10	0.05 mg/L	EPA 350.1	SM 4500 NH3 G	28 days	10 days	10 BD	$ 15.00	
Antimony	1ug/L	20	1 µg/L	EPA 200.8	EPA 200.8	6 months	20 days	10 BD	$ 10.00	
Arsenic	2 ug/L	20	1 µg/L	EPA 200.8	EPA 200.8	6 months	20 days	10 BD	$ 10.00	
Barium	10 ug/L	20	1 µg/L	EPA 200.8	EPA 200.8	6 months	20 days	10 BD	$ 10.00	
Beryllium	1 ug/L	20	1 µg/L	EPA 200.8	EPA 200.8	6 months	20 days	10 BD	$ 10.00	
BOD/CBOD	2 mg/L	5	2 mg/L	EPA 405.1	SM 5210 B	48 hours	10 days	10 BD	$ 40.00	
Cadmium	1 ug/L	20	1 µg/L	EPA 200.8	EPA 200.8	6 months	20 days	10 BD	$ 10.00	
Calcium Environmental	0.15 mg/L	20	0.5 mg/L	SM 3111B	EPA 200.7	6 months	20 days	10 BD	$ 10.00	
Calcium-Titration (DW)	NA	20	0.5 mg/L	EPA 215.2	EPA 200.7	6 months	10 days	10 BD	$ 10.00	
Chloride	1 mg/L	20	1 mg/L	SM 4500-Cl-E	SM 4500-Cl-E	28 days	10 days	10 BD	$ 10.00	
Chromium	1 ug/L	20	1 µg/L	EPA 200.8	EPA 200.8	6 months	20 days	10 BD	$ 10.00	
COD	12 mg/L	20	1 mg/L	SM 410.4	HACH 8000	28 days	10 days	10 BD	$ 25.00	
Colilert (COLIFORM)	0 cfu/100	20	P/A	SM 9223B P/A	SM 9223B	30 hours	3 days	5 BD	$ 15.00	
Colilert Quantitray (COLIFORM)	0 cfu/100	20	1 cfu/100 ml	SM 9223B QT	SM 9223B	30 hours	3 days	5 BD	$ 35.00	
Conductivity	NA	10	1µmhos/cm	EPA 120.1	SM2510 B	28 days	7 days	10 BD	$ 10.00	
Copper	5 ug/L	20	1 µg/L	EPA 200.8	EPA200.8	6 months	20 days	10 BD	$ 10.00	
Cyanide	0.05 mg/L	20	0.005 mg/L	SM 4500CN-F	Kelada M.	14 days	10 days	10 BD	$ 30.00	
Fecal Coliform	NA	5	NA	SM 9222D	SM 9222D	6 hours	4 days	5 BD*	$ 35.00	*BD = Business Days
Fecal Strep	NA	5		SM 9230C		6 hours	4 days			ELI does not analyze SM 9230C
Fluoride	0.20 mg/L	20	0.1 mg/L	SM 4500F-C	SM 4500F-C	28 days	7 days	10 BD	$ 10.00	
Heterotrophic Plate Count Total Coliform/E.coli	NA	5	NA	SM 9215B	SM9215B	8 hr/24 hr if <4C	4 days	5 BD	$ 50.00	
Iron, Drinking Water	50 ug/L	20	30 µg/L	SM 3111B	EPA 200.7	6 months	20 days	10 BD	$ 10.00	
Iron, Environmental	50 ug/L	20	30 µg/L	SM 3111B	EPA 200.7	6 months	20 days	10 BD	$ 10.00	
Lead	1 ug/L	20	1 ug/L	EPA 200.8	EPA 200.8	6 months	20 days	10 BD	$ 10.00	
Magnesium – Environmental Water	0.15 mg/L	20	0.5 mg/L	SM3111B	EPA 200.7	6 months	20 days	10 BD	$ 10.00	
Magnesium – Drinking Water	0.15 mg/L	20	0.5 mg/L	SM3111B	EPA 200.7	6 months	20 days	10 BD	$ 10.00	
Manganese	1 ug/L	20	1 ug/L	EPA 200.8	EPA 200.8	6 months	20 days	10 BD	$ 10.00	
Membrane Filter (COLIFORM)	g/L	10		SM 9222B		30 hours	5 days			ELI does not analyze SM 9222B
Mercury Drinking Water & Environmental Water	1 ug/L	10	1 ug/L	SM 3112B	SM 3112B	28 days	20 days	10 BD	$ 10.00	
Microwave Digestion for Metals	NA	20		SM 3030K		6 months	NA			ELI does not use microwave digestions
Nickel	1 ug/L	20	1 ug/L	EPA 200.8	EPA.200.8	6 months	20 days	10 BD	$ 10.00	
Nitrate/Nitrite	0.05 mg/L	30	0.05 mg/L	EPA 353.2	EPA 353.2	28 days	5 days	10 BD	$ 15.00	
Nitrogen-Nitrite	0.02 mg/L	10	0.01 mg/L	EPA 353.2	EPA 353.2	48 hours	5 days	10 BD	$ 15.00	
pH	NA	5	NA	EPA 150.1	SM 4500-H B	0.25 hours	5 days	10 BD	$ 10.00	
Phosphate-Ortho, as P	0.02 mg/L	5	0.01mg/L	EPA 365.1	EPA 365.1	48 hours	7 days	10 BD	$ 10.00	

ATTACHMENT I ANALYTE COST SCHEDULE

Analyte	Report Level	Qty.	Lab Report Level	Method	Method used	Holding Time	Turn Around	Lab Routine Turnaround Time	Lab Fee	Comments
Phosphorus-Total	0.04 mg/L	10	0.001 mg/L	EPA 365.4	EPA 365.1	28 days	20 days	10 BD	$ 15.00	
Potassium – Environmental Water	0.30 mg/L	10	0.5mg/L	SM 3111B	EPA 200.7	6 months	20 days	10 BD	$ 10.00	
Potassium – Drinking Water	5 mg/L	10	0.5 mg/L	SM 3111B	EPA 200.7	6 months	20 days	10 BD	$ 10.00	*BD = Business Days
Sample Filtration	NA	5		NA		NA	NA	10 BD	$ 15.00	
Selenium	5 ug/L	20	1 ug/L	EPA 200.8	EPA 200.8	6 months	20 days	10 BD	$ 10.00	
Silver	1 ug/L	20	1 ug/L	EPA 200.8	EPA 200.8	6 months	20 days	10 BD	$ 10.00	
Sodium – Drinking Water	10 mg/L	10	0.5mg/L	SM 3111B	EPA 200.7	6 months	20 days	10 BD	$ 10.00	
Sodium – Environmental Water	0.15 mg/L	10	0.5mg/L	SM 3111B	EPA 200.7	6 months	20 days	10 BD	$ 10.00	
Sulfate	10 mg/L	10	1 mg/L	EPA 375.4	SM 4500SO4 E	28 days	7 days	10 BD	$ 10.00	
Thallium	1 ug/L	20	1 ug/L	EPA 200.8	EPA 200.8	6 months	20 days	10 BD	$ 10.00	
Total Dissolved Solids	10 mg/L	20	10 mg/L	EPA 160.1	SM 2540 C	7 days	7 days	10 BD	$ 10.00	
Total Hardness	4 mg/l	10	4 mg/L	SM 2340C	SM 2340C	6 months	7 days	10 BD		Calculation
Total Kjeldahl Nitrogen	0.50 mg/l	20	0.5mg/L	EPA 351.2	EPA 351.2	28 days	10 days	10 BD	$ 25.00	
Total Suspended Solids	5 mg/l	20	1 mg/L	EPA 160.2	SM 2540 D	7 days	7 days	10 BD	$ 10.00	
Turbidity	NA	20	0.1 NTU	EPA 180.1	SM 2130 B	NA	NA	10 BD	$ 10.00	
Uranium (Mass)	1 mg/L	20	0.3 ug/L	EPA 200.8	EPA 200.8	6 months	20 days	10 BD	$ 10.00	
Zinc	10 ug/L	20	1 ug/L	EPA 200.8	EPA 200.8	6 months	20 days	10 BD	$ 10.00	
Gamma Isotopic	****	50		EPA 901.1 or SM 7500-1B	EPA 901.1	6 months	8 weeks	15 BD	$ 75.00	
Gross Alpha	1.5 pCi/L	100	1.0 pCi/L	EPA 900	EPA 900.0	6 months	8 weeks	15 BD	$ 50.00	
Radon In Water	1.5 pCi/L	20	100 pCi/L	SM 7500-RN	ASTM 5072-92	3 days	8 weeks	10 BD	$ 50.00	
Radium-226	.1 pCi/L	50	0.2 pCi/L	EPA 903	EPA 903	6 months	8 weeks	15 BD	$ 75.00	
Radium-228	.8 pCi/L	50	1 pCi/L	RA-05 from EPA Doc 520	RA-05	6 months	8 weeks	15 BD	$ 75.00	
Uranium Isotopic	0.1 pCi/L	100	0.2 pCi/L	SM7500-UC	EPA 907.0	6 months	8 weeks	10 BD	$ 100.00	
1,2 Dibromoethane (EDB)	0.01 ug/L	25	0.01 ug/L	EPA 504.1	EPA 504.1	14 days from collection to extraction, 24 hours extraction to analysis	14 days	15 BD*	$ 130.00	*BD = Business Days
1,2 Dibromo-3-Chloropropane (DBCP)	0.01 ug/L	25	0.02 ug/L		EPA 504.1			15 BD		
PCB-1016 Aroclor	0.2 ug/L	25	0.08 ug/L	EPA 505	EPA 505	14 days from collection to extraction, 24 hours extraction to analysis	3 weeks	15 BD	$ 200.00	
PCB-1221 Aroclor	2 ug/L	25	2 ug/L		EPA 505			15 BD		
PCB-1232 Aroclor	0.5 ug/L	25	0.5 ug/L		EPA 505			15 BD		
PCB-1242 Aroclor	0.3 ug/L	25	0.3 ug/L		EPA 505			15 BD		
PCB-1248 Aroclor	0.2 ug/L	25	0.1 ug/L		EPA 505			15 BD		
PCB-1254 Aroclor	0.1 ug/L	25	0.1 µg/L		EPA 505			15 BD		
PCB-1260 Aroclor	0.2 ug/L	25	0.2 ug/L		EPA 505			15 BD		
Toxaphene	1 ug/L	25	1 ug/L		EPA 505			15 BD		
2,4-D	2 ug/L	50	1 ug/L	EPA 515.3	EPA 515.1	14 days from collection to extraction, 14 days extraction to analysis	20 days	15 BD	$ 180.00	
2,4,5-TP (Silvex)	0.6 ug/L	50	0.2 ug/L		EPA 515.1			15 BD		
Dalapon	2 ug/L	50	2.5 ug/L		EPA 515.1			15 BD		
Dicamba	1 ug/L	50	0.25 ug/L		EPA 515.1			15 BD		
Dinoseb	1.3 ug/L	50	1 ug/L		EPA 515.1			15 BD		

ATTACHMENT I ANALYTE COST SCHEDULE

Analyte	Report Level	Qty.	Lab Report Level	Method	Method used	Holding Time	Turn Around	Lab Routine Turnaround Time	Lab Fee	Comments
Pentachlorophenol	0.2 ug/L	50	0.04 µg.L		EPA 515.1			15 BD*		*BD = Business Days
Picloram	1.5 ug/L	50	0.5 ug/L		EPA 515.1			15 BD		
Bromodichloromethane	0.5 ug/L	100	0.5 ug/L	EPA 524.2	EPA 524.2	14 days	10 days	10 BD	$ 130.00	
Bromoform	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Chloroform	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
1,1,1,2-Tetrachloroethane	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
1,1,1-Trichloroethane	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
1,1,2,2-Tetrachloroethane	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
1,1,2-Tricholoroethane	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
1,1-Dichloroethane	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
1,1-Dichloroethene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
1,1-Dichloropropene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
1,2,3-Trichloropropane	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
1,2,4-Trichlorobenzene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
1,2,4-Trimethylbenzene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
1,2,3-Trichlorobenzene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
1,2-Dibromo-3-Chloropropane (DBCP)	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
1,2-Dichlorobenzene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
1,2-Dichloroethane	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
1,2-Dichloropropane	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
1,3-Dichloropropane	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
1,3,5-Trimethylbenzene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
1,3-Dichlorobenzene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
1,4-Dichlorobenzene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
2,2-dichloropropane	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		*BD = Business Days
2-Chlorotoluene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
4-Chlorotoluene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Benzene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Bromobenzene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Bromochloromethane	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Bromodichloromethane	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Bromomethane	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Carbon Tetrachloride	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Chlorobenzene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Chloroethane	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Chloroform	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Chloromethane	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Cis-1,2-dichloroethene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Cis-1,3-dichloropropene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Dibromomethane	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Dichlorodifluromethane	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Dichloromethane	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Ethylbenzene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Hexachlorobutadiene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Isopropylbenzene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		

ATTACHMENT I ANALYTE COST SCHEDULE

Analyte	Report Level	Qty.	Lab Report Level	Method	Method used	Holding Time	Turn Around	Lab Routine Turnaround Time	Lab Fee	Comments
M,P-Xylenes	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Methyl-T-butyl ether (MTBE)	0.5 ug/L	100	2.0 ug/L		EPA 524.2			10 BD		
Napthalene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
n-Butylbenzene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD*		*BD = Business Days
n-Propylbenzene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
O-Xylene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
P-isopropyltoluene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Sec-butylbenzene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Styrene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Tert-butylbenzene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Tetrachloroethene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Toulene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Trans-1,2-dichloroethene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Trans-1,3-dichloropropene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Trichloroethene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Trichloroethene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Trichlorofluromethane	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Vinyl Chloride	0.4 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Alachlor	0.1 ug/L	50	0.1 ug/L	EPA 525.2	EPA 525.2	14 days to extraction, 30 days collection to analysis	14 days	15 BD	$ 300.00	
Aldrin	0.1 ug/L	50	0.1 ug/L		EPA 525.2			15 BD		
Atrazine	0.08 ug/L	50	0.1 ug/L		EPA 525.2			15 BD		
Benzo(a)pyrene	0.06 ug/L	50	0.1 ug/L		EPA 525.2			15 BD		
Butachlor	0.1 ug/L	50	0.1 ug/L		EPA 525.2			15 BD		
Butylate	0.1 ug/L	50	0.1 ug/L		EPA 507 M			15 BD	$ 150.00	Note Method Changed
Chlorpyrifos	0.1 ug/L	50	0.1 ug/L		EPA 507 M			15 BD		Note Method Changed
Cyanazine	0.15 ug/L	50	0.1 ug/L		EPA 507 M			15 BD*		*BD = Business Days
Di(2-ethylhexl)phthalate	2 ug/L	50	2 ug/L		EPA 525.2			15 BD		
Di(2ethylhexyl adipate	0.5 ug/L	50	0.5 ug/L		EPA 525.2			15 BD		
Dieldrin	0.1 ug/L	50	0.1 ug/L		EPA 525.2			15 BD		
Endrin	0.1 ug/L	50	0.1 ug/L		EPA 525.2			15 BD		
Fonofos	0.1 ug/L	50	0.1 ug/L		EPA 507 M			15 BD		Note method change
Heptachlor	0.08 ug/L	50	0.01 ug/L		EPA 505			15 BD		Note method change
Heptachlor Epoxide	0.04 ug/L	50	0.01 ug/L		EPA 505			15 BD		Note method change
Hexachlorobenzene	0.1 ug/L	50	0.1 ug/L		EPA 525.2			15 BD		
Hexcahlorocyclopentadiene	0.1 ug/L	50	0.1 ug/L		EPA 525.2			15 BD		
Lindane	0.04 ug/L	50	0.01 ug/L		EPA 505			15 BD		Note method change
Methoxychlor	0.1 ug/L	50	0.01 ug/L		EPA 525.2			15 BD		
Metolachlor	0.1 ug/L	50	0.1 ug/L		EPA 525.2			15 BD		
Metribuzin	0.1 ug/L	50	0.1 ug/L		EPA 525.2			15 BD		
Propachlor	0.1 ug/L	50	0.1 ug/L		EPA 525.2			15 BD		
Simazine	0.1 ug/L	50	0.1 ug/L		EPA 525.2			15 BD		
Total Chlordane	0.3 ug/L	50	0.1 ug/L		EPA 505			15 BD		Note method change
Trifluralin	0.1 ug/L	50	0.2 ug/L		EPA 525.2			15 BD		

ATTACHMENT I ANALYTE COST SCHEDULE

Analyte	Report Level	Qty.	Lab Report Level	Method	Method used	Holding Time	Turn Around	Lab Routine Turnaround Time	Lab Fee	Comments
3-Hydroxy carbofuran	0.6 ug/L	25	0.1 µg/L	531.1	EPA 531.1	28 days	20 days	15 BD	$ 175.00	
Aldicarb	0.5 ug/L	25	0.4 ug/L		EPA 531.1			15 BD		
Aldicarb sulfone	0.5 ug/L	25	0.4 ug/L		EPA 531.1			15 BD		
Aldicarb sulfoxide	0.4 ug/L	25	0.4 ug/L		EPA 531.1			15 BD		
Carbaryl	0.5 ug/L	25	0.4 ug/L		EPA 531.1			15 BD		
Carbofuran	0.6 ug/L	25	0.4 ug/L		EPA 531.1			15 BD		
Methomyl	0.4 ug/L	25	0.4 ug/L		EPA 531.1			15 BD*		*BD = Business Days
Oxamyl	0.4 ug/L	25	0.4 ug/L		EPA 531.1			15 BD		
Glyphosate	10 ug/L	50	5 ug/L	547	EPA 547	14 days	20 days	15 BD	$ 140.00	
Endothall*	9 ug/L	100	9 ug/L	548	EPA 548		6 weeks	15 BD	$ 200.00	
Diquat	1 ug/L	50	0.4 ug/L	549.2	EPA 549.2	7 days to extract, 21 days to analysis	20 days	15 BD	$ 180.00	
Paraquat	1 ug/L	50	0.4 ug/L		EPA 549.2			15 BD		
BCAA	1 ug/L	50	0.5	552.2	EPA 552.2	14 days collection to extraction, 7 days extraction to analysis	20 days	10 BD	$ 200.00	
DBAA	1 ug/L	50	0.25 ug/L		EPA 552.2			10 BD		
DCAA	1.5 ug/L	50	0.75 ug/L		EPA 552.2			10 BD		
MBAA	2.5 ug/L	50	0.5 ug/L		EPA 552.2			10 BD		
MCAA	6.5 ug/L	50	0.75 ug/L		EPA 552.2			10 BD		
TCAA	0.5 ug/L	50	0.5 ug/L		EPA 552.2			10 BD		
Dioxin	4.8e-06 ug/L	100	5 pg/L	1613	EPA 1613B		3 weeks		$ 299.00	Subcontracted Pace Analytical
Bromide		25	10 ug/L	EPA 300.1	EPA 300.0		2 weeks	10 BD	$ 28.75	Subcontracted to Underwriters Laboratories
Bromate		25	5 ug/L	EPA 300.1	EPA 300.1		2 weeks	10 BD	$ 115.00	Subcontracted to Underwriters Laboratories
Chorite		25	10 ug/L	EPA 300.0	EPA 300.0		2 weeks	10 BD	$ 28.75	Subcontracted to Underwriters Laboratories
Perchorate		25	4 ug/L	EPA 314	EPA 314		2 weeks	10 BD	$ 126.50	Subcontracted to Underwriters Laboratories
Silica		10	0.1 mg/L	EPA 200.7	EPA 200.7		2 weeks	10 BD	$ 10.00	
Microscopic Particulate Analysis		15	NA		E-MPA		3 weeks	7 BD	$ 225.00	
Giardia		5	NA	ICR or 1623	EPA 1623			7 BD	400**	1st sample includes a matrix spike plus the sample @ $900.00
Cryptosporium		5	NA	ICR or 1623	EPA 1623		3 weeks	7 BD		**Fee includes both Giardia and Cryptosprium
OA-1 BETEX Water		5	1µg/L	8260	EPA 8260		4 weeks	10 BD*	$ 90.00	*BD = Business Days
OA-1 BETEX Soil		5	0.2 mg/Kg	8260	EPA 8260		4 weeks	10 BD	$ 90.00	
OA-1 Gasoline finger print & OA-1 BETEX Water		5	0.5 µg/L	SW8021	SW8021		4 weeks	10 BD	$ 75.00	
OA-1 Gasoline finger print & OA-1 BETEX Soil		5	0.05 mg/Kg	SW8021	SW8021		4 weeks	10 BD	$ 75.00	
Oil & Grease Water/Waste Water		5	5 mg/L	1664	EPA 1664		4 weeks	10 BD	$ 60.00	
OA-2 Total Extractable Hydrocarbons, Diesel Range Organics - Water		5	1 mg/L	SW8015	SW8015		4 weeks	10 BD	$ 75.00	

ATTACHMENT I ANALYTE COST SCHEDULE

Analyte	Report Level	Qty.	Lab Report Level	Method	Method used	Holding Time	Turn Around	Lab Routine Turnaround Time	Lab Fee	Comments
OA-2 Total Extractable Hydrocarbons, Diesel Range Organics - Soil		5	10 mg/Kg	SW8015	SW8015		4 weeks	10 BD	$ 75.00	
RCRA 8 Total Metals Water/Waste Water		5		SW846-6010/6020	SW846-6010/7470		4 weeks	10 BD	$ 95.00	Price includes total metals digest
RCRA 8 Total Metals Soil		5		SW846-6010/6020	SW846-6010/7471		4 weeks	10 BD	$ 105.00	Price includes total metals digest
Total Cyanide Waste Water		5	0.005 mg/L	EPA 335.2	Kelada M.		7 days	10 BD	$ 30.00	
All Radiochemistry data must include precision data (1-sigma statistic)										
**** Isotopic Uranium should be performed using an approved Uranium Isotopic method (Alpha Spectrometry) EPA 00-07, SM7500 UB,**										
All Isotopic Uranium results must include the total combined uranium activity in pCi/L from the individual uranium isotopes										
(e.g., U-234. U-235, U-238), U-234 and U-238 activities as well as U-234/U-238 ratio need to be reported so that a unique activity to mass										
conversion factor can be used to calculate uranium mass concentration in ug/L. All uranium data must include presision data (e.g. 1 sigma statistic).										
Gross Alpha Grab perform: Gross Alpha only.										
Rad Chem Monitoring Rule compliance Testing perform a Gross Alpha then:										
If Gross Alpha equals or exceeds 5 pCi/L, perform a Radium-226 analysis										
If Radium-226 equals or exceed 3 pCi/L, perform a Radium-228 analysis										
If Gross Alpha equals or exceeds 15 pCi/L, perform a Isotopic Uranium analysis										
Water Quailty Test for a New Well: perform a Gross Alpha, Radium-226, Radium-228, and Isotopic Uranium on each sample										
Estimate 100 New Wells per year. Most new wells will also include Asbestos, Endothal, and Dioxin.										
Quarterly monitoring may include any of the following										
Gross Alpha & Uranium										
Gross Alpha, Radium-226, Radium-228, & Uranium										
Gross Alpha, Radium-226, and Radium-228										
Total numbers of samples of each method is impossible to predict. Our lab does most of the routine testing										
This lab would provide backup on all routine compliance monitoring and special requests by clients										
All RadChem, Endothall, Asbestos, Dioxin, TOC, Disinfiction by-products, soils would be sent to this lab										
All non-drinking water testing requests would be sent to this lab such as EPA 625, RCRA metals, oil and Grease, Gasoline										

STATE OF NEBRASKA SERVICE CONTRACT AWARD

State Purchasing Bureau
301 Centennial Mall South, 1st Floor
Lincoln, Nebraska 68508
OR
P.O. Box 94847
Lincoln, Nebraska 68509-4847
Telephone: (402) 471-2401
Fax: (402) 471-2089

CONTRACT NUMBER
32501 O4

PAGE	ORDER DATE
1 of 2	12/22/10
BUSINESS UNIT	BUYER
9001	SUZANNE SIEMER (AS)

VENDOR NUMBER: 618601

VENDOR ADDRESS:

ENERGY LABORATORIES, INC
2393 SALT CREEK HIGHWAY (82601)
PO BOX 3258
CASPER WYOMING 82602-3258

AN AWARD HAS BEEN MADE TO THE VENDOR/CONTRACTOR NAMED ABOVE FOR THE SERVICES AS LISTED BELOW FOR THE PERIOD:

JANUARY 01, 2011 THROUGH DECEMBER 31, 2011

THIS CONTRACT IS NOT AN EXCLUSIVE CONTRACT TO FURNISH THE SERVICES SHOWN BELOW, AND DOES NOT PRECLUDE THE PURCHASE OF SIMILAR SERVICES FROM OTHER SOURCES.

THE STATE RESERVES THE RIGHT TO EXTEND THE PERIOD OF THIS CONTRACT BEYOND THE TERMINATION DATE WHEN MUTUALLY AGREEABLE TO THE VENDOR/CONTRACTOR AND THE STATE OF NEBRASKA.

CONTRACT AWARDED FROM RFP NUMBER 2380Z1

Contract to provide Miscellaneous Environmental Testing Services to the State of Nebraska, Department of Health and Human Services, for the period beginning January 1, 2011 through December 31, 2011 with the option to renew for one (1) additional one (1) year period as mutually agreed up by all parties.

The State may request that payment be made electronically instead of by state warrant. ACH/EFT Enrollment Form can be found at: http://www.das.state.ne.us/accounting/forms/achenrol.pdf

The Contractor is required and hereby agrees to use a federal immigration verification system to determine the work eligibility status of new employees physically performing services within the State of Nebraska. A federal immigration verification system mean the electronic verification of the work authorization program authorized by the Illegal Immigration Reform and Immigrant Responsibility Act of 1996, 8 U.S.C. 1324a, known as the E-Verify Program, or an equivalent federal program designated by the United States Department of Homeland Security or other federal agency authorized to verify the work eligibility status of a newly hired employee.

The contractor certifies that the contractor is not presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded by any federal department or agency from participating in transactions (debarred). The contractor also agrees to include the above requirements in any and all subcontracts into which it enters. The contractor shall immediately notify the Department if, during the term of this contract, contractor becomes debarred. The Department may immediately terminate this contract by providing contractor written notice if contractor becomes debarred during the term of this contract.
If the Contractor is an individual or sole proprietorship, the following applies:
1. The Contractor must complete the United States Citizenship Attestation Form, available on the Department of Administrative Services website at: www.das.state.ne.us.
2. If the Contractor indicates on such attestation form that he or she is a qualified alien, the Contractor agrees to provide the US Citizenship and Immigration Services documentation require to verify the Contractor's lawful presence in the United States using the Systematic Alien Verification for Entitlements (SAVE) Program.
3. The Contractor understands and agrees that lawful presence in the United States is required and the Contractor may be disqualified or the contract terminated if such lawful presence cannot be verified as required by Neb. Rev. Stat. §4-108.

The contract shall incorporate the following previously submitted documents:
1. Contract Award;
2. Any Contract Amendments, in order of significance;

Suzanne Siemer
BUYER

Steve Sibert
MATERIEL ADMINISTRATOR

STATE OF NEBRASKA SERVICE CONTRACT AWARD

State Purchasing Bureau
301 Centennial Mall South, 1st Floor
Lincoln, Nebraska 68508
OR
P.O. Box 94847
Lincoln, Nebraska 68509-4847
Telephone: (402) 471-2401
Fax: (402) 471-2089

PAGE	ORDER DATE
2 of 2	12/22/10
BUSINESS UNIT	BUYER
9001	SUZANNE SIEMER (AS)
VENDOR NUMBER: 618601	

CONTRACT NUMBER
32501 O4

3. Any Request for Proposal Addenda and/or Amendments to include Questions and Answers;
4. The original RFP document;
5. The signed Request for Proposal form; and
6. The Contractor's Proposal.

CONTACT: Steven M. Dobos, Senior Project Manager
PHONE: 888-235-0515
FAX: 307-234-1639

THIS IS THE SECOND RENEWAL OF THE CONTRACT. (12/22/10 jc)

Line	Description	Quantity	Unit of Measure	Unit Price	Extended Price
1	MISC ENVIRONMENTAL TESTING SVC PER ATTACHED SPREADSHEET	150,000.0000	$	1.0000	150,000.00
	Total Order				**150,000.00**



BUYER INITIALS

STATE OF NEBRASKA SERVICE CONTRACT AWARD

State Purchasing Bureau
301 Centennial Mall South, 1st Floor
Lincoln, Nebraska 68508
OR
P.O. Box 94847
Lincoln, Nebraska 68509-4847
Telephone: (402) 471-2401
Fax: (402) 471-2089

CONTRACT NUMBER
32501 O4

PAGE	ORDER DATE
1 OF 1	10/06/09
BUSINESS UNIT	BUYER
9001	SUZANNE SIEMER

VENDOR NUMBER: 618601

VENDOR ADDRESS:

ENERGY LABORATORIES, INC
2393 SALT CREEK HIGHWAY (82601)
PO BOX 3258
CASPER WY 82602-3258

AN AWARD HAS BEEN MADE TO THE VENDOR/CONTRACTOR NAMED ABOVE FOR THE SERVICES AS LISTED BELOW FOR THE PERIOD:

JANUARY 01, 2010 THROUGH DECEMBER 31, 2010

THIS CONTRACT IS NOT AN EXCLUSIVE CONTRACT TO FURNISH THE SERVICES SHOWN BELOW, AND DOES NOT PRECLUDE THE PURCHASE OF SIMILAR SERVICES FROM OTHER SOURCES.

THE STATE RESERVES THE RIGHT TO EXTEND THE PERIOD OF THIS CONTRACT BEYOND THE TERMINATION DATE WHEN MUTUALLY AGREEABLE TO THE VENDOR/CONTRACTOR AND THE STATE OF NEBRASKA.

Original/Bid Document 32501 O4

CONTRACT AWARDED FROM RFP NUMBER 2380Z1

Contract to provide Miscellaneous Environmental Testing Services to the State of Nebraska, Department of Health and Human Services, for the period beginning January 1, 2010 through December 31, 2010 with the option to renew in two (2) additional one (1) year periods as mutually agreed up by all parties.

1. Contract Award;
2. any Contract Amendments, in order of significance;
3. any Request for Proposal Addenda and/or Amendments to include Questions and Answers;
4. the original RFP document;
5. the signed Request for Proposal form; and
6. the Contractor's Proposal.

CONTACT: Steven M. Dobos, Senior Project Manager
PHONE: 888-235-0515
FAX: 307-234-1639

THIS IS THE FIRST RENEWAL OF THE CONTRACT. (10/06/09 jc)

Line	Description	Qty	Unit of Measure	Unit Price	Extended Price
1	Misc environmental testing svc	150000	$	1.0000	150,000.00
	per attached spreadsheet				
	Total Order				**150,000.00**

BUYER

MATERIEL ADMINISTRATOR

STATE OF NEBRASKA
Lincoln, Nebraska

STANDARD CONDITIONS AND TERMS OF CONTRACTUAL SERVICES AND LEASING SOLICITATION AND OFFER

It is the responsibility of the bidder to check the website for all information relevant to this solicitation to include addenda and/or amendments issued prior to the opening date. Website address:
http://www.das.state.ne.us/materiel/purchasing/purchasing.html

SCOPE: These standard conditions and terms of Request for Proposal for Contractual Services and acceptance apply in like force to this inquiry and to any subsequent contract resulting therefrom.

EXECUTION: Proposals must be signed in ink by the bidder on the State of Nebraska's Request for Proposal for Contractual Services form. All proposals must be typewritten or in ink and include the signed State of Nebraska's Request for Proposal for Contractual Services form. Erasures and alterations must be initialed by the contractor in ink. No telephone, facsimile or voice proposals will be accepted. Failure to comply with these provisions may result in the rejection of the proposal.

PAYMENT: Payment will be made by the responsible agency in conjunction with the State of Nebraska Prompt Payment Act (Neb. Rev. Stat. §81-2401 through 81-2408). The State may request that payment be made electronically instead of by State warrant.

COLLUSIVE BIDDING: The bidder's signature on the State of Nebraska's Request for Proposal for Contractual Services form is a guarantee that the prices quoted have been arrived at without collusion with other eligible bidders and without effort to preclude the State of Nebraska from obtaining the lowest possible competitive price.

SPECIFICATIONS: Bidders must submit a proposal in accordance with the Terms and Conditions of the Request for Proposal.

ALTERNATE TERMS AND CONDITIONS: The State, at its sole discretion, may entertain alternative terms and conditions which deviate from the Request for Proposal requirements. Alternative terms and conditions may be considered if overall contract performance would be improved but not compromised, and if they are in the best interest of the State of Nebraska. Alternative terms and conditions must be submitted with the proposal and must be clearly identified and detailed in such a way that allows such deviations to be fully evaluated. Alternative terms and conditions are discouraged and unless explicitly accepted by the State are deemed to be rejected.

PROPOSAL OPENING: Openings shall be public on the date and time specified in the Request for Proposal. It is the bidder's responsibility to assure the proposal is delivered no later than the designated date, time and place of the proposal opening. Telephone and/or fax proposals are not acceptable. A proposal may not be altered after opening of the proposals.

LATE PROPOSALS: Proposals received after the time and date of the proposal opening will be considered late proposals. Late proposals will be returned to the bidder unopened. The State is not responsible for proposals that are late or lost due to mail service inadequacies, traffic or other similar reasons.

RECYCLING: Preference will be given to items which are manufactured or produced from recycled material or which can be readily reused or recycled after their normal use as per state statute (Neb. Rev. Stat. §81-15, 159).

AWARD: All purchases, leases, or contracts which are based on competitive proposals will be awarded according to the provisions in the Request for Proposal. The State reserves the right to reject any or all proposals, wholly or in part, or to award to multiple bidders in whole or in part. The State reserves the right to waive any deviations or errors that are not material, do not invalidate the legitimacy of the proposal, and do not improve the bidder's competitive position. All awards will be made in a manner deemed in the best interest of the State.

PERFORMANCE AND DEFAULT: The State reserves the right to require a performance bond from the successful contractor, as provided by law, without expense to the State. Otherwise, in case of default of the contractor, the State may contract the service from other sources and hold the contractor responsible for any excess cost occasioned thereby.

NONDISCRIMINATION: The Nebraska Fair Employment Practice Act prohibits contractors of the State of Nebraska, and their subcontractors, from discriminating against any employee or applicant for employment, with respect to hire, tenure, terms, conditions or privileges of employment because of race, color, religion, sex, disability, or national origin (Neb. Rev. Stat. §§48-1101 to 48-1125). The contractor guarantees compliance with the Nebraska Fair Employment Practice Act, and breach of this provision shall be regarded as a material breach of contract. The contractor shall insert a similar provision in all subcontracts for services to be covered by any contract resulting from this Request for Proposal.

DRUG POLICY: Contractor certifies that it maintains a drug free work place environment to ensure worker safety and workplace integrity. Contractor agrees to provide a copy of its drug free workplace policy at any time upon request by the State.

GRIEVANCE AND PROTEST: Grievance and protest procedure is available by contacting the buyer. Any Protests must be filed by a vendor within ten (10) calendar days after the intent to award decision is posted to the internet.

Revised: 08/2004

STATE OF NEBRASKA SERVICE CONTRACT AWARD

State Purchasing Bureau
301 Centennial Mall South, 1st Floor
Lincoln, Nebraska 68508
OR
P.O. Box 94847
Lincoln, Nebraska 68509-4847
Telephone: (402) 471-2401
Fax: (402) 471-2089

PAGE	ORDER DATE
1 OF 2	04/18/08
BUSINESS UNIT	BUYER
9000	SUZANNE SIEMER

CONTRACT NUMBER
32501 O4

VENDOR NUMBER: 618601

VENDOR ADDRESS:

ENERGY LABORATORIES, INC
2393 SALT CREEK HIGHWAY (82601)
PO BOX 3258
CASPER WY 82602-3258

AN AWARD HAS BEEN MADE TO THE VENDOR/CONTRACTOR NAMED ABOVE FOR THE SERVICES AS LISTED BELOW FOR THE PERIOD:

JUNE 01, 2008 THROUGH DECEMBER 31, 2009

THIS CONTRACT IS NOT AN EXCLUSIVE CONTRACT TO FURNISH THE SERVICES SHOWN BELOW, AND DOES NOT PRECLUDE THE PURCHASE OF SIMILAR SERVICES FROM OTHER SOURCES.

THE STATE RESERVES THE RIGHT TO EXTEND THE PERIOD OF THIS CONTRACT BEYOND THE TERMINATION DATE WHEN MUTUALLY AGREEABLE TO THE VENDOR/CONTRACTOR AND THE STATE OF NEBRASKA.

Original/Bid Document 2380 Z1

CONTRACT AWARDED FROM RFP NUMBER 2380Z1

Contract to provide Miscellaneous Environmental Testing Services to the State of Nebraska, Department of Health and Human Services, for the period beginning June 1, 2008 through December 31, 2009 with the option to renew for three (3) additional one (1) year periods as mutually agreed upon by all parties.

1. Contract Award;
2. any Contract Amendments, in order of significance;
3. any Request for Proposal Addenda and/or Amendments to include Questions and Answers;
4. the original RFP document;
5. the signed Request for Proposal form; and
6. the Contractor's Proposal.

CONTACT: Steven M. Dobos, Senior Project Manager
PHONE: 888-235-0515
FAX: 307-234-1639

Line	Description	Qty	Unit of Measure	Unit Price	Extended Price
1	Misc environmental testing svc	150000	$	1.0000	150,000.00
	per attached spreadsheet				
	Total Order				**150,000.00**

BUYER

MATERIEL ADMINISTRATOR

STATE OF NEBRASKA
Lincoln, Nebraska

STANDARD CONDITIONS AND TERMS OF CONTRACTUAL SERVICES AND LEASING SOLICITATION AND OFFER

It is the responsibility of the bidder to check the website for all information relevant to this solicitation to include addenda and/or amendments issued prior to the opening date. Website address:
http://www.das.state.ne.us/materiel/purchasing/purchasing.html

SCOPE: These standard conditions and terms of Request for Proposal for Contractual Services and acceptance apply in like force to this inquiry and to any subsequent contract resulting therefrom.

EXECUTION: Proposals must be signed in ink by the bidder on the State of Nebraska's Request for Proposal for Contractual Services form. All proposals must be typewritten or in ink and include the signed State of Nebraska's Request for Proposal for Contractual Services form. Erasures and alterations must be initialed by the contractor in ink. No telephone, facsimile or voice proposals will be accepted. Failure to comply with these provisions may result in the rejection of the proposal.

PAYMENT: Payment will be made by the responsible agency in conjunction with the State of Nebraska Prompt Payment Act (Neb. Rev. Stat. §81-2401 through 81-2408). The State may request that payment be made electronically instead of by State warrant.

COLLUSIVE BIDDING: The bidder's signature on the State of Nebraska's Request for Proposal for Contractual Services form is a guarantee that the prices quoted have been arrived at without collusion with other eligible bidders and without effort to preclude the State of Nebraska from obtaining the lowest possible competitive price.

SPECIFICATIONS: Bidders must submit a proposal in accordance with the Terms and Conditions of the Request for Proposal.

ALTERNATE TERMS AND CONDITIONS: The State, at its sole discretion, may entertain alternative terms and conditions which deviate from the Request for Proposal requirements. Alternative terms and conditions may be considered if overall contract performance would be improved but not compromised, and if they are in the best interest of the State of Nebraska. Alternative terms and conditions must be submitted with the proposal and must be clearly identified and detailed in such a way that allows such deviations to be fully evaluated. Alternative terms and conditions are discouraged and unless explicitly accepted by the State are deemed to be rejected.

PROPOSAL OPENING: Openings shall be public on the date and time specified in the Request for Proposal. It is the bidder's responsibility to assure the proposal is delivered no later than the designated date, time and place of the proposal opening. Telephone and/or fax proposals are not acceptable. A proposal may not be altered after opening of the proposals.

LATE PROPOSALS: Proposals received after the time and date of the proposal opening will be considered late proposals. Late proposals will be returned to the bidder unopened. The State is not responsible for proposals that are late or lost due to mail service inadequacies, traffic or other similar reasons.

RECYCLING: Preference will be given to items which are manufactured or produced from recycled material or which can be readily reused or recycled after their normal use as per state statute (Neb. Rev. Stat. §81-15, 159).

AWARD: All purchases, leases, or contracts which are based on competitive proposals will be awarded according to the provisions in the Request for Proposal. The State reserves the right to reject any or all proposals, wholly or in part, or to award to multiple bidders in whole or in part. The State reserves the right to waive any deviations or errors that are not material, do not invalidate the legitimacy of the proposal, and do not improve the bidder's competitive position. All awards will be made in a manner deemed in the best interest of the State.

PERFORMANCE AND DEFAULT: The State reserves the right to require a performance bond from the successful contractor, as provided by law, without expense to the State. Otherwise, in case of default of the contractor, the State may contract the service from other sources and hold the contractor responsible for any excess cost occasioned thereby.

NONDISCRIMINATION: The Nebraska Fair Employment Practice Act prohibits contractors of the State of Nebraska, and their subcontractors, from discriminating against any employee or applicant for employment, with respect to hire, tenure, terms, conditions or privileges of employment because of race, color, religion, sex, disability, or national origin (Neb. Rev. Stat. §§48-1101 to 48-1125). The contractor guarantees compliance with the Nebraska Fair Employment Practice Act, and breach of this provision shall be regarded as a material breach of contract. The contractor shall insert a similar provision in all subcontracts for services to be covered by any contract resulting from this Request for Proposal.

DRUG POLICY: Contractor certifies that it maintains a drug free work place environment to ensure worker safety and workplace integrity. Contractor agrees to provide a copy of its drug free workplace policy at any time upon request by the State.

GRIEVANCE AND PROTEST: Grievance and protest procedure is available by contacting the buyer. Any Protests must be filed by a vendor within ten (10) calendar days after the intent to award decision is posted to the internet.

Revised: 08/2004

ATTACHMENT I ANALYTE COST SCHEDULE

Analyte	Report Level	Qty.	Lab Report Level	Method	Method used	Holding Time	Turn Around	Lab Routine Turnaround Time	Lab Fee	Comments
Asbestos	0.184 mf/L	100		TEM EPA 100.2	E100.1 TEM	48-hours	4 weeks		$ 195.50	Subbed to DataChem Laboratories
Alkalinity as CaCO3	20 mg/L	10	1 mg/L	SM 2320B	SM 2320B	14 days	7 days	10 BD*	$ 10.00	*BD = Business Days
Acid, dig. (soil, sludge)	NA	2	NA	SW3050B	SW3050	6 months	NA	10 BD	$ 25.00	
Ammonia Distilled	0.05 mg/L	20	0.05 mg/L	EPA 350.1	SM 4500 NH3-BG	28 days	10 days	10 BD	$ 22.50	W/ Distillation
Ammonia Non-Distilled	0.05 mg/L	10	0.05 mg/L	EPA 350.1	SM 4500 NH3 G	28 days	10 days	10 BD	$ 15.00	
Antimony	1ug/L	20	1 µg/L	EPA 200.8	EPA 200.8	6 months	20 days	10 BD	$ 10.00	
Arsenic	2 ug/L	20	1 µg/L	EPA 200.8	EPA 200.8	6 months	20 days	10 BD	$ 10.00	
Barium	10 ug/L	20	1 µg/L	EPA 200.8	EPA 200.8	6 months	20 days	10 BD	$ 10.00	
Beryllium	1 ug/L	20	1 µg/L	EPA 200.8	EPA 200.8	6 months	20 days	10 BD	$ 10.00	
BOD/CBOD	2 mg/L	5	2 mg/L	EPA 405.1	SM 5210 B	48 hours	10 days	10 BD	$ 40.00	
Cadmium	1 ug/L	20	1 µg/L	EPA 200.8	EPA 200.8	6 months	20 days	10 BD	$ 10.00	
Calcium Environmental	0.15 mg/L	20	0.5 mg/L	SM 3111B	EPA 200.7	6 months	20 days	10 BD	$ 10.00	
Calcium-Titration (DW)	NA	20	0.5 mg/L	EPA 215.2	EPA 200.7	6 months	10 days	10 BD	$ 10.00	
Chloride	1 mg/L	20	1 mg/L	SM 4500-Cl-E	SM 4500-Cl-E	28 days	10 days	10 BD	$ 10.00	
Chromium	1 ug/L	20	1 µg/L	EPA 200.8	EPA 200.8	6 months	20 days	10 BD	$ 10.00	
COD	12 mg/L	20	1 mg/L	SM 410.4	HACH 8000	28 days	10 days	10 BD	$ 25.00	
Colilert (COLIFORM)	0 cfu/100	20	P/A	SM 9223B P/A	SM 9223B	30 hours	3 days	5 BD	$ 15.00	
Colilert Quantitray (COLIFORM)	0 cfu/100	20	1 cfu/100 ml	SM 9223B QT	SM 9223B	30 hours	3 days	5 BD	$ 35.00	
Conductivity	NA	10	1µmhos/cm	EPA 120.1	SM2510 B	28 days	7 days	10 BD	$ 10.00	
Copper	5 ug/L	20	1 µg/L	EPA 200.8	EPA200.8	6 months	20 days	10 BD	$ 10.00	
Cyanide	0.05 mg/L	20	0.005 mg/L	SM 4500CN-F	Kelada M.	14 days	10 days	10 BD	$ 30.00	
Fecal Coliform	NA	5	NA	SM 9222D	SM 9222D	6 hours	4 days	5 BD*	$ 35.00	*BD = Business Days
Fecal Strep	NA	5		SM 9230C		6 hours	4 days			ELI does not analyze SM 9230C
Fluoride	0.20 mg/L	20	0.1 mg/L	SM 4500F-C	SM 4500F-C	28 days	7 days	10 BD	$ 10.00	
Heterotrophic Plate Count Total Coliform/E.coli	NA	5	NA	SM 9215B	SM9215B	8 hr/24 hr if <4C	4 days	5 BD	$ 50.00	
Iron, Drinking Water	50 ug/L	20	30 µg/L	SM 3111B	EPA 200.7	6 months	20 days	10 BD	$ 10.00	
Iron, Environmental	50 ug/L	20	30 µg/L	SM 3111B	EPA 200.7	6 months	20 days	10 BD	$ 10.00	
Lead	1 ug/L	20	1 ug/L	EPA 200.8	EPA 200.8	6 months	20 days	10 BD	$ 10.00	
Magnesium – Environmental Water	0.15 mg/L	20	0.5 mg/L	SM3111B	EPA 200.7	6 months	20 days	10 BD	$ 10.00	
Magnesium – Drinking Water	0.15 mg/L	20	0.5 mg/L	SM3111B	EPA 200.7	6 months	20 days	10 BD	$ 10.00	
Manganese	1 ug/L	20	1 ug/L	EPA 200.8	EPA 200.8	6 months	20 days	10 BD	$ 10.00	
Membrane Filter (COLIFORM)	g/L	10		SM 9222B		30 hours	5 days			ELI does not analyze SM 9222B
Mercury Drinking Water & Environmental Water	1 ug/L	10	1 ug/L	SM 3112B	SM 3112B	28 days	20 days	10 BD	$ 10.00	
Microwave Digestion for Metals	NA	20		SM 3030K		6 months	NA			ELI does not use microwave digestions
Nickel	1 ug/L	20	1 ug/L	EPA 200.8	EPA 200.8	6 months	20 days	10 BD	$ 10.00	
Nitrate/Nitrite	0.05 mg/L	30	0.05 mg/L	EPA 353.2	EPA 353.2	28 days	5 days	10 BD	$ 15.00	
Nitrogen-Nitrite	0.02 mg/L	10	0.01 mg/L	EPA 353.2	EPA 353.2	48 hours	5 days	10 BD	$ 15.00	
pH	NA	5	NA	EPA 150.1	SM 4500-H B	0.25 hours	5 days	10 BD	$ 10.00	
Phosphate-Ortho, as P	0.02 mg/L	5	0.01mg/L	EPA 365.1	EPA 365.1	48 hours	7 days	10 BD	$ 10.00	

ATTACHMENT I ANALYTE COST SCHEDULE

Analyte	Report Level	Qty.	Lab Report Level	Method	Method used	Holding Time	Turn Around	Lab Routine Turnaround Time	Lab Fee	Comments
Phosphorus-Total	0.04 mg/L	10	0.001 mg/L	EPA 365.4	EPA 365.1	28 days	20 days	10 BD	$ 15.00	
Potassium – Environmental Water	0.30 mg/L	10	0.5mg/L	SM 3111B	EPA 200.7	6 months	20 days	10 BD	$ 10.00	
Potassium – Drinking Water	5 mg/L	10	0.5 mg/L	SM 3111B	EPA 200.7	6 months	20 days	10 BD	$ 10.00	*BD = Business Days
Sample Filtration	NA	5		NA		NA	NA	10 BD	$ 15.00	
Selenium	5 ug/L	20	1 ug/L	EPA 200.8	EPA 200.8	6 months	20 days	10 BD	$ 10.00	
Silver	1 ug/L	20	1 ug/L	EPA 200.8	EPA 200.8	6 months	20 days	10 BD	$ 10.00	
Sodium – Drinking Water	10 mg/L	10	0.5mg/L	SM 3111B	EPA 200.7	6 months	20 days	10 BD	$ 10.00	
Sodium – Environmental Water	0.15 mg/L	10	0.5mg/L	SM 3111B	EPA 200.7	6 months	20 days	10 BD	$ 10.00	
Sulfate	10 mg/L	10	1 mg/L	EPA 375.4	SM 4500SO4 E	28 days	7 days	10 BD	$ 10.00	
Thallium	1 ug/L	20	1 ug/L	EPA 200.8	EPA 200.8	6 months	20 days	10 BD	$ 10.00	
Total Dissolved Solids	10 mg/L	20	10 mg/L	EPA 160.1	SM 2540 C	7 days	7 days	10 BD	$ 10.00	
Total Hardness	4 mg/l	10	4 mg/L	SM 2340C	SM 2340C	6 months	7 days	10 BD		Calculation
Total Kjeldahl Nitrogen	0.50 mg/l	20	0.5mg/L	EPA 351.2	EPA 351.2	28 days	10 days	10 BD	$ 25.00	
Total Suspended Solids	5 mg/l	20	1 mg/L	EPA 160.2	SM 2540 D	7 days	7 days	10 BD	$ 10.00	
Turbidity	NA	20	0.1 NTU	EPA 180.1	SM 2130 B	NA	NA	10 BD	$ 10.00	
Uranium (Mass)	1 mg/L	20	0.3 ug/L	EPA 200.8	EPA 200.8	6 months	20 days	10 BD	$ 10.00	
Zinc	10 ug/L	20	1 ug/L	EPA 200.8	EPA 200.8	6 months	20 days	10 BD	$ 10.00	
Gamma Isotopic	****	50		EPA 901.1 or SM 7500-1B	EPA 901.1	6 months	8 weeks	15 BD	$ 75.00	
Gross Alpha	1.5 pCi/L	100	1.0 pCi/L	EPA 900	EPA 900.0	6 months	8 weeks	15 BD	$ 50.00	
Radon in Water	1.5 pCi/L	20	100 pCi/L	SM 7500-RN	ASTM 5072-92	3 days	8 weeks	10 BD	$ 50.00	
Radium-226	.1 pCi/L	50	0.2 pCi/L	EPA 903	EPA 903	6 months	8 weeks	15 BD	$ 75.00	
Radium-228	.8 pCi/L	50	1 pCi/L	RA-05 from EPA Doc 520	RA-05	6 months	8 weeks	15 BD	$ 75.00	
Uranium Isotopic	0.1 pCi/L	100	0.2 pCi/L	SM7500-UC	EPA 907.0	6 months	8 weeks	10 BD	$ 100.00	
1,2 Dibromoethane (EDB)	0.01 ug/L	25	0.01 ug/L	EPA 504.1	EPA 504.1	14 days from collection to extraction, 24 hours extraction to analysis	14 days	15 BD*	$ 130.00	*BD = Business Days
1,2 Dibromo-3-Chloropropane (DBCP)	0.01 ug/L	25	0.02 ug/L		EPA 504.1			15 BD		
PCB-1016 Aroclor	0.2 ug/L	25	0.08 ug/L	EPA 505	EPA 505	14 days from collection to extraction, 24 hours extraction to analysis	3 weeks	15 BD	$ 200.00	
PCB-1221 Aroclor	2 ug/L	25	2 ug/L		EPA 505			15 BD		
PCB-1232 Aroclor	0.5 ug/L	25	0.5 ug/L		EPA 505			15 BD		
PCB-1242 Aroclor	0.3 ug/L	25	0.3 ug/L		EPA 505			15 BD		
PCB-1248 Aroclor	0.2 ug/L	25	0.1 ug/L		EPA 505			15 BD		
PCB-1254 Aroclor	0.1 ug/L	25	0.1 µg/L		EPA 505			15 BD		
PCB-1260 Aroclor	0.2 ug/L	25	0.2 ug/L		EPA 505			15 BD		
Toxaphene	1 ug/L	25	1 ug/L		EPA 505			15 BD		
2,4-D	2 ug/L	50	1 ug/L	EPA 515.3	EPA 515.1	14 days from collection to extraction, 14 days extraction to analysis	20 days	15 BD	$ 180.00	
2,4,5-TP (Silvex)	0.6 ug/L	50	0.2 ug/L		EPA 515.1			15 BD		
Dalapon	2 ug/L	50	2.5 ug/L		EPA 515.1			15 BD		
Dicamba	1 ug/L	50	0.25 ug/L		EPA 515.1			15 BD		
Dinoseb	1.3 ug/L	50	1 ug/L		EPA 515.1			15 BD		

ATTACHMENT I ANALYTE COST SCHEDULE

Analyte	Report Level	Qty.	Lab Report Level	Method	Method used	Holding Time	Turn Around	Lab Routine Turnaround Time	Lab Fee	Comments
Pentachlorophenol	0.2 ug/L	50	0.04 µµg.L		EPA 515.1			15 BD*		*BD = Business Days
Picloram	1.5 ug/L	50	0.5 ug/L		EPA 515.1			15 BD		
Bromodichloromethane	0.5 ug/L	100	0.5 ug/L	EPA 524.2	EPA 524.2	14 days	10 days	10 BD	$ 130.00	
Bromoform	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Chloroform	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
1,1,1,2-Tetrachloroethane	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
1,1,1-Trichloroethane	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
1,1,2,2-Tetrachloroethane	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
1,1,2-Tricholoroethane	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
1,1-Dichloroethane	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
1,1-Dichloroethene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
1,1-Dichloropropene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
1,2,3-Trichloropropane	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
1,2,4-Trichlorobenzene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
1,2,4-Trimethylbenzene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
1,2,3-Trichlorobenzene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
1,2-Dibromo-3-Chloropropane (DBCP)	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
1,2-Dichlorobenzene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
1,2-Dichloroethane	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
1,2-Dichloropropane	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
1,3-Dichloropropane	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
1,3,5-Trimethylbenzene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
1,3-Dichlorobenzene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
1,4-Dichlorobenzene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
2,2-dichloropropane	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		*BD = Business Days
2-Chlorotoluene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
4-Chlorotoluene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Benzene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Bromobenzene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Bromochloromethane	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Bromodichloromethane	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Bromomethane	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Carbon Tetrachloride	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Chlorobenzene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Chloroethane	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Chloroform	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Chloromethane	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Cis-1,2-dichloroethene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Cis-1,3-dichloropropene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Dibromomethane	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Dichlorodifluromethane	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Dichloromethane	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Ethylbenzene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Hexachlorobutadiene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Isopropylbenzene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		

ATTACHMENT I ANALYTE COST SCHEDULE

Analyte	Report Level	Qty.	Lab Report Level	Method	Method used	Holding Time	Turn Around	Lab Routine Turnaround Time	Lab Fee	Comments
M,P-Xylenes	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Methyl-T-butyl ether (MTBE)	0.5 ug/L	100	2.0 ug/L		EPA 524.2			10 BD		
Napththalene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
n-Butylbenzene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD*		*BD = Business Days
n-Propylbenzene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
O-Xylene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
P_isopropyltoluene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Sec-butylbenzene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Styrene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Tert-butylbenzene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Tetrachloroethene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Toulene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Trans-1,2-dichloroethene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Trans-1,3-dichloropropene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Trichloroethene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Trichloroethene	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Trichlorofluromethane	0.5 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Vinyl Chloride	0.4 ug/L	100	0.5 ug/L		EPA 524.2			10 BD		
Alachlor	0.1 ug/L	50	0.1 ug/L	EPA 525.2	EPA 525.2	14 days to extraction, 30 days collection to analysis	14 days	15 BD	$ 300.00	
Aldrin	0.1 ug/L	50	0.1 ug/L		EPA 525.2			15 BD		
Atrazine	0.08 ug/L	50	0.1 ug/L		EPA 525.2			15 BD		
Benzo(a)pyrene	0.06 ug/L	50	0.1 ug/L		EPA 525.2			15 BD		
Butachlor	0.1 ug/L	50	0.1 ug/L		EPA 525.2			15 BD		
Butylate	0.1 ug/L	50	0.1 ug/L		EPA 507 M			15 BD	$ 150.00	Note Method Changed
Chlorpyrifos	0.1 ug/L	50	0.1 ug/L		EPA 507 M			15 BD		Note Method Changed
Cyanazine	0.15 ug/L	50	0.1 ug/L		EPA 507 M			15 BD*		*BD = Business Days
Di(2-ethylhexl)phthalate	2 ug/L	50	2 ug/L		EPA 525.2			15 BD		
Di(2ethylhexyl adipate	0.5 ug/L	50	0.5 ug/L		EPA 525.2			15 BD		
Dieldrin	0.1 ug/L	50	0.1 ug/L		EPA 525.2			15 BD		
Endrin	0.1 ug/L	50	0.1 ug/L		EPA 525.2			15 BD		
Fonofos	0.1 ug/L	50	0.1 ug/L		EPA 507 M			15 BD		Note method change
Heptachlor	0.08 ug/L	50	0.01 ug/L		EPA 505			15 BD		Note method change
Heptachlor Epoxide	0.04 ug/L	50	0.01 ug/L		EPA 505			15 BD		Note method change
Hexachlorobenzene	0.1 ug/L	50	0.1 ug/L		EPA 525.2			15 BD		
Hexcahlorocyclopentadiene	0.1 ug/L	50	0.1 ug/L		EPA 525.2			15 BD		
Lindane	0.04 ug/L	50	0.01 ug/L		EPA 505			15 BD		Note method change
Methoxychlor	0.1 ug/L	50	0.01 ug/L		EPA 525.2			15 BD		
Metolachlor	0.1 ug/L	50	0.1 ug/L		EPA 525.2			15 BD		
Metribuzin	0.1 ug/L	50	0.1 ug/L		EPA 525.2			15 BD		
Propachlor	0.1 ug/L	50	0.1 ug/L		EPA 525.2			15 BD		
Simazine	0.1 ug/L	50	0.1 ug/L		EPA 525.2			15 BD		
Total Chlordane	0.3 ug/L	50	0.1 µg/L		EPA 505			15 BD		Note method change
Trifluralin	0.1 ug/L	50	0.2 µg/L		EPA 525.2			15 BD		

ATTACHMENT I ANALYTE COST SCHEDULE

Analyte	Report Level	Qty.	Lab Report Level	Method	Method used	Holding Time	Turn Around	Lab Routine Turnaround Time	Lab Fee	Comments
3-Hydroxy carbofuran	0.6 ug/L	25	0.1 µg/L	531.1	EPA 531.1	28 days	20 days	15 BD	$ 175.00	
Aldicarb	0.5 ug/L	25	0.4 ug/L		EPA 531.1			15 BD		
Aldicarb sulfone	0.5 ug/L	25	0.4 ug/L		EPA 531.1			15 BD		
Aldicarb sulfoxide	0.4 ug/L	25	0.4 ug/L		EPA 531.1			15 BD		
Carbaryl	0.5 ug/L	25	0.4 ug/L		EPA 531.1			15 BD		
Carbofuran	0.6 ug/L	25	0.4 ug/L		EPA 531.1			15 BD		
Methomyl	0.4 ug/L	25	0.4 ug/L		EPA 531.1			15 BD*		*BD = Business Days
Oxamyl	0.4 ug/L	25	0.4 ug/L		EPA 531.1			15 BD		
Glyphosate	10 ug/L	50	5 ug/L	547	EPA 547	14 days	20 days	15 BD	$ 140.00	
Endothall*	9 ug/L	100	9 ug/L	548	EPA 548		6 weeks	15 BD	$ 200.00	
Diquat	1 ug/L	50	0.4 ug/L	549.2	EPA 549.2	7 days to extract, 21 days to analysis	20 days	15 BD	$ 180.00	
Paraquat	1 ug/L	50	0.4 ug/L		EPA 549.2			15 BD		
BCAA	1 ug/L	50	0.5	552.2	EPA 552.2	14 days collection to extraction, 7 days extraction to analysis	20 days	10 BD	$ 200.00	
DBAA	1 ug/L	50	0.25 ug/L		EPA 552.2			10 BD		
DCAA	1.5 ug/L	50	0.75 ug/L		EPA 552.2			10 BD		
MBAA	2.5 ug/L	50	0.5 ug/L		EPA 552.2			10 BD		
MCAA	6.5 ug/L	50	0.75 ug/L		EPA 552.2			10 BD		
TCAA	0.5 ug/L	50	0.5 ug/L		EPA 552.2			10 BD		
Dioxin	4.8e-06 ug/L	100	5 pg/L	1613	EPA 1613B		3 weeks		$ 299.00	Subcontracted Pace Analytical
Bromide		25	10 ug/L	EPA 300.1	EPA 300.0		2 weeks	10 BD	$ 28.75	Subcontracted to Underwriters Laboratories
Bromate		25	5 ug/L	EPA 300.1	EPA 300.1		2 weeks	10 BD	$ 115.00	Subcontracted to Underwriters Laboratories
Chorite		25	10 ug/L	EPA 300.0	EPA 300.0		2 weeks	10 BD	$ 28.75	Subcontracted to Underwriters Laboratories
Perchorate		25	4 ug/L	EPA 314	EPA 314		2 weeks	10 BD	$ 126.50	Subcontracted to Underwriters Laboratories
Silica		10	0.1 mg/L	EPA 200.7	EPA 200.7		2 weeks	10 BD	$ 10.00	
Microscopic Particulate Analysis		15	NA		E-MPA		3 weeks	7 BD	$ 225.00	
Giardia		5	NA	ICR or 1623	EPA 1623			7 BD	400**	1st sample includes a matrix spike plus the sample @ $900.00
Cryptosporium		5	NA	ICR or 1623	EPA 1623		3 weeks	7 BD		**Fee includes both Giardia and Cryptosprium
OA-1 BETEX Water		5	1µg/L	8260	EPA 8260		4 weeks	10 BD*	$ 90.00	*BD = Business Days
OA-1 BETEX Soil		5	0.2 mg/Kg	8260	EPA 8260		4 weeks	10 BD	$ 90.00	
OA-1 Gasoline finger print & OA-1 BETEX Water		5	0.5 µg/L	SW8021	SW8021		4 weeks	10 BD	$ 75.00	
OA-1 Gasoline finger print & OA-1 BETEX Soil		5	0.05 mg/Kg	SW8021	SW8021		4 weeks	10 BD	$ 75.00	
Oil & Grease Water/Waste Water		5	5 mg/L	1664	EPA 1664		4 weeks	10 BD	$ 60.00	
OA-2 Total Extractable Hydrocarbons, Diesel Range Organics - Water		5	1 mg/L	SW8015	SW8015		4 weeks	10 BD	$ 75.00	

ATTACHMENT I ANALYTE COST SCHEDULE

Analyte	Report Level	Qty.	Lab Report Level	Method	Method used	Holding Time	Turn Around	Lab Routine Turnaround Time	Lab Fee	Comments
OA-2 Total Extractable Hydrocarbons, Diesel Range Organics - Soil		5	10 mg/Kg	SW8015	SW8015		4 weeks	10 BD	$ 75.00	
RCRA 8 Total Metals Water/Waste Water		5		SW846-6010/6020	SW846-6010/7470		4 weeks	10 BD	$ 95.00	Price includes total metals digest
RCRA 8 Total Metals Soil		5		SW846-6010/6020	SW846-6010/7471		4 weeks	10 BD	$ 105.00	Price includes total metals digest
Total Cyanide Waste Water		5	0.005 mg/L	EPA 335.2	Kelada M.		7 days	10 BD	$ 30.00	
All Radiochemistry data must include precision data (1-sigma statistic)										
**** Isotopic Uranium should be performed using an approved Uranium Isotopic method (Alpha Spectrometry) EPA 00-07, SM7500 UB,**										
All Isotopic Uranium results must include the total combined uranium activity in pCi/L from the individual uranium isotopes										
(e.g., U-234. U-235, U-238), U-234 and U-238 activities as well as U-234/U-238 ratio need to be reported so that a unique activity to mass										
conversion factor can be used to calculate uranium mass concentration in ug/L. All uranium data must include presision data (e.g. 1 sigma statistic).										
Gross Alpha Grab perform: Gross Alpha only.										
Rad Chem Monitoring Rule compliance Testing perform a Gross Alpha then:										
If Gross Alpha equals or exceeds 5 pCi/L, perform a Radium-226 analysis										
If Radium-226 equals or exceed 3 pCi/L, perform a Radium-228 analysis										
If Gross Alpha equals or exceeds 15 pCi/L, perform a Isotopic Uranium analysis										
Water Quailty Test for a New Well: perform a Gross Alpha, Radium-226, Radium-228, and Isotopic Uranium on each sample										
Estimate 100 New Wells per year. Most new wells will also include Asbestos, Endothal, and Dioxin.										
Quarterly monitoring may include any of the following										
Gross Alpha & Uranium										
Gross Alpha, Radium-226, Radium-228, & Uranium										
Gross Alpha, Radium-226, and Radium-228										
Total numbers of samples of each method is impossible to predict. Our lab does most of the routine testing										
This lab would provide backup on all routine compliance monitoring and special requests by clients										
All RadChem, Endothall, Asbestos, Dioxin, TOC, Disinfiction by-products, soils would be sent to this lab										
All non-drinking water testing requests would be sent to this lab such as EPA 625, RCRA metals, oil and Grease, Gasoline										