State of Nebraska - INVITATION TO BID CONTRACT

Date	8/27/19		Page 1 of 1
Solicitation Number		6133 OF	<u> </u>
Opening Date and Time		09/20/19	2:00 PM
Buyer		CHRISTIE	KELLY (AS)

Return to: State Purchasing Bureau 1526 K Street, Suite 130 Lincoln, Nebraska 68508

Telephone: 402-471-6500 Fax: 402-471-2089

DESTINATION OF GOODS MULTIPLE DELIVERY LOCATIONS PLEASE REFER TO DOCUMENTATION

Email ron

CHRISTIE KELLT (AS)	FOR DELIVERY ADDRESSES.
Per Nebraska' s Transparency in Government Procurement Adnumber of contracts awarded to Nebraska contractors. This in considered for contract award purposes.	t, DAS is required to collect statistical information regarding the formation is for statistical purposes only and will not be
NEBRASKA CONTRACTOR AFFADAVIT: Bidder hereby Contractor" shall mean any bidder who has maintained a bona state for at least the six (6) months immediately preceding the	
I hereby certify that I am a Resident disabled veteran or with Neb. Rev. Stat. §73-107 and wish to have preference, if a	business located in a designated enterprise zone in accordance oplicable, considered in the award of this contract.
Contract to supply and deliver 2020 OR CURRENT PRODUCT Nebraska as per the attached specifications for a one (1) year	ION YEAR HALF TON TRUCK FFV E85 to the State of period from date of award.
(8/27/19 sc)	
INVIT	ATION
PLEASE REFER TO ATTACHMENT "A" TO BID ON F	ALF TON REGULAR CAB 4X4 TRUCK FFV E85 (BASE)
PLEASE REFER TO ATTACHMENT "B" TO BID ON HALF TON	EXTENDED CAB 4X4 4 DOOR TRUCK FFV E85 (BASE)
PLEASE REFER TO ATTACHMENT "C" TO BID ON HA	LF TON CREW CAB 4X4 4 DOOR TRUCK FFV E85 (BASE) 💝
PLEASE REFER TO ATTACHMENT "D" TO BID ON HA	LF TON REGULAR CAB 4X4 TRUCK FFV E85 (REGULAR)
PLEASE REFER TO ATTACHMENT "E" TO BID ON HALF TO	ON EXTENDED CAB 4X4 4 DOOR TRUCK FFV E85 (REGULAR
PLEASE REFER TO ATTACHMENT "F" TO BID ON HA	LF TON REGULAR CAB 4X4 TRUCK FFV E85 (REGULAR)
DIDDED CAN SUDMIT A DID ON ANY OR A	L OF THE HALF TON TRUCKS BEING SOLICITED BY
	OPRIATE ATTACHED -
	111 1 0
BIDDER MUST COMI DISCOUNT PAYMENT TERM	PLETE THE FOLLOWING IS: 0 % 30 DAYS
Du single this Invitation to Bid form the hidder quarantees compliance with the	provisions stated in this Invitation to Bid, agrees to the terms and conditions unless a work place environment. Vendor will furnish the items requested with 120 days
Sign / Quallet	Enter Contact Information Below
Here (Authorized Signature MANDATORY - MUST BE SIGNED	IN INK)
VENDOR#	Contact con tyllerton
	Buick Telephone 402 - 540 - 7578
Address: 1750 County Rd J	Facsimile ———

THE MASTER AGREEMENT TERMS AND CONDITIONS APPLY TO THIS INVITATION TO BID

SCHEDULE OF EVENTS

A. The State expects to adhere to the tentative procurement schedule shown below. It should be noted; however, dates are approximate and subject to change.

	ACTIVITY	DATE/TIME
1	Release Invitation to Bid	August 30, 2019
2	Last Day to Submit Written Questions	September 6, 2019
3	State Responds to Written Questions Through an Addendum to be posted to the internet at: http://das.nebraska.gov/materiel/purchase_bureau/vendor/vehicle-itb.html	September 13, 2019
4	Bid Opening Location: Nebraska State Purchasing Bureau 1526 K Street, Suite 130 Lincoln, NE 68508	September 20, 2019 2:00 P.M. Central Time

B. WRITTEN QUESTIONS AND ANSWERS

Questions regarding the meaning or interpretation of any ITB provision must be submitted in writing to SPB and clearly marked "ITB Number 6133 OF; 2020 or Current Production Year for HALF TON CREW CAB 4x4 4 DOOR TRUCK FFV E85 (Base) Questions". The POC is not obligated to respond to questions that are received late per the Schedule of Events.

Bidders should present, as questions, any assumptions upon which the Bidder's bid is or might be developed. Bids will be evaluated without consideration of any known or unknown assumptions of a Bidder. The contract will not incorporate any known or unknown assumptions of a Bidder.

It is preferred that questions be sent via e-mail to as.materielpurchasing@nebraska.gov, but may be delivered by hand or by U.S. Mail. It is recommended that Bidders submit questions using the following format.

TB Section Reference	ITB Page Number	Question
Reference	Number	

Written answers will be provided through an addendum to be posted on the internet at http://das.nebraska.gov/materiel/purchase-bureau/vendor/vehicle-itb.html shown in the Schedule of Events.

II. BIDDER INSTRUCTIONS

Bidder must respond to each of the following statements. Specifications listed are minimum conditions that must be met in order for a bidder to qualify for the award.

A "YES" response means the bidder guarantees they can meet this condition.

A "NO" response means the bidder cannot meet this condition and will not be considered.

"NO & PROVIDE ALTERNATIVE" responses should be used only with a narrative response in the NOTES/COMMENTS section explaining in detail any deviation from the bidder's ability to meet the condition, and an explanation of how this would be determined to be an acceptable alternative to meeting the condition. Alternatives must be detailed in such a way that allows such deviations to be fully evaluated. The State of Nebraska will determine at its sole discretion whether or not the vendor's alternative is an acceptable alternative.

ALL SPECIFICATIONS LISTED BELOW ARE REQUIREMENTS

A. CAB AND BODY

YES	NO	NO & PROVIDE ALTERNATIVE	
/			 Color: Cab, Body and fenders will be selected from manufacturer's standard colors. (NOTE: attached color charts are to be considered manufacturer colors with no extra charge unless specified on color chart in the options). All paint will be base coat/clear coat acrylic, activator- hardened acrylic or polyurethane type.
			 Cab and Body: Fully enclosed safety type cab. The standard truck box to be no less than 75" long by 63" wide (inside dimensions) and be of double sidewall construction. Minimum 50" wide between wheel wells.
			Glass: Approved tinted safety glass in all doors, windows, and windshields.
			4. Headliner: Fully insulated headliner.
			Insulation: Standard production heat and sound insulation to be provided. Body and interior finished to exclude excessive noise and weather.
/			6. Seats: 40-20-40 or 60-40 style seat and fold down center console to be furnished. Front and rear seat must be manufacturer's heavy duty, maximum depth foam rubber, with heavy-duty cloth covering. Head restraints or high backs for outboard seats. Rear seat area must have a minimum of 38.5° rear leg room.
			 Arm Rests: Both left and right-hand sides of each front seat. Fold down center console and door armrests to be furnished and acceptable as arm rests.
			8. Manufacturer's Automatic Speed Control.
V	-		9. Sun Visors: Dual, padded.
			10. Floor Coverings: Rubber matting type.

	11. Rearview Mirrors:
	Interior adjustable, rear vision mirror of day and night selector type (non- glare).
	Two (2) electric exterior rear vision mirrors, right and left, interior adjustable, minimum 6" by 9", swing type preferred.
	12. Frame: (Half Ton 4x4 Crew Cab Truck with four (4) full-size doors) Section modules rated at not less than 3.3, with 36,000 PSI yield strength steel or as recommended by manufacturer for Crew Cab Trucks.
	 Air Conditioner: Manufacturer installed air-conditioning, manually controlled, to include all items normally included in the factory package.
	 Fenders and Bumpers: Manufacturer's standard fenders front and rear. Manufacturer's front bumper and step-type, rear bumper.
	15. Fuel Tank: Largest gallon fuel tank available from factory. ***State Size of Fuel Tank being bid:
	16. Skid plates.
	17. Seat Belts:
	Lap/shoulder seat belts with automatic retractors for out-board seating.
	Middle seat belt, preferably with retractors.
	18. Power Outlet.
	19. Windshield Wipers: Manufacturer's electrically operated, multiple speeds with delay modes, manually controlled with electric windshield washer jets to each wiper blade and with intermittent or delay capability.
	Heater: Installed fresh air type heater with dual defroster tubes to windshield.
	21. Lights: Halogen high beam headlights with low beam; parking, dome, tail, backup, and stop lights, front and rear directional turn signals with self-canceling control on steering column, and daytime running lights.
	22. Controls and Instruments: Key locking ignition switch head, parking and dome light switches, headlight beam control, speedometer, charge indicator, fuel gauge, oil pressure indicator, engine temperature indicator, high beam indicator light, traffic hazard switch, flashing turn indicator lights and in cab hood release.
	23. Radio: Manufacturer's AM/FM stereo.
	24. Manufacturer's Power Locks.
	25. Two (2) fully functional keys to enter and operate vehicle.
	***Will vehicle have keys ONLY (circle one): YES
//	26. Windows: Manufacturer's electric power windows.
	27. Airbags: Manufacturer's both sides.

	28. Floor Mats: Trucks to be delivered with rubberized factory floor mats. Rubberized equivalent floor mats (through the dealer parts room) are acceptable.
	 Trailer Tow: Trailer tow package, complete with all hardware including <u>RECEIVER HITCH</u>. Hitch must meet maximum towing requirement for the vehicle being bid.
	***Please specify hitch class:
	30. Dealer must provide a maximum trailer weight value for the vehicle being bid prior to contract award:
	***Please specify maximum trailer weight value:
	31. Installed front tow hooks.
	Manufacturer's integrated brake controller system.
	33. Manufacturer's trailer sway control system.
V	34. Manufacturer's wireless Bluetooth technology and connectivity which allows for hands-free operation for device connection(s).
	 Manufacturer's electronic compass/temperature display. Interior rearview mirror, dash display center or combination is acceptable.
	***Specify display devices:
NOTES/COMMENTS: (A6) Bid with (A?) for opening	"STD' NON-opening fold down armrest - NON open g fold down armrest - add 650 to Bid

B. ENGINE AND DRIVE TRAIN

Engine: Minimum of 5.0L V8. Z. Transmission: a. Manufacturer's minimum six (6) speed autor Requires auxiliary or heavy-duty oil cooler for transmission.	
a. Manufacturer's minimum six (6) speed autor Requires auxiliary or heavy-duty oil cooler fo	
Requires auxiliary or heavy-duty oil cooler for	
I I I I I I I I I I I I I I I I I I I	
b. A minimum two (2)-speed transfer case inst	alled.
c. Skid plate(s) for the transfer case furnished.	
3. Air Cleaner: Dry type.	
4. Oil Filter: Full flow throwaway type.	
NOTES/COMMENTS:	

C. SUSPENSION AND RUNNING GEAR

YES	NO	NO & PROVIDE ALTERNATIVE		
~			Wheelbase: Minimum of 145".	
			2. Steering: power steering.	
			3. Steering Wheel/Column: Manufacturer's Tilt steering wheel.	
			Shock Absorbers: front and rear.	
			5. Axle and springs:	
/			 Manufacturer's independent front suspension and single speed hypoid rear axle, all with spring sizes and axle sizes recommended to meet GVWR. 	
			b. The axle gear ratios are the same in the front and rear axles.	
			c. Front stabilizer bar installed.	
			6. Brakes:	
			a. Power service brakes; disc/drum or disc/disc combination.	
			b. Disc have a minimum 11" rotor.	
V	,		c. Drum to be minimum 11" by 2".	
			d. Parking brakes on rear wheel or drive line.	
V			e. Brakes to be anti-lock type.	
			 Wheels: Five (5), 17" spare carrier and four (4) wheel covers/hub caps per unit if standard. 	
			Suspension: Must be designed to handle passenger and cargo requirements.	
			9. Tires:	
	•		 To be equipped with five (5) full-sized black wall, tubeless, all season steel-belted radial tires on rims (minimum 17"). 	
			 Factory installed and of regular production, minimum as recommended by the manufacturer. 	
			 Spare tire and wheel to match service tires and wheels. 	
			d. Spare can be steel rim.	
			e. Tires to comply with manufacturer's GVWR.	
			f. Tires should have a 50,000-mile tire rating.	
/			g. Tires to be manufactured and labeled by a major manufacturer and installed by factory.	
V			10. Differential: Limited slip, anti-spin, or electronic locking type or equivaler system. ***Specify axle ratio:	

D. ELECTRICAL SYSTEM

YES	NO	NO & PROVIDE ALTERNATIVE	
/			 Ignition System: 12-volt, solid state. Must be equipped with high tension, radio frequency shielded, ignition wiring. The vehicle is to be compatible with use of installed mobile radio.
			Battery: Heavy-Duty, maintenance free, highest cold cranking capacity amperage available from the factory for the model bidding.
			***Specify capacity:
			3. Alternator: Standard.
/			***State Amperage Rating Bid :
			 Bonding and Grounding: All components of the vehicle necessary to prevent interference with reception of low band two (2)-way radio installed in the vehicle and adequately bonded and grounded.
NOTES/	COMMEN	NTS:	
		*	

E. RADIO FREQUENCY SHIELDING ***CAUTION***

YES	NO	NO & PROVIDE ALTERNATIVE		
V			compatible with use (NDOT) mobile and/o communication radio	r installed components and equipment are of Nebraska Department of Transportation or two (2)-way communication devices. Main operates in low band range of 47 MHz to 48 cies apply including low band, high band, UHF
			manufactured to me	installed components and equipment to be eet all current SAE and/or ISO Standards evant to Electromagnetic Compatibility.
			 NDOT will conduct to chassis. 	testing of radio/two (2)-way when installed in
/			due to degradation o	dor if normal operational parameters are not met of signals caused by electromagnetic emissions led components and equipment.
/				to work with NDOT personnel to reduce a point acceptable to NDOT normal radio
			Vendor has thirty (30 issue(s).	O)-days to resolve radio frequency interference
			replace and/or modi interference.	acturer will be responsible for any and all cost to fy any parts found to cause radio frequency
V			interference the unit value testing to ensure SAE	or cannot resolve source of radio frequency will be sent to an independent accredited lab for and/or ISO Standards compliance.
V			Testing is done to Sa date of bid.	AE and/or ISO Standards, which are current at

	 10. Should the chassis and/or installed components and equipment fail testing at the accredited lab, the vendor is responsible for all cost(s) incurred for testing.
	11. If after testing by NDOT and or accredited lab, the vendor is unable or unwilling to incur the cost(s) and correct the radio frequency interference issue to the satisfaction of NDOT, all orders and corresponding contract will be cancelled.
NOTES/COMMENTS:	

F. MISCELLANEOUS

YES	NO	NO & PROVIDE ALTERNATIVE	
			 All trucks protected to 34 degrees below zero Fahrenheit by permanent type ethylene glycol base antifreeze of the brand normally furnished by the manufacturer.
			The radiator is tagged or marked to indicate the type, brand and degree of protection.
			 A thermostat is installed for permanent-type antifreeze and equipped with a coolant recovery system.
			 Manufacturer's optional increased cooling capacity system must be furnished.
/	1		Each unit delivered to the purchaser with all wheels balanced and the front end aligned.
			 Manufacturer's standard equipment jack to comply with GVWR must be supplied. The standard complement of tools such as wheel lug wrench, and jack handle provided together with facilities for storage.
			 All equipment delivered with the vehicle upon delivery, for example, floor mats and two (2) keys.
1			 Purchase orders issued from the resulting contract(s) may specify prospective <u>delivery dates</u> due to agency operational needs and budget. Upon acceptance of the purchase order, the Contractor agrees to abide by any such prospective delivery date.
/			9. Non-Contract Items are items not listed on the contract, but the ordering agency may need them for their business needs, to complete the purchase of the vehicle. The ordering agency will request the Non-contract item(s) in written form. Attach all pricing documentation to the purchase order and add a line titled "Non-Contract Item".
		NA	 Contractor to provide a link to price list for Non-Contract Items or catalog pricing for MSRP with corresponding discount from MSRP.
			 Manufacturer's OEM window sticker to be included when the truck is delivered.
NOTES/	Delc	NTS: delivery	orders will be placed as late as luce dealer floor Plan Charges
	Poss	5.ble, to red	luce dealer Floor Plan Charges

G. SUSTAINABILITY

YES	NO	NO & PROVIDE ALTERNATIVE	
			 If any part or component of the vehicle bid contains recycled or bio-based material(s), please list and provide detailed information on the environmental attributes below. Please provide detailed information on the environmental attributes.
NOTES/	COMMEN	ITS:	

H. DELIVERY

YES	NO	NO & PROVIDE ALTERNATIVE	
			 All vehicles delivered FOB destination in Lincoln, Nebraska and in accordance with the Delivery Schedule shown on the purchase order.
			 Vehicles are to be road ready, fully equipped, serviced, and washed with the equivalent of a ¼ tank of gasoline.
			After the truck has been fully serviced, the dealer may deliver it by rail freight, truck transport or by driving to the destination.
			Odometer mileage:
			Within a 200-mile radius of Lincoln (less than 200 miles on odometer) Outside the 200-mile radius of Lincoln (less than 450 miles on odometer)
			Vehicles will not be accepted if all paper work is not with the vehicle at time of delivery. Dealer will retain ownership of the vehicles until the purchaser has signed all required paper work.
			Deliveries are to be made between the hours of 9:00 AM and 3:00 PM daily, except Saturday, Sunday, and holidays. All deliveries must be scheduled with the Agency Representative.
1			Trucks showing lack of proper dealer pre-delivery service will be subject to rejection until the vehicle is properly serviced.
			Factory pre-delivery service is not acceptable.
			Dealer nameplates, decals, etc. not affixed.
/			 A signed copy of the completed manufacturer's "New Vehicle Preparation-Inspection and Road Test" form must accompany each vehicle at time of delivery.
			 Invoices describing the truck, including vehicle identification number (VIN), key number and State of Nebraska purchase order number.
V			11. Contract supplier(s) may honor pricing and extend the contract to political subdivisions, cities and counties. Political subdivisions, cities, and counties must meet terms and conditions of the contract.

NOTES/COMMENTS:	conformance with the manufacturer's specifications and the State of Nebraska requirements as stated herein.
	 14. The original manufacturer's statement of origin, a service authorization card, and a properly executed service and warranty policy to accompany each vehicle when delivered. 15. Each vehicle has been completely checked by the vendor to ensure
	13. Vendor to provide order number to the purchaser within 5 business days after Purchase Order has been received. Vendor will email, fax, or mail this information to each buyer.
	12. Trucks that have been wrecked or sustained more than minor nicks and scratches will not be accepted. The vendor should not attempt to deliver a unit until minor nicks and scratches have been repaired. Failure to comply with the above may result in the dealer not being allowed to bid on future motor vehicles contracts.

I. WARRANTY

YES	NO	NO & PROVIDE ALTERNATIVE	
			The manufacturer's standard warranty applies to each vehicle:
			 a. A minimum warranty of 3 years, 36,000 miles or the manufacturer's standard warranty, whichever is greater.
			b. A minimum of 5 years, 100,000 miles rust warranty.
			c. Mechanical or body repair under manufacturer's warranty, prio to use of the vehicle by the State, is the responsibility of the selling dealer, including the transportation thereof.
			d. Warranty to be effective from date of issuance of firs assignment and the mileage warranty will begin from the mileage on the odometer on the date of assignment.
			 The selling dealer will provide warranty activation cards of delayed warranty forms with manufacturer mailing information in order to properly activate said warranty.
	_		f. ***Indicate standard manufacturer's warranties if they vary from said specifications:
-			
OTES/C	OMME	NTS:	

J. SERVICE

NO	NO & PROVIDE ALTERNATIVE	
-		1. Prior to the awarding of, or entering into any agreement or contract, whether verbal or in writing, it is the responsibility of the manufacturer and/or the successful bidder to ensure and satisfy the State of Nebraska that there are factory authorized dealers, geographically located within the United States of America and the State of Nebraska, who will service and repair the vehicles being submitted for consideration without undue delay.
/		2. It is the responsibility of the vendor to see that the following agencies have received, or will receive in a timely fashion, Fleet Buyers Guides and Source Book for ordering purposes: AS/Transportation Services Bureau, AS/Materiel Buyer, University of Nebraska-Lincoln Transportation Services, Game and Parks Commission, Department of Transportation, and the Nebraska State Patrol.
		3. It is the obligation of the State of Nebraska to pay contingent upon legislative appropriation of funds for that purpose. Should said funds not be appropriated, the State of Nebraska may terminate this agreement. The State of Nebraska will give the vendor thirty (30) days written notice of such termination.
		 Vendor must indicate to whom payment is to be made, stating full name of company or entity, complete address and telephone number.
		 After contract is awarded, payment will only be made as indicated unless written notification is made to the AS/Materiel Buyer requesting an addendum to the contract; must be done 30 days prior to the delivery of vehicle. THERE WILL BE NO EXCEPTIONS.
		If vendor is interested in electronic fund transfer (EFT) payment, please contact purchasing agency after contract has been awarded.
		7. The manufacturer and/or the successful bidder should allow the State of Nebraska to participate in the manufacturer's service training network. Service network includes dealer onsite training, schools and computer based training when applicable.
	NO	

K. EXTENSION OPTION

YES	NO	NO & PROVIDE ALTERNATIVE	
			 The State reserves the right to extend the period of this contract beyond the end date when mutually agreeable to the vendor and the State of Nebraska for fifty percent or less of the initial contract term, per Neb Res § 81-1118.

L. BID COMPLIANCE

YES	NO	NO & PROVIDE ALTERNATIVE	
/			 Read these specifications carefully. Any and all exceptions to these specifications must be written on or attached to solicitation response. Any noncompliance may void your proposal. Non-compliance to any single specification can void your proposal. Make sure the Bid is signed and unit price complies with the given unit of measure.
IOTES/	COMME	NTS:	

M. MASTER AGREEMENT TERMS AND CONDITIONS

NO	NO & PROVIDE ALTERNATIVE	
		 The Master Agreement Terms and Conditions have been read and fully understood. Any exceptions with the Master Terms and Conditions have been written on the document or attached. The Master Agreement is signed and has been returned to State Purchasing Bureau before or with the first bid submitted.
		The Master Agreement Terms and Conditions is located at: http://das.nebraska.gov/materiel/purchasing/Vehicles/Vehicle.html
		Please note that the Master Agreement Terms and Conditions are required to be signed and submitted to the State Purchasing Bureau on or before the bidder submits their first bid for the 2020 Production Model Year. Once submitted for the 2020 Production Year, the Master Agreement Terms and Conditions are valid for every bid submitted for any category of vehicle during this cycle.

LINE	DESCRIPTION	QUANTITY	UNIT OF MEASURE	UNIT PRICE	EXTENDED PRICE
	2020 OR CURRENT PRODUCTION YEAR HALF TON CREW CAB 4X4 4 DOOR TRUCK FFV E85 (BASE) (E85=UNITS CAPABLE OF OPERATING ON A FUEL MIXTURE OF UP TO 85% ETHANOL / 15% UNLEADED GASOLINE WITHOUT ADDITIONAL CHANGE OR CONVERSION) A SEPARATE BID IS REQUESTED IF THE MANUFACTURER IS PRODUCING ALTERNATIVE FUEL MOTOR VEHICLES DUE TO A SEPARATE CONTRACT MAY BE AWARDED WHEELBASE: MINIMUM OF 145" TIRE SIZE: MINIMUM OF 17" MAKE:	50	30130		

2020 OR CURRENT PRODUCTION YEAR	50	EA		
HALF TON CREW CAB 4X4 4 DOOR TRUCK E15 COMPLIANT (BASE)				
(E15=UNITS CAPABLE OF OPERATING ON A FUEL MIXTURE OF UP TO 15% ETHANOL / 85%				
UNLEADED GASOLINE WITHOUT ADDITIONAL CHANGE OR CONVERSION)				
			1	
A SEPARATE BID IS REQUESTED IF THE MANUFACTURER IS PRODUCING ALTERNATIVE FUEL				
MOTOR VEHICLES. A SEPARATE CONTRACT MAY BE AWARDED.				
WHEELBASE: MINIMUM OF 145"				
TIRE SIZE: MINIMUM OF 17"				
MAKE: / hertolet			1	
		- 2 0		
MODEL: S. luerado 1500		1-00	1	
SERIES, CODE, TRIM LEVEL: CK10743, WT		30	1	
SERIES, CODE, TRIM LEVEL: CR 10/1				
ENGINE (MINIMUM SIZE OF 5.0L V8): 5.3 L			4	
			1	
GVWR (MINIMUM 6,800):				
TRANSMISSION #/GEAR RATION #: MYC, 6 Speed				
TRANSMISSION #/GEAR RATION #:				
DELIVERY ARO (NUMBER OF DAYS): 40 - 170				
MSRP AS BID:				
ODTIONS				
OPTIONS:				
THE OPTIONS SHALL MEET OR EXCEED THE FOLLOWING REQUIREMENTS THAT ARE				
EXCEPTIONS TO SPECIFICATION AND MUST BE FACTORY INSTALLED. BIDS MUST BE				
FURNISHED IF AVAILABLE FOR ITEMS LISTED BELOW, IF NOT INCLUDED AS "STANDARD		1		
EQUIPMENT" OR "REQUIRED" IN MAIN PART OF THE SPECIFICAITONS				

	ENGINE (OTHER GAS) ALTERNATE ENGINE SIZE	50	EA	1000	
	SPECIFY ENGINE SIZE: 2.7L Turbo			(7057)	
	ENGINE (OTHER DIESEL) INCLUDING BLOCK HEATER, FACTORY OR DEALER INSTALLED	50	EA	21 10	
				<i>N/</i>	
	SPECIFY ENGINE SIZE:			1/1//	
	INCREASED PICKUP BOX LENGTH OF APPROXIMATELY—81-(MINIMUM 96") WITH	50	EA	1,	
	CORRESPONDING WHEELBASE				
	CDECIFY DENGENICIONS OF BOY BID.				
	SPECIFY DEMENSIONS OF BOX BID:			1/168}	4
	LENGTH: See addendum			(168)	1
	WIDTH:				
					- 1
	WIDTH BETWEEN WHEEL WELLS:				
6	FACTORY BED LINER FOR BOX OF TRUCK - dealer installed -	50	EA	475	
	CARGO LIGHT IN THE BOX AREA	50	EA	Fucl	
	40-20-40 OR 60-40 VINYL BENCH SEAT WITH LUMBAR SUPPORT (DEDUCT)	50	EA	NC 653	
9	40-20-40 OR 60-40 BENCH SEAT WITH DRIVER POWER CONTROLLED SEAT	50	EA	653	
10	VINYL COVERED BUCKET TYPE SEATS WITH ARM RESTS ON THE RIGHT AND LEFT SIDES OF	50	EA	11/4	
11	SEAT CLOTH BUCKET TYPE SEATS WITH VINYL TRIM AND ARM RESTS ON THE RIGHT AND LEFT	50	EA	1	
	SIDES OF SEAT	30	LA	W	•
-	LUMBAR SUPPORT FRONT SEATS (IF NOT STANDARD EQUIPMENT)	50	EA	INA	
	HEAVY-DUTY HIGHEST OUTPUT ALTERNATOR FROM STANDARD EQUIPMENT	50	EA		***
		1 1		150	
	BIDDER STATE AMPS:			150	
14	ELECTRONIC COMPASS/TEMP DISPLAY TECHNOLOGY (DEDUCT)	50	EA	NA	
15	SLIDING REAR VISION WINDOW (DEALER INSTALLATION ACCEPTABLE)	50	EA	NA	
16	KEYLESS REMOTE ENTRY INCLUDING TWO (2) FOBS TO ENTER THE VEHICLE	50	EA	695	
17	ADDITIONAL REMOTE FOB IF EQUIPPED WITH KEYLESS REMOTE ENTRY	50	EA	189	
18	STANDARD PAINT - ATTACH LIST AND IDENTIFY AS NO ADDITIONAL COST PAINTS	50	EA	NC	

ATTACHMENT "C"

19 E	XTRA COST PAINT - ATTACH LIST AND IDENTIFY AS EXTRA COST PAINTS	50	EΑ	See a	Hacked
20 F	OR NDOT USE: YELLOW COLOR OF DODGE PL1, FORD #84S53, CHEVROLET/GMC #WA-253A	50	EA		
	CODE (9W3) IF NOT STANDARD/NO CHARGE COLOR.				
	TWO (2) WHEEL DRIVE MODEL, TO INCLUDE ALL SEASON TIRES (DEDUCT)	50	EA	(1789)	
	NON-STANDARD GEAR RATIO(S)	50	EA		
5	SPECIFY NON-STANDARD GEAR RATIO(S):			NA	
23 (ON/OFF ROAD MUD AND SNOW ALL TERRAIN TIRES AND SPARE (CAN BE STEEL RIM)	50	EA		
	MINIMUM WHEEL SIZE OF 17"				
	SPECIFY SIZE AND PLY RATING: LT 265/ 10R17C			395	
24 I	NTEGRATED BRAKE CONTROLLER SYSTEM (IF NOT STANDARD EQUIPMENT)	50	EA	275	
25	REVERSE SENSING ALARM SYSTEM (DEALER INSTALLATION IS ACCEPTABLE)	50	EA	1090	
26	REAR VISION CAMERA (DEALER INSTALLED)	50	EA	tuch	
27	SECOND POWER OUTLET	50	EA	NA	
28	TOWING PACKAGE UPGRADE	50	EA		
			į.		V 6
	EQUIPMENT:			1 1	
				NA	
	HITCH CLASS:			100	
	MAXIMUM TRAILER WEIGHT:				
20	FRONT END ATTACHED TOW HOOKS (IF NOT STANDARD)	50	EA	350	
_	TRAILER TOWING PACKAGE (DEDUCT)	50	EA	NA	
	TRAILER TOWING PACKAGE (DEDUCT) TRAILER SWAY CONTROL SYSTEM (IF NOT STANDARD)	50	EA	Incl	
	TAILGATE STEP (DEALER INSTALLED)	50	EA	NA	
	SMALLER FUEL TANK SIZE (DEDUCT)	50	EA	1000	
33	SWIALLER (OLE THINK SIZE (DEDOCT)	30	2,1	NA	
	SPECIFY TANK SIZE:			107.	
34		50	EA	3.50	
	PROTECTIVE VINYL BODY MOLDING (DEALER INSTALLED IF NOT STANDARD EQUIPMENT)			3 <i>50</i>	

35	MANUFACTURER'S WIRELESS BLUETOOTH TECHNOLOGY (DEDUCT)	50	EA	NA
36	CHECK OPTION(S) AVAILABLE: PAPER COPP CD ROM ONLINE	50	EA	695
37	EQUIPMENT AND ENGINE PARTS MANUALS CHECK OPTION(S) AVAILABLE: PAPER COPY CD ROM ONLINE	50	EA	NA
38	ADDITIONAL COSTS FOR WARRANTIES FROM MANUFACTURER SPECIFY YEARS AND MILES:	50	EA	Call for options
39	ADDITIONAL DROP SHIPMENT CHARGES OUTSIDE THE LINCOLN AREA (DROP SHIPMENT CHARGES WOULD BE FOR VEHICLES PURCHASED BY POLITICAL ENTITES AND OTHER DIVISIONS OF GOVERNMENT)	1	МІ	400

ADDENDUM FOUR, REVISED SCHEDULE OF EVENTS

and

SPECIFICATION ADDITION

(a) 133

Date:

September 19, 2019

To:

All Bidders

From:

Christie Kelly, Buyer AS Materiel Purchasing



The State expects to adhere to the tentative procurement schedule shown below. It should be noted, however, that some dates are approximate and subject to change. It is the Bidder's responsibility to check the State Purchasing Bureau website for all addenda or amendments.

		ACTIVITY	DATE/TIME
1,	Release Invitation	n to Bid	August 30, 2019
2.	Last Day to Subm	September 6, 2019	
3.	State Responds to the internet at: http://das.nebrasi	September 13, 2019	
4.	Bid opening Location:	State Purchasing Bureau 1526 K Street, Suite 130 Lincoln, NE 68508	September 20, 2019 September 27, 2019 2:00 P.M.
			Central Time

BIDDERS

The following language is to be added to ITB number 6133 OF, Attachments B and C, Section II. Subsection A. Body, number 36. Please choose the appropriate answer below:

YES	NO	NO & PROVIDE ALTERNATIVE	
			 Rear vision camera and rear sensing device installed.
0		ients: Jensors -	_ add 70°

Please make sure to return this Addendum with your bid

This addendum will become part of the proposal and should be acknowledged with the ITB.

ADDENDUM ONE

D-+			
	\Box	at.	^-

September 4, 2019

To:

All Bidders

From:

Christie Kelly, Buyer

AS Materiel State Purchasing

RE:

Addendum for Invitation to Bid Number 6133 OF Half Ton Crew Cab 4x4 4 Door Truck FFV E85 Attachment C (Base) to be opened September 20, 2019 at 2:00 p.m.

Central

Scope of Addendum

1. The Language on line 5, page 14 is hereby superseded and replaced by:

ALTERNATE PICKUP BOX LENGTH OF APPROXIMATELY 5.5' (MINIMUM 66") WITH	
CORRESPONDING WHEELBASE	
CDECIEW DENGENCIONE OF POWNID.	
SPECIFY DEMENSIONS OF BOX BID:	7
LENGTH: 69.92	
width:?), ~{	
WIDTH BETWEEN WHEEL WELLS: 50,63	

This addendum will become part of the ITB and should be acknowledged with the Invitation to Bid.

ADDENDUM TWO, QUESTIONS and ANSWERS

Date:

September 13, 2019

To:

All Bidders

From:

Christie Kelly, Buyer

AS Materiel State Purchasing Bureau

RE:

Addendum for Invitation to Bid Number ITB 6133 OF to be opened September 20, 2019, at

2:00 P.M. Central Time

Questions and Answers

Following are the questions submitted and answers provided for the above-mentioned Invitation to Bid. The questions and answers are to be considered as part of the Invitation to Bid. It is the Bidder's responsibility to check the State Purchasing Bureau website for all addenda or amendments.

Question Number	Question	State Response
1.	Can the state please clarify with explanation what it means by "Base" and "Regular" as found at the end of each vehicle bid title in parenthesis?	On Attachments "D, E, and F", (Regular) Bidders <u>cannot</u> bid XL, 1WT, and/or ST models. On Attachments "A, B, and C", (Base) Bidders <u>can</u> bid XL, 1WT and/or ST models.

This addendum will become part of the ITB and should be acknowledged with the Invitation to Bid response.

COLOR AND TRIM - WT, Custom, Custom Trail Boss, LT, RST, LT Trail Boss

S = Standard Equipment A = Available -- (dashes) = Not Available WT, Custom, Custom Trail Boss, LT, RST, LT Trail Boss

■ = Included in Equipment Group
□ = Included in Equipment Group but upgradeable

*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

		C		Interior		
Decor Level	Seat Type	Seat Code	Seat Trim	Jet Black	Gideon / Very Dark Atmosphere	
1WT	Front 40/20/40 split-bench seat	A52	Vinyl	H2G	-	
1WT	Front 40/20/40 split-bench seat	A52	Cloth	H0U ¹	-	
1WT	Front 40/20/40 bench seat with covered armrest and fixed lumbar	AE7 ²	Cloth	H1T H0U	ä	
1WT/1CX/2CX	Front 40/20/40 split-bench seat	A52	Cloth	H1T		
1CX	Front 40/20/40 bench seat with covered armrest and fixed lumbar		Cloth	H1T	-	
1LT	Front 40/20/40 bench seat with covered armrest and fixed lumbar	AE7	Cloth	HOU	HV5	
1LT/1SP/2LT	Front 40/20/40 bench seat with covered armrest storage and under-seat storage (lockable)	AZ3	Cloth	HOU	HV5	
1LT/1SP/2LT	Front 40/20/40 bench seat with covered armrest storage and under-seat storage (lockable)	AZ3	Leather-appointed front seats	H0Y ⁴	HVC⁴	
1SP/2LT	Front bucket seats with center console	A50	Cloth	HOU	HV5	
1SP/2LT	Front bucket seats with center console	A50	Leather-appointed front seats	H0Y ⁴	HVC ⁴	

Color	Touch Un Doint		Interior		
Code Number		Jet Black	Gideon / Very Dark Atmosphere		
G1W	WA-140X	Α	Α		
G2X	WA-439C	Α	Α		
G7C	WA-130X	Α	3		
G9K	WA-464C	Α	Α		
GA0	WA-619D	Α	Α		
GAN	WA-636R	Α	Α		
GAZ	WA-8624	Α	Α		
GBA	WA-8555	Α	Α		
GJI	WA-626D	Α	Α		
GPJ	WA-434B	Α	Α		
	G1W G2X G7C G9K GA0 GAN GAZ GBA	G1W WA-140X G2X WA-439C G7C WA-130X G9K WA-464C GA0 WA-619D GAN WA-636R GAZ WA-8524 GBA WA-8555 GJI WA-626D	Code Number Jet Black G1W WA-140X A G2X WA-439C A G7C WA-130X A G9K WA-464C A GAO WA-619D A GAN WA-636R A GAZ WA-8624 A GBA WA-8555 A GJI WA-626D A		

- 1 Requires (ZLQ) WT Fleet Convenience Package or (PCV) WT Convenience Package and (A2X) 10-way power driver seat.
- 2 Requires (L3B) 2.7L Turbo engine. Included with (PEF) Work Truck 2.7L Fleet Package.
- 3 Required and only available with (L3B) 2.7L Turbo engine.
- 4 Requires (CXH) Leather Package.
- 5 Available at extra charge. Not available on 1WT, Custom or Custom Trail Boss models.
- 6 Not available on Regular Cab models.
- 7 Available at extra charge. Not available on 1WT models.

9/17/2019, 12:20 AM

NC-

COLOR AND TRIM - SEO PAINT

S = Standard Equipment A = Available -- (dashes) = Not Available

SEO PAINT

■ = included in Equipment Group
□ = Included in Equipment Group but upgradeable

*Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Decor Level		ca-t		Interior		
	Seat Type	Seat Code	Seat Trim	Jet Black	Gideon / Very Dark Atmosphere	
1WT	Front 40/20/40 split-bench seat	A52	Vinyl	H2G	S HI	
1WT	Front 40/20/40 split-bench seat	A52	Cloth	H1T		
1WT	Front 40/20/40 split-bench seat	A52	Cloth	H0U¹		
1WT	Front 40/20/40 bench seat with covered armrest and fixed lumbar	AE7 ²	Cloth	H1T H0U	. 	
1LT	Front 40/20/40 bench seat with covered armrest and fixed lumbar	AE7	Cloth	HOU	HV5	
1LT	Front 40/20/40 bench seat with covered armrest storage and under-seat storage (lockable)	AZ3	Cloth	нои	HV5	
1LT	Front 40/20/40 bench seat with covered armrest storage and under-seat storage (lockable)	AZ3	Leather-appointed front seats	HOY	HVC	

Exterior	Color	Touch-Up Paint		Interior		
Solid Paint	Code	1 1 1		Gideon / Very Dark Atmosphere		
Woodland Green	9V5	WA-9015	Α	Α		
Doeskin Tan	none	WA-9403	Α	Α		
Wheatland Yellow	9W3	WA-253A	Α	Α		
Tangier Orange	9W4	WA-9417	Α	Α		
Dark Toreador Red	none	WA-334D	Α	Α		
Unripened Green Metallic	none	WA-136X	Α	Α		
Indigo Blue	none	WA-9792	Α	Α		
Yellow ³	none	WA-5248	Α	Α		
Yellow ³	none	WA-5445	Α	A		
Yellow ³	none	WA-5456	Α	Α		
Yellow ³	none	WA-9414	Α	Α		
Orange ³	none	WA-770H	Α	Α		
Blue ³	none	WA-454N	Α	А		
Light Autumnwood Metallic	none	WA-228A	Α	Α		
Pewter	none	WA-382E	Α	Α		
Blue ³	none	WA-5405	Α	Α		
Blue ³	none	WA-7154	Α	Α		
Orange ³	none	WA-9419	Α	Α		
Arrival Blue Metallic ³	none	WA-815K	Α	А		

Note: GM will require 5 orders before sending to the plant. May require extended lead time.

496

496

^{1 -} Requires (ZLQ) WT Fleet Convenience Package and (A2X) 10-way power driver seat.

^{2 -} Requires (L3B) 2.7L Turbo engine. Included with (PEF) Work Truck 2.7L Fleet Package.

^{3 -} Not available on Regular Cab models.

TRAILERING SPECS - Automatic Transmission Ratings with Ball Hitch

Maximum trailer ratings are calculated assuming standard equipped vehicle, driver and required trailering equipment. The weight of optional equipment, passengers and cargo will reduce the maximum trailer weight your vehicle can tow. 10 to 15% of the trailer weight is the recommended trailer tongue load.

Automatic Transmission Ratings with Ball Hitch

				Automau	Citalis	mission Rat	IIIYS WI	ui ban mici				
	(LV3) 4.3L EcoTec3 V6		(L3B) 2.7L Turbo		(L82) 5.3L EcoTec3 V8		(L84) 5.3L EcoTec3 V8		(L87) 6.2L EcoTec3 V8			?) Duramax Furbo-Diesel 16
Model	Axle Ratio	Maximum Trailer Weight Ibs. (kg)	Axle Ratio	Maximum Trailer Weight Ibs. (kg)	Axle Ratio	Maximum Trailer Weight Ibs. (kg)	Axle Ratio	Maximum Trailer Weight Ibs. (kg)	Axle Ratio	Maximum Trailer Weight Ibs. (kg)	Axle Ratio	Maximum Trailer Weight lbs. (kg)
CC10543	3.42	7700 (3493)	3.42	6800 (3084)	3.42	9700 (4400)	3.23	9800 (444 5)			3.23	7600 (3447)
CC 10343							3.42	11500 (5216) ¹				
CK10543	3.42	7500 (3402) ²	3.42	6600 (2994)	3.42	9500 (4309)	3.23	9600 (4355) ³	3.23	9200 (4173)	3.23	9300 (4218)
							3.42	11300 (5126) ¹	3.42	12000 (5443) ¹		
	3.42	7600 (3447)	3.42	6800 (3084)	3.42	9600 (4355)	3.23	9700 (4400)			3.23	7500 (3402)
CC10743							3.42	11 4 00 (517 1) ¹				
CK10743	3.42	7400 (3357) ⁴	3.42	6600 (2994)	3.42	9500 (4309) ⁵	3.23	9500 (4309) ⁶	3.23	9100 (4128)	3.23	9200 (4173)
CK 10743							3.42	11300 (5126) ¹	3.42	11900 (5398) ¹		
CC407E2	3.42	7700 (3493)	3.42	6800 (3084)	3.42	9700 (4400)	3.23	9800 (4445)			3.23	7600 (3447)
CC10753							3.42	11600 (5262) ¹				
	3.42	7500 (3402) ²	3.42	6600 (2994)	3.42	9500 (4309)	3.23	9600 (4355)	3.23	9300 (4218)	3.23	9300 (4218)
CK10753							3.42	11400 (5171) ¹	3.42	13400 (6078) ⁷		
CC10903	3.42	7900 (3583)			3.42	10000 (4536)						
CK10903	3.42	7700 (3493)			3.42	9800 (4445)						

GCWR For Engine/Re	ar Axle Ratio	Combinati	on with Aut	omatic Tra	nsmission					
	(GCWR) Gross Combination Weight Ratings lbs. (kg)									
Engine	12000 (5443)	12800 (5806)	13000 (5897)	15000 (6804)	16800 (7620)	17800 (8074)	19100 (8664)			
(LV3) 4.3L EcoTec3 V6		3.42								
(L3B) 2.7L Turbo	3.42									
(L82) 5.3L EcoTec3 V8				3.42						
(L84) 5.3L EcoTec3 V8				3.23	3.42 ¹					
(L87) 6.2L EcoTec3 V8				3.23		3.42 ¹	3.42 ⁸			
(LM2) Duramax 3.0L Turbo-Diesel I6			3.23 ⁹	3.2310						

TRAILERING SPECS - Automatic Transmission Ratings with 5th Wheel or Gooseneck Hitch

Maximum trailer ratings are calculated assuming standard equipped vehicle, driver and required trailering equipment. The weight of optional equipment, passengers and cargo will reduce the maximum trailer weight your vehicle can tow. 15 to 25% of the trailer weight is the recommended 5th Wheel or Gooseneck kingpin load.

Automatic Transmission Ratings with 5th Wheel or Gooseneck Hitch

Automatic Transmission Ratings with 5th Wheel or Gooseneck Hitch												
Model	(LV3) 4.3L EcoTec3 V6		(L3B) 2.7L Turbo		(L82) 5.3L EcoTec3 V8		(L84) 5.3L EcoTec3 V8		(L87) 6.2L EcoTec3 V8		(LM2) Duramax 3.0L Turbo-Diesel 16	
	Axle Ratio	Maximum Trailer Weight Ibs. (kg)	Axle Ratio	Maximum Trailer Weight Ibs. (kg)	Axle Ratio	Maximum Trailer Weight Ibs. (kg)	Axle Ratio	Maximum Trailer Weight Ibs. (kg)	Axle Ratio	Maximum Trailer Weight Ibs. (kg)	Axle Ratio	Maximum Trailer Weight Ibs. (kg)
CC10543	3.42	7600 (3447)	3.42	6700 (3039)	3.42	9600 (4355)	3.23	9700 (4400)			3.23	7500 (3402)
							3.42	11400 (5171) ¹				
CK10543	3.42	7400 (3357) ²	3.42	6500 (2948)	3.42	9200 (4173) ³	3.23	9500 (4309) ⁴	3.23	8000 (3629)	3.23	7200 (3266)
							3.42	11200 (5080) ¹	3.42	9500 (4309) ¹		
CC10743	3.42	7500 (3402)	3.42	6700 (3039)	3.42	9600 (4355)	3.23	9600 (4355)			3.23	7400 (3357)
							3.42	10900 (4944) ¹				
	3.42	7300 (3311) ⁵	3.42	6500 (2948)	3.42	9400 (4264) ⁶	3.23	9400 (4264) ⁷	3.23	7700 (3493)	3.23	7100 (3221)
CK10743	,						3.42	11200 (5080) ¹	3.42	9000 (4082) ¹		
CC10753	3.42	7600 (3447)	3.42	6800 (3084)	3.42	9600 (4355)	3.23	9700 (44 00)			3.23	7500 (3402)
							3.42	11500 (5216) ¹				
	3.42	7400 (3357) ²	3.42	6600 (2994)	3.42	9300 (4218) ⁸	3.23	9500 (4309)	3.23	7700 (3493)	3.23	8700 (3946)
CK10753							3.42	11300 (5126) ¹	3.42	10300 (4672) ⁹		
CC10903	3.42	7800 (3538)			3.42	9900 (4491)						
CK10903	3.42	7600			3.42	9700						

GCWR For Engine/Re	ar Axle Ratio	Combination	on with Aut	omatic Trai	nsmission					
	(GCWR) Gross Combination Weight Ratings lbs. (kg)									
Engine	12000 (5443)	12800 (5806)	13000 (5897)	15000 (6804)	16800 (7620)	17800 (8074)	19100 (8664)			
(LV3) 4.3L EcoTec3 V6		3.42								
(L3B) 2.7L Turbo	3.42									
(L82) 5.3L EcoTec3 V8				3.42						
(L84) 5.3L EcoTec3 V8				3.23	3.42 ¹					
(L87) 6.2L EcoTec3 V8				3.23		3.42 ¹	3.42 ¹⁰			
(LM2) Duramax 3.0L Turbo-Diesel I6			3.23 ¹¹	3.2312						

(4400)

(3447)