



Eaton Analytical

December 23, 2019

NE State Purchasing Bureau  
1526 K Street, Suite 130  
Lincoln, NE 68508

**RE: STATE OF NEBRASKA - RFP – 6161 Z1 (BAFO)**

Eurofins Eaton Analytical, LLC (Eurofins) is pleased to submit this Best and Final Offer (BAFO) cost consideration response for to the State of Nebraska for 6161 Z, Miscellaneous Environmental Testing Services as solicited and specified within the guidance and parameters stated within scope of work provided.

Thank you for the opportunity to provide you with firm, fixed pricing, RFP 6161 Z1 and we look forward to your decision on a chosen laboratory.

Respectfully submitted,

**EUROFINS EATON ANALYTICAL, LLC**

A handwritten signature in black ink that reads "Skelle".

Shannon Keller  
Account Manager- Midwest

**RFP 6161 Z1**  
**BAFO COST PROPOSAL – TABLE 1**  
**Deliverables**

**CORE TEST ANALYTES**

Bidder's Company Name: Eurofins Eaton Analytical, LLC

**\*Bidders must ensure all cells in the following columns of both Table 1 and Table 2 of the Cost Proposal are completed:\***

For each analyte/method listed, the bidder must complete the following columns: Contractors Report Level, Contractors Method Used, Contractor Routine Turnaround Time, Cost per Analyte (EA), and any applicable comments. Costs quoted shall be firm and fixed, throughout the life of the initial contract term.

\*\*Bidder must complete all fields in Table 1 and submit with the proposal response. Failure to submit a completed Table 1 will result in a rejection of the bidder's proposal response. Must use an EPA drinking water approved methodology \*\*

Table 1 values are the methods and RLs currently being used. The State will consider EPA-approved alternatives for all tests in Table 1 EXCEPT the bromate method and RL of 1.0 ug/L.

Analyte	Estimated Annual Usages	DHHS NPHEL Report Level	Contract or Report Level	Method	Contractor Method used	Holding Time	Turn Around	Contractor Routine Turn-around Time	Cost per Analyte (EA)	Contractor or Subcontractor performs test	Comments
Asbestos	60	0.20MFL Required	0.20MFL	EPA 100.2	EPA 100.2	48hr to filtration	4 weeks	4 Weeks	\$90.00	ECEI	
Bromate	10	1 ug/L Required	1 ug/L	EPA 317.0 Required	EPA 317.00	28 days	2 weeks	2 weeks	\$35.00		
Chlorite	25	10 ug/L	10 ug/L	EPA 300.0, Rev2.1	EPA 300	14 days	10 days	10 days	\$35.00		
Dioxin	40	5 pg/L	5 pg/L	EPA 1613	EPA 1613		15 days	15 days	\$400.00		
TOC	170	0.5 mg/L	0.5 mg/L	SM5310-B	SM5310-B	28 days	14 days	14 days	\$35.00		
Gross Alpha	200	MDC pCi/L	MDC pCi/L	EPA 900.0	SM 5310-B	6 months	6 weeks	20 Days	\$50.00		
Radium-226	150	MDC pCi/L	1 pCi/L	EPA 903.1	SM7500-RAB	6 months	6 weeks	20 Days	\$125.00		
Radium-228	150	MDC pCi/L	1 pCi/L	EPA 904.0	SM7500-RA	6 months	6 weeks	20 Days	\$125.00		
Uranium Isotopic	60	1.0 pCi/L	1.0 pCi/L	HASL 300 U02	HASL 300 U02	6 months	6 weeks	20 Days	\$95.00	ETA	

Endothall	40	9 ug/L	5 ug/L	548.1 Rev1.0	548.1 Rev1.0	7d collect to extract; 14d extract to analysis	6 weeks	15 Days	\$90.00		
-----------	----	--------	--------	--------------	--------------	--	---------	---------	---------	--	--

All Isotopic Uranium results must include the total combined uranium activity in pCi/L from the individual uranium isotopes (U-234, U-235, U-238), U-234 and U-238 activities as well as U-234/U238 ratio must be reported so that a unique activity to mass conversion factor can be used to calculate uranium mass concentration in ug/L. All uranium data must include precision data (e.g. 2 sigma statistic).

Water Quality Tests for a New Well are: Gross Alpha, Radium-226, Radium-228, Isotopic Uranium, Asbestos, Endothall, Dioxin and TOC on each sample  
Estimate 25 New Wells per year.

Total numbers of samples of each method is impossible to predict. The DHHS NPHEL does most of the routine testing.

The contracted laboratory would provide backup on all routine compliance monitoring and special requests by clients.

\*Unless indicated with subcontractor notation, analyses performed by contractor  
ETA: Eurofins TestAmerica  
ECEI: Eurofins CEI, Inc.

**RFP 6161 Z1**  
**BAFO COST PROPOSAL REVISION 1– TABLE 2**  
**Deliverables**

**ADDITIONAL TEST ANALYTES**

Bidder's Company Name: Eurofins Eaton Analytical, LLC

**\*Bidders must ensure all cells in the following columns of both Table 1 and Table 2 of the Cost Proposal are completed:\***

For each analyte/method listed the bidder must complete the following columns: Contractors Report Level, Contractors Method Used, Contractor Routine Turnaround Time, Cost per Analyte (EA), and any applicable comments. Costs quoted shall be firm and fixed, throughout the life of the initial contract term.

**\*\*Bidder must complete all fields in Table 2 and submit with the proposal response. Failure to submit a completed Table 2 will result in a rejection of the bidder's proposal response. Must use an EPA approved methodology \*\***

Analyte	DHHS NPHEL Report Level	Contractor Report Level	Method	Contractor Method used	Holding Time	Turn Around	Contractor Routine Turnaround Time	Lab Fee	Contractor or Subcontractor performs test	Comments
Alkalinity as CaCO3	20 mg/L	20 mg/L	SM 2320B	SM 2320B	14 days	7 days	10 Days	\$20		
Ammonia (by distillation)	0.05 mg/L	0.05 mg/L	EPA 350.1 Rev2.0	EPA 350.1 Rev2.0	28 days	10 days	10 Days	\$25		
Ammonia (by diffusion)	0.05 mg/L	0.05 mg/L	EPA 350.1 Rev2.0	EPA 350.1 Rev2.0	28 days	10 days	10 Days	\$12		
Antimony	0.5 ug/L	0.5 ug/L	EPA 200.8 Rev5.4	EPA 200.8 Rev5.4	6 months	20 days	10 Days	\$12		
Arsenic	1 ug/L	1 ug/L	EPA 200.8 Rev5.4	EPA 200.8 Rev5.4	6 months	20 days	10 Days	\$12		
Barium	0.5 ug/L	0.5 ug/L	EPA 200.8 Rev5.4	EPA 200.8 Rev5.4	6 months	20 days	10 Days	\$12		
Beryllium	0.5 ug/L	0.5 ug/L	EPA 200.8 Rev5.4	EPA 200.8 Rev5.4	6 months	20 days	10 Days	\$20		
Bicarbonate/Carbonate	5 mg/L	5 mg/L	SM2320B	SM2320B	14 days	20 days	5 days	\$50		
Bismuth	0.1 mg/L	0.1 mg/L	EPA 200.8 Rev5.4	EPA 200.8 Rev5.4	6 months	20 days	10 Days	\$12		
BOD/CBOD	2 mg/L	2 mg/L	EPA 405.1/SM 5210-B	EPA 405.1/SM 5210-B	48 hours	10 days	10 Days	\$35		

Boron	0.1 mg/L	0.1 mg/L	EPA 200.7	EPA 200.7		10 Days		\$12.00		
Bromide		0.01 mg/L	EPA 300.1	EPA 300.1		2 weeks		\$35.00		
Analyte	DHHS NPHEL Report Level	Lab Report Level	Method	Method used	Holding Time	Turn Around	Lab Routine Turnaround Time	Lab Fee	Contractor or Subcontractor performs test	Comments
Cadmium	0.5 ug/L	0.5 ug/L	EPA 200.8 Rev5.4	EPA 200.8	6 months	20 days	10 Days	\$12		
Calcium	0.15 mg/L	0.15 mg/L	SM 3111B	EPA 200.7	6 months	20 days	10 Days	\$12		
Chloride	1 mg/L	1 mg/L	SM 4500-CI-E	EPA 300.0	28 days	10 days	10 Days	\$20		
Chromium	0.5 ug/L	0.5 ug/L	EPA 200.8 Rev5.4	EPA 200.8	6 months	20 days	10 Days	\$12		
Cobalt	0.5 ug/L	0.5 ug/L	EPA 200.8 Rev5.4	EPA 200.8	6 months	20 days	10 Days	\$12		
COD	12 mg/L	12 mg/L	SM 410.4/Hach 8000	SM 410.4	28 days	10 days	10 Days	\$50		
Conductivity	0.1 umho/cm	0.1 umho/cm	SM 2510B	SM 2510B	28 days	7 days	10 Days	\$50		
Copper	2.5 ug/L	2.5 ug/L	EPA 200.8 Rev5.4	EPA 200.8	6 months	20 days	10 Days	\$20		
Cryptosporidium/Giardia			EPA1623 or 1623.1	EPA 1623	96 hours	7 days	10 Days	\$450		
Cyanide, Free	0.05 mg/L	0.05 mg/L	SM 4500CN-F	SM 4500CN-F	14 days	10 days	10 Days	\$50		
Cyanide, Total	0.01 mg/L	0.01 mg/L	SM 4500CN-E	EPA 335.4	14 days	10 days	10 Days	\$50		
Fluoride	0.20 mg/L	0.20 mg/L	SM 4500F-C	SM 4500F- C	28 days	7 days	10 Days	\$30		
Iron, Drinking Water	50 ug/L	50 ug/L	SM 3111B	EPA 200.7	6 months	20 days	10 Days	\$20		
Lead	0.5 ug/L	0.5 ug/L	EPA 200.8 Rev5.4	EPA 200.8	6 months	20 days	10 Days	\$20		
Magnesium	0.15 mg/L	0.15 mg/L	SM 3111B	EPA 200.7	6 months	20 days	10 Days	\$20		
Manganese	0.5 ug/L	0.5 ug/L	EPA 200.8 Rev5.4	EPA 200.8	6 months	20 days	10 Days	\$12		
Mercury, Drinking & Environmental Water	0.2 ug/L	0.2 ug/L	EPA 245.1 Rev3.0; SM 3112B	EPA 245.1	28 days	20 days	10 Days	\$40		
Microscopic Particulate Analysis				EPA 1992	96 hours	3 weeks	15 days	\$300		
Microwave Digestion for Metals	NA	NA	SM 3015	SM 3015	6 months	NA	10 Days	\$25	ETA	
Molybdenum	0.5 ug/L	0.5 ug/L	EPA 200.8 Rev5.4	EPA 200.8	6 months	20 days	10 Days	\$12		
Nickel	0.5 ug/L	0.5 ug/L	EPA 200.8 Rev5.4	EPA 200.8	6 months	20 days	10 Days	\$12		

Nitrate/Nitrite	0.05 mg/L	0.05 mg/L	EPA 353.2 Rev2.0	EPA 353.2	28 days	5 days	10 Days	\$25		
pH	NA	NA	EPA 150.1	EPA 150.1	0.25 hours	5 days	10 Days	\$10		
<b>Analyte</b>	<b>DHHS NPHEL Report Level</b>	<b>Lab Report Level</b>	<b>Method</b>	<b>Method used</b>	<b>Holding Time</b>	<b>Turn Around</b>	<b>Lab Routine Turnaround Time</b>	<b>Lab Fee</b>	<b>Contractor or Subcontractor performs test</b>	<b>Comments</b>
Phosphate-Ortho, as P	0.02 mg/L	0.02 mg/L	EPA 365.1 Rev1.0	SM 4500 PE	48 hours	7 days	7 Days	\$25		
Nitrogen-Nitrite	0.1 mg/L	0.1 mg/L	EPA 353.2 Rev2.0	EPA 353.2	48 hours	5 days	5 Days	\$40		
Phosphorus-Total	0.04 mg/L	0.04 mg/L	EPA 365.4	SM 4500 PE	28 days	20 days	20 Days	\$35		
Potassium	0.30 mg/L	0.30 mg/L	SM 3111B	EPA 200.7	6 months	20 days	10 Days	\$12		
Salinity	0.1	0.1	SM 2520B	SM 2520B	28 days	7 days	7 Days	\$50	ETA	
Sample Filtration	NA	NA	NA	N/A	NA	NA				N/A
Selenium	2.5 ug/L	2.5 ug/L	EPA 200.8 Rev5.4	EPA 200.8	6 months	20 days	10 Days	\$25		
Silica	0.1 mg/L	0.1 mg/L	EPA 200.7	EPA 200.7	180 days	10 days	10 Days	\$12		
Silicon	0.05 mg/L	0.05 mg/L	EPA 200.7	EPA 200.7	180 days	10 days	10 Days	\$12		
Silver	0.5 ug/L	0.5 ug/L	EPA 200.8 Rev5.4	EPA 200.8	6 months	20 days	10 Days	\$12		
Sodium	0.15mg/L	0.15mg/L	SM 3111B	EPA 200.7	6 months	20 days	10 Days	\$12		
Strontium	1 ug/L	1 ug/L	EPA 200.8 Rev5.4	EPA 200.8	6 months	20 days	10 Days	\$12		
Sulfate	10 mg/L	10 mg/L	SM4500 SO4-E	EPA 300.0	28 days	7 days	7 Days	\$25		
Sulfide	0.5 mg/L	0.5 mg/L	A4500-S F	SM 4500S- D	7 days	7 days	10 Days	\$50		
Sulfur, Total	0.1 mg/L	0.1 mg/L	SW6010B	SW6010B	6 months	14 days	14 Days	\$25		
Surfactants	1 mg/L	1 mg/L	A5540C	SM 5540C	48 hours	7 days	10 Days	\$50	ETA	
Suspended Sediment Concentration	5 mg/L	5 mg/L	ASTM D3977-97	SM 2540D	14 days	14 days	10 Days	\$20		
Thallium	0.5 ug/L	0.5 ug/L	EPA 200.8 Rev5.4	EPA 200.8	6 months	20 days	10 Days	\$20		
Thorium, Isotopic	2 pCi/L	2 pCi/L	EPA 907.0	EPA 907.0	6 months		20 Days	\$95	ETA	
Titanium	0.1 mg/L	0.1 mg/L	EPA 200.8 Rev5.4	EPA 200.8	6 months	20 days	10 Days	\$12		
Total Dissolved Solids	10 mg/L	10 mg/L	SM 2540C	SM 2540C	7 days	7 days	7 Days	\$50		

Total Hardness	4 mg/L	4 mg/L	SM 2340C	SM 2340C	6 months	7 days	7 Days	\$35		
Turbidity	0.1 NTU	0.1 NTU	EPA 180.1 Rev2.0	EPA 180.1	48 hours	NA	NA	\$40		N/A
Uranium (Mass)	0.5 ug/L	0.5 ug/L	EPA 200.8 Rev5.4	EPA 200.8	6 months	20 days	20 Days	\$40		
Analyte	DHHS NPHEL Report Level	Lab Report Level	Method	Method used	Holding Time	Turn Around	Lab Routine Turnaround Time	Lab Fee	Contractor or Subcontractor performs test	Comments
Vanadium	0.5 ug/L	0.5 ug/L	EPA 200.8 Rev5.4	EPA 200.8	6 months	20 days	10 Days	\$20		
Total Kjeldahl Nitrogen	0.50 mg/L	0.50 mg/L	EPA 351.2 Rev2.0	EPA 351.2	28 days	10 days	10 Days	\$28	ETA	
Total Suspended Solids	5 mg/L	5 mg/L	EPA 160.2	EPA 160.2	7 days	7 days	10 Days	\$25		
Zinc	2.5 ug/L	2.5 ug/L	EPA 200.8 Rev5.4	EPA 200.8	6 months	20 days	10 Days	\$12		
Radon in Water	15 pC/L	15 pC/L	SM 7500-RN	SM 7500- Rn	3 days	6 weeks	10 Days	\$100		
1,2 Dibromoethane (EDB)	0.01 ug/L	0.01 ug/L	EPA 504.1 Rev1.1	EPA 504.1	14 days from collection to extraction, 24 hours extraction to analysis	14 days	14 Days	\$100.00		EDB & DBCP by 504.1 combined \$100/sample
1,2 Dibromo-3- Chloropropane (DBCP)	0.01 ug/L	0.01 ug/L								
PCB-1016 Aroclor	0.1 ug/L	0.1 ug/L	EPA 505 Rev2.1	EPA 505 Rev2.1	14 days from collection to extraction, 24 hours extraction to analysis	3 weeks		\$100.00		PCB's & Toxaphene/Chlordane combined \$100/sample
PCB-1221 Aroclor	2 ug/L	2 ug/L		EPA 505 Rev2.1						
PCB-1232 Aroclor	0.5 ug/L	0.5 ug/L		EPA 505 Rev2.1						
PCB-1242 Aroclor	0.3 ug/L	0.3 ug/L		EPA 505 Rev2.1						
PCB-1248 Aroclor	0.2 ug/L	0.2 ug/L		EPA 505 Rev2.1						
PCB-1254 Aroclor	0.1 ug/L	0.1 ug/L		EPA 505 Rev2.1						

PCB-1260 Aroclor	0.2 ug/L	0.2 ug/L		EPA 505 Rev2.1						
Toxaphene	1 ug/L	1 ug/L		EPA 505 Rev2.1						

Analyte	DHHS NPHEL Report Level	Lab Report Level	Method	Method used	Holding Time	Turn Around	Lab Routine Turnaround Time	Lab Fee	Contractor or Subcontractor performs test	Comments
2,4-D	1 ug/L	1 ug/L	EPA 515.3 Rev1.0	EPA 515.3 Rev1.0	14 days from collection to extraction, 14 days extraction to analysis	20 days	15 days	\$185.00		EPA 515.3 Analyte group is \$185/sample
2,4,5-TP (Silvex)	0.5 ug/L	0.5 ug/L								
Dalapon	1 ug/L	1 ug/L								
Dicamba	1 ug/L	1 ug/L								
Dinoseb	2 ug/L	2 ug/L								
Pentachlorophenol	0.2 ug/L	0.2 ug/L								
Picloram	3 ug/L	3 ug/L								
Bromodichloromethane	0.5 ug/L	0.5 ug/L	EPA 524.2 Rev4.1 (RL of 0.5 ug/L required for all analytes)	EPA 524.2 Rev4.1 (RL of 0.5 ug/L required for all analytes)	14 days	10 days	10 Days	\$185.00		EPA 524.2 Analyte group is \$185/sample
Bromoform	0.5 ug/L	0.5 ug/L		EPA 524.2						
Chloroform	0.5 ug/L	0.5 ug/L		EPA 524.2						
Dibromochloromethane	0.5 ug/L	0.5 ug/L		EPA 524.2						
1,1,1,2-Tetrachloroethane	0.5 ug/L	0.5 ug/L		EPA 524.2						
1,1,1-Trichloroethane	0.5 ug/L	0.5 ug/L		EPA 524.2						
1,1,2,2-Tetrachloroethane	0.5 ug/L	0.5 ug/L		EPA 524.2						



1,1,2-Trichloroethane	0.5 ug/L	0.5 ug/L		EPA 524.2						
1,1-Dichloroethane	0.5 ug/L	0.5 ug/L		EPA 524.2						
1,1-Dichloroethene	0.5 ug/L	0.5 ug/L		EPA 524.2						
1,1-Dichloropropene	0.5 ug/L	0.5 ug/L		EPA 524.2						
1,2,3-Trichloropropane	0.5 ug/L	0.5 ug/L		EPA 524.2						
	DHHS NPHEL Report Level	Lab Report Level	Method	Method used	Holding Time	Turn Around	Lab Routine Turnaround Time	Lab Fee	Contractor or Subcontractor performs test	Comments
Analyte										
1,2,4-Trichlorobenzene	0.5 ug/L	0.5 ug/L		EPA 524.2						EPA 524.2 Analyte group is \$185/sample
1,2,4-Trimethylbenzene	0.5 ug/L	0.5 ug/L		EPA 524.2						
1,2,3-Trichlorobenzene	0.5 ug/L	0.5 ug/L		EPA 524.2						
1,2-Dibromo-3- Chloropropane (DBCP)	0.5 ug/L	0.5 ug/L		EPA 524.2						
1,2-Dibromoethane	0.5 ug/L	0.5 ug/L		EPA 524.2						
1,2-Dichlorobenzene	0.5 ug/L	0.5 ug/L		EPA 524.2						
1,2-Dichloroethane	0.5 ug/L	0.5 ug/L		EPA 524.2						
1,2-Dichloropropane	0.5 ug/L	0.5 ug/L		EPA 524.2						
1,3-Dichloropropane	0.5 ug/L	0.5 ug/L		EPA 524.2						
1,3,5-Trimethylbenzene	0.5 ug/L	0.5 ug/L		EPA 524.2						
1,3-Dichlorobenzene	0.5 ug/L	0.5 ug/L		EPA 524.2						
1,4-Dichlorobenzene	0.5 ug/L	0.5 ug/L		EPA 524.2						
2,2-dichloropropane	0.5 ug/L	0.5 ug/L		EPA 524.2						
2-Chlorotoluene	0.5 ug/L	0.5 ug/L		EPA 524.2						
4-Chlorotoluene	0.5 ug/L	0.5 ug/L		EPA 524.2						
Benzene	0.5 ug/L	0.5 ug/L		EPA 524.2						
Bromobenzene	0.5 ug/L	0.5 ug/L		EPA 524.2						
Bromochloromethane	0.5 ug/L	0.5 ug/L		EPA 524.2						
Bromodichloromethane	0.5 ug/L	0.5 ug/L		EPA 524.2						
Bromomethane	0.5 ug/L	0.5 ug/L		EPA 524.2						

Carbon Tetrachloride	0.5 ug/L	0.5 ug/L		EPA 524.2						
Chlorobenzene	0.5 ug/L	0.5 ug/L		EPA 524.2						
Chloroethane	0.5 ug/L	0.5 ug/L		EPA 524.2						
Chloromethane	0.5 ug/L	0.5 ug/L		EPA 524.2						
Cis-1,2-dichloroethene	0.5 ug/L	0.5 ug/L		EPA 524.2						
Analyte	DHHS NPHEL Report Level	Lab Report Level	Method	Method used	Holding Time	Turn Around	Lab Routine Turnaround Time	Lab Fee	Contractor or Subcontractor performs test	Comments
Cis-1,3-dichloropropene	0.5 ug/L	0.5 ug/L		EPA 524.2						EPA 524.2 Analyte group is \$165/sample
Dibromoethane	0.5 ug/L	0.5 ug/L		EPA 524.2						
Dichlorodifluoromethane	0.5 ug/L	0.5 ug/L		EPA 524.2						
Dichloromethane	0.5 ug/L	0.5 ug/L		EPA 524.2						
Ethylbenzene	0.5 ug/L	0.5 ug/L		EPA 524.2						
Hexachlorobutadiene	0.5 ug/L	0.5 ug/L		EPA 524.2						
Isopropylbenzene	0.5 ug/L	0.5 ug/L		EPA 524.2						
M,P-Xylenes	0.5 ug/L	0.5 ug/L		EPA 524.2						
Methyl-T-butyl ether (MTBE)	0.5 ug/L	0.5 ug/L		EPA 524.2						
Naphthalene	0.5 ug/L	0.5 ug/L		EPA 524.2						
n-Butylbenzene	0.5 ug/L	0.5 ug/L		EPA 524.2						
n-Propylbenzene	0.5 ug/L	0.5 ug/L		EPA 524.2						
O-Xylene	0.5 ug/L	0.5 ug/L		EPA 524.2						
Pisopropyltoluene	0.5 ug/L	0.5 ug/L		EPA 524.2						
Sec-butylbenzene	0.5 ug/L	0.5 ug/L		EPA 524.2						
Styrene	0.5 ug/L	0.5 ug/L		EPA 524.2						
Tert-butylbenzene	0.5 ug/L	0.5 ug/L		EPA 524.2						
Tetrachloroethene	0.5 ug/L	0.5 ug/L		EPA 524.2						
Toluene	0.5 ug/L	0.5 ug/L		EPA 524.2						
Trans-1,2-dichloroethene	0.5 ug/L	0.5 ug/L		EPA 524.2						

Trans-1,3-dichloropropene	0.5 ug/L	0.5 ug/L		EPA 524.2						
Trichloroethene	0.5 ug/L	0.5 ug/L		EPA 524.2						
Trichlorofluoromethane	0.5 ug/L	0.5 ug/L		EPA 524.2						
Vinyl Chloride	0.5 ug/L	0.5 ug/L		EPA 524.2						
	DHHS NPHEL Report Level	Lab Report Level	Method	Method used	Holding Time	Turn Around	Lab Routine Turnaround Time	Lab Fee	Contractor or Subcontractor performs test	Comments
Alachlor	0.1 ug/L	0.1 ug/L	EPA 525.2 Rev2.0	EPA 525.2	14 days to extraction, 30 days extraction to analysis	14 days	15 Days	\$225.00		EPA 525.2 Analyte group is \$225/sample
Aldrin	0.1 ug/L	0.1 ug/L		EPA 525.2						
Atrazine	0.08 ug/L	0.08 ug/L		EPA 525.2						
Benzo(a)pyrene	0.06 ug/L	0.06 ug/L		EPA 525.2						
Butachlor	0.1 ug/L	0.1 ug/L		EPA 525.2						
Butylate	0.1 ug/L	0.1 ug/L		EPA 525.2						
Chlorpyrifos	0.1 ug/L	0.1 ug/L		EPA 525.2						
Cyanazine	0.15 ug/L	0.15 ug/L		EPA 525.2						
Di(2-ethylhexyl)phthalate	2 ug/L	2 ug/L		EPA 525.2						
Di(2-ethylhexyl adipate	0.5 ug/L	0.5 ug/L		EPA 525.2						
Dieldrin	0.1 ug/L	0.1 ug/L		EPA 525.2						
Endrin	0.1 ug/L	0.1 ug/L		EPA 525.2						
Fonofos	0.1 ug/L	0.1 ug/L		EPA 525.2						
Heptachlor	0.08 ug/L	0.08 ug/L		EPA 525.2						
Heptachlor Epoxide	0.04 ug/L	0.04 ug/L		EPA 525.2						
Hexachlorobenzene	0.1 ug/L	0.1 ug/L		EPA 525.2						
Hexachlorocyclopentadiene	0.1 ug/L	0.1 ug/L		EPA 525.2						
Lindane	0.04 ug/L	0.04 ug/L		EPA 525.2						
Methoxychlor	0.1 ug/L	0.1 ug/L		EPA 525.2						

Metolachlor	0.1 ug/L	0.1 ug/L		EPA 525.2						
Metribuzin	0.5 ug/L	0.5 ug/L		EPA 525.2						
Propachlor	0.1 ug/L	0.1 ug/L		EPA 525.2						
Simazine	0.1 ug/L	0.1 ug/L		EPA 525.2						
	DHHS NPHEL Report Level	Lab Report Level	Method	Method used	Holding Time	Turn Around	Lab Routine Turnaround Time	Lab Fee	Contractor or Subcontractor performs test	Comments
Total Chlordane	0.3 ug/L	0.3 ug/L	EPA 505	EPA 505						EPA 505 Analyte group is \$100/sample
Trifluralin	0.1 ug/L	0.1 ug/L		EPA 525.2						
3-Hydroxy carbofuran	0.5 ug/L	0.5 ug/L	531.1 Rev3.1	EPA 531.1	28 days	20 days	20 Days	\$175		EPA 531.2 Analyte group is \$175/sample
Aldicarb	0.5 ug/L	0.5 ug/L		EPA 531.1						
Aldicarb sulfone	0.5 ug/L	0.5 ug/L		EPA 531.1						
Aldicarb sulfoxide	0.5 ug/L	0.5 ug/L		EPA 531.1						
Carbaryl	0.5 ug/L	0.5 ug/L		EPA 531.1						
Carbofuran	0.5 ug/L	0.5 ug/L		EPA 531.1						
Methomyl	0.5 ug/L	0.5 ug/L		EPA 531.1						
Oxamyl	0.5 ug/L	0.5 ug/L		EPA 531.1						
Glyphosate	5 ug/L	6 ug/L	547	EPA 547	14 days	20 days	20 days	\$90		
Diquat	1 ug/L	1 ug/L	549.2 Rev1.0	EPA 549.2	7 days to extract, 21 days to analysis	20 days	20 days	\$100		Diquat /Paraquat by EPA 549.2 is \$100/sample
Paraquat	1 ug/L	1 ug/L		EPA 549.2						
CAA	1 ug/L	1 ug/L	552.2 Rev1.0	EPA 552.2	14 days collection to extraction, 7 days extraction to analysis	20 days	20 days	\$125		EPA 552.2 for HAA's is \$125/sample
DBAA	0.5 ug/L	0.5 ug/L		EPA 552.2						
DCAA	1.0 ug/L	1.0 ug/L		EPA 552.2						

MBAA	1.0 ug/L	1.0 ug/L		EPA 552.2						
MCAA	2.0 ug/L	2.0 ug/L		EPA 552.2						
TCAA	0.5 ug/L	0.5 ug/L		EPA 552.2						
Perchlorate		0.5 ug/L	EPA 314	EPA 331		2 weeks	10 Days	\$75.00		
Analyte	DHHS NPHEL Report Level	Lab Report Level	Method	Method used	Holding Time	Turn Around	Lab Routine Turnaround Time	Lab Fee	Contractor or Subcontractor performs test	Comments
Oil & Grease Water/Waste Water (HEM & SGT-HEM)	5 mg/L	5 mg/L	EPA 1664	EPA 1664	28 days	4 weeks	10 Days	\$40	ETA	
OA-1 Gasoline Range Organics - Water			OA-1	OA-1	14 days	20 days	10 Days	\$40	ETA	
OA-2 Diesel Range Organics - Water			OA-2	OA-2	7 days	14 days	10 Days	\$40	ETA	
Ethylene Glycol	10 mg/L	10 mg/L	EPA 8015B	EPA 8015B	14 Days	14 days	10 Days	\$85	ETA	
8260D Regular List		5 mg/L	EPA 8260D	EPA 8260B	14 Days		10 Days	\$55	ETA	
8260D Long List			EPA 8260D	EPA 8260B	14 Days		10 Days	\$80	ETA	
EPA 624			EPA 624	EPA 624	14 Days		10 Days	\$80	ETA	
EPA 625		10 mg/L	EPA 625	EPA 625	7 Days		10 Days	\$160	ETA	

All Isotopic Uranium results must include the total combined uranium activity in pCi/L from the individual uranium isotopes (e.g., U-234, U-235, U-238), U-234 and U-238 activities as well as U-234/U238 ratio need to be reported so that a unique activity to mass conversion factor can be used to calculate uranium mass concentration in ug/L. All uranium data must include precision data (e.g. 2 sigma statistic).

Water Quality Tests for a New Well are: Gross Alpha, Radium-226, Radium-228, Isotopic Uranium, Asbestos, Endothall, Dioxin and TOC on each sample Estimate 25 New Wells per year.

All non-drinking water testing requests would be sent to the contracted laboratory such as EPA 625, RCRA metals, oil and grease, etc.

\*Unless indicated with subcontractor notation, analyses performed by contractor

ETA: Eurofins TestAmerica

ECEI: Eurofins CEI, Inc.