

State of Nebraska - INVITATION TO BID CONTRACT

Date	1/31/24	Page	1 of 4
Solicitation Number	6844 OF		
Opening Date and Time	02/19/24	2:00 pm	
Buyer	BRENDA SENSIBAUGH (AS)		

DESTINATION OF GOODS
MULTIPLE DELIVERY LOCATIONS
PLEASE REFER TO DOCUMENTATION
FOR DELIVERY ADDRESSES.

Per Nebraska's Transparency in Government Procurement Act, DAS is required to collect statistical information regarding the number of contracts awarded to Nebraska contractors. This information is for statistical purposes only and will not be considered for contract award purposes.

____ NEBRASKA CONTRACTOR AFFIDAVIT: Bidder hereby attests that bidder is a Nebraska Contractor. "Nebraska Contractor" shall mean any bidder who has maintained a bona fide place of business and at least one employee within this state for at least the six (6) months immediately preceding the posting date of this ITB.

____ I hereby certify that I am a Resident disabled veteran or business located in a designated enterprise zone in accordance with Neb. Rev. Stat. §73-107 and wish to have preference, if applicable, considered in the award of this contract.

Contract to supply and deliver 3/8" Washed, 1" and 1.5" Crusher Run Rock, and Crushed Rock for surfacing to the State of Nebraska as per the attached specifications for a One (1) year period from date of award. The contract may be renewed for Two (2) additional three (3) month periods when mutually agreeable to the vendor and the State of Nebraska.

Initial/Date

INVITATION

Line	Description	Quantity	Unit of Measure	Unit Price	Extended Price
1	3/8" WASHED CRUSHED ROCK D1 SUPERIOR ST YARD 302 SUPERIOR ST LINCOLN, NE 68521	365.0000	TN	<u>41.75</u>	<u>15,238.75</u>
2	3/8" WASHED CRUSHED ROCK D1 GARRISON, NE 68632 HWY 92 MP 420	1,125.0000	TN	<u>45.30</u>	<u>50,962.50</u>

BIDDER MUST COMPLETE THE FOLLOWING

DISCOUNT PAYMENT TERMS: _____% _____ DAYS

By signing this Invitation to Bid form, the bidder guarantees compliance with the provisions stated in this Invitation to Bid, agrees to the terms and conditions unless otherwise agreed to and certifies that bidder maintains a drug free work place environment. Vendor will furnish the items requested within 95 days after receipt of order. Failure to enter Delivery Date may cause quotation to be REJECTED.

requested

Sign Here *Vern Westover*
 (Authorized Signature Mandatory - Form must be signed manually in ink or by DocuSign)

Enter Contact Information Below

VENDOR# _____
VENDOR: Westover Rock & Sand, Inc.
Address: PO Box 406 7800 Hwy 50
Weeping Water, NE 68463

Contact Vern Westover
Telephone (402) 267-7765
Email vwestover@westoverrock.com

State of Nebraska - INVITATION TO BID CONTRACT

Date	1/9/24	Page	2 of 4
Solicitation Number	6844 OF		
Opening Date and Time	2/8/24	2:00 pm	
Buyer	BRENDA SENSIBAUGH (AS)		

DESTINATION OF GOODS
MULTIPLE DELIVERY LOCATIONS
PLEASE REFER TO DOCUMENTATION
FOR DELIVERY ADDRESSES.

INVITATION

Line	Description	Quantity	Unit of Measure	Unit Price	Extended Price
3	3/8" WASHED CRUSHED ROCK D1 #33 MP 24 1/4 MILE E DORCHESER	2,500.0000	TN	<u>43.90</u>	<u>109,750.00</u>
4	3/8" WASHED CRUSHED ROCK D1 #15 MP 24, 13 MILES N FAIRBURY	3,500.0000	TN	<u>40.30</u>	<u>142,050.00</u>
5	3/8" WASHED CRUSHED ROCK D1 #8 MP 126 12 MILES SOUTHEAST OF PAWNEE CITY	2,500.0000	TN	<u>43.65</u>	<u>109,125.00</u>
6	3/8" WASHED CRUSHED ROCK D1 JCT #112 & #77 7 MILES EAST OF BEATRICE	2,500.0000	TN	<u>45.10</u>	<u>112,750.00</u>
7	1.5" CRUSHER RUN ROCK D2 FREMONT HWY 30 WEST 2550 W 23RD DR, FREMONT, NE 68026	400.0000	TN	<u>31.25</u>	<u>12,500.00</u>
8	1.5" CRUSHER RUN ROCK D2 BLAIR 2252 PITTACK ST, BLAIR, NE 68008	400.0000	TN	<u>27.25</u>	<u>10,900.00</u>
9	1.5" CRUSHER RUN ROCK D2 MORMON BRIDGE 5015 BATTLEFIELD DR, OMAHA, NE 68152	250.0000	TN	<u>29.75</u>	<u>7,437.50</u>
10	1.5" CRUSHER RUN ROCK D2 4425 S 108TH ST OMAHA, NE 68145	250.0000	TN	<u>30.25</u>	<u>7,562.50</u>
11	1.5" CRUSHER RUN ROCK D2 SOUTH OMAHA 5929 S 25TH ST OMAHA, NE 68107	250.0000	TN	<u>31.25</u>	<u>7,812.50</u>
12	1.5" CRUSHER RUN ROCK D2 MELIA HILL 15525 S 234TH ST GRENTA, NE 68028	400.0000	TN	<u>28.75</u>	<u>11,500.00</u>
13	1.5" CRUSHER RUN ROCK D2 ELKHORN 2829 N 204TH ST ELKHORN, NE 68022	400.0000	TN	<u>31.00</u>	<u>12,400.00</u>
14	1.5" CRUSHER RUN ROCK D2 PLATTSMOUTH 1000 S 22ND ST PLATTSMOUTH, NE 68048	400.0000	TN	<u>28.50</u>	<u>11,400.00</u>

State of Nebraska - INVITATION TO BID CONTRACT

Date	1/9/24	Page	3 of 4
Solicitation Number	6844 OF		
Opening Date and Time	2/9/24	2:00 pm	
Buyer	BRENDA SENSIBAUGH (AS)		

DESTINATION OF GOODS
 MULTIPLE DELIVERY LOCATIONS
 PLEASE REFER TO DOCUMENTATION
 FOR DELIVERY ADDRESSES.

INVITATION

Line	Description	Quantity	Unit of Measure	Unit Price	Extended Price
15	1.0 CURSHER RUN ROCK D1 ALTERNATE LOCATOIN 1400 HICKMAN ROAD ROCA, NE 68430	25.0000	TN	<u>31.95</u>	<u>798.75</u>
16	1.0 CURSHER RUN ROCK D2 ALTERNATE LOCATOIN 4425 S 108TH ST OMAHA, NE 68137	25.0000	TN	<u>31.75</u>	<u>793.75</u>
17	1.0 CURSHER RUN ROCK D3 ALTERNATE LOCATOIN HWY 32 MILE MARKER 33.27, 1 MILE WEST OF MADISON	25.0000	TN	<u>43.75</u>	<u>1,093.75</u>
18	1.0 CURSHER RUN ROCK D4 ALTERNATE LOCATOIN I-80/L40C ALDA INTERCHANGE NE CORNER	25.0000	TN	<u>43.75</u>	<u>1,093.75</u>
19	1.0 CURSHER RUN ROCK D5 ALTERNATE LOCATOIN 140375 RUNDELL ROAD GERING, NE 69341	25.0000	TN	<u>82.75</u>	<u>2,068.75</u>
20	1.0 CURSHER RUN ROCK D6 ALTERNATE LOCATOIN 123 LAKE AVE, PO BOX 394 GOTHENBURG, NE 69138	25.0000	TN	<u>54.75</u>	<u>1,368.75</u>
21	1.0 CURSHER RUN ROCK D7 ALTERNATE LOCATOIN 38764 US HIGHWAY 6. 2 MILES EAST OF MCCOOK	25.0000	TN	<u>64.75</u>	<u>1,618.75</u>
22	1.0 CURSHER RUN ROCK D8 ALTERNATE LOCATOIN HWY 12 RP 80.6	25.0000	TN	<u>59.75</u>	<u>1,493.75</u>
23	CRUSHED ROCK SURFACING D1 ALTERNATE LOCATOIN 1400 HICKMAN ROAD ROCA, NE 68430	25.0000	TN	<u>31.95</u>	<u>798.75</u>
24	CRUSHED ROCK SURFACING D2 ALTERNATE LOCATOIN 4425 S 108TH ST OMAHA, NE 68137	25.0000	TN	<u>31.75</u>	<u>793.75</u>
25	CRUSHED ROCK SURFACING D3 ALTERNATE LOCATOIN HWY 32 MILE MARKER 33.27; 1 MILE WEST OF MADISON	25.0000	TN	<u>43.75</u>	<u>1,093.75</u>

State of Nebraska - INVITATION TO BID CONTRACT

Date	1/9/24	Page	4 of 4
Solicitation Number	6844 OF		
Opening Date and Time	2/9/24	2:00 pm	
Buyer	BRENDA SENSIBAUGH (AS)		

DESTINATION OF GOODS
MULTIPLE DELIVERY LOCATIONS
PLEASE REFER TO DOCUMENTATION
FOR DELIVERY ADDRESSES.

INVITATION

Line	Description	Quantity	Unit of Measure	Unit Price	Extended Price
26	CRUSHED ROCK SURFACING D4 ALTERNATE LOCATOIN I-80/L40C ALDA INTERCHANGE NE CORNER	25.0000	TN	<u>43.75</u>	<u>1,093.75</u>
27	CRUSHED ROCK SURFACING D5 ALTERNATE LOCATOIN 140375 RUNDELL ROAD GERING, NE 69341	25.0000	TN	<u>82.75</u>	<u>2,068.75</u>
28	CRUSHED ROCK SURFACING D6 ALTERNATE LOCATOIN 123 LAKE AVE, PO BOX 394 GOTHENBURG, NE 69138	25.0000	TN	<u>54.75</u>	<u>1,368.75</u>
29	CRUSHED ROCK SURFACING D7 ALTERNATE LOCATOIN 38764 US HIGHWAY 6; 2 MILES EAST OF MCCOOK	25.0000	TN	<u>64.75</u>	<u>1,618.75</u>
30	CRUSHED ROCK SURFACING D8 ALTERNATE LOCATOIN HWY 12 RP 80.6	25.0000	TN	<u>59.75</u>	<u>1,493.75</u>



VI. TECHNICAL SPECIFICATIONS

A. CONTRACTOR INSTRUCTIONS

Contractor must respond to each of the following statements. Specifications listed are minimum conditions that must be met in order for a Contractor to qualify for the award.

"YES" response means the Contractor guarantees they can meet this condition.

"NO" response means the Contractor cannot meet this condition and will not be considered.

"NO & PROVIDE ALTERNATIVE" responses should be used only with a narrative response in the NOTES/COMMENTS section explaining in detail any deviation from the Contractor's ability to meet the condition, and an explanation of how this would be determined to be an acceptable alternative to meeting the condition. Alternatives must be detailed in such a way that allows such deviations to be fully evaluated. The State shall determine at its sole discretion whether or not the Contractor's alternative is an acceptable alternative.

B. NON-COMPLIANCE STATEMENT

YES	NO	NO & PROVIDE ALTERNATIVE	
X			1. Read these specifications carefully. Any and all exceptions to these specifications must be written on or attached to solicitation response. Any noncompliance may void your bid. Non-compliance to any single specification can void your bid.
X			2. It is the responsibility of Contractors to obtain information and clarifications as provided below. The State is not responsible for any erroneous or incomplete understandings or wrongful interpretations of this solicitation by any Contractor.
X			3. No interpretation related to the meaning of solicitation specifications or other pre-bid documents will be made orally to any Contractor by the State. Any solicitation interpretation must be put in writing by the Contractor to the State Purchasing Bureau, email questions to SPB. as.materielpurchasing@nebraska.gov by the last day to submit written questions per the Schedule of Events. (Inquiries received after the last day to submit written questions may not be addressed).
NOTES/COMMENTS:			

C. ANNUAL USAGE, ESTIMATED

YES	NO	NO & PROVIDE ALTERNATIVE	
X			1. Annual usage figures provided are estimates and are not to be construed as either a minimum or maximum purchase quantity. The orders shall be for the actual quantities of each item ordered by or for any agency during the life of the contract. Contractor shall not impose minimum order requirements.
NOTES/COMMENTS:			

D. USAGE REPORT

YES	NO	NO & PROVIDE ALTERNATIVE		
X			3/8" Washed Crushed Rock	
			District 1	
			Superior St Yard (302 Superior St Lincoln, NE 68521)	365 Tons
			Hwy 92 MP 420	1125 Tons
			#33 MP 24 1/4-mile E of Dorchester	2500 Tons
			#15 MP 24, 13 miles N of Fairbury	3500 Tons
			#8 MP 126, 12 miles SE of Pawnee City	2500 Tons
			Junct #112 & #77, 7 miles E of Beatrice	2500 Tons
			1.5" Crusher Run Rock	
			District 2	
			Fremont (HWY 30 West 2550 W 23 rd Dr, Fremont, NE 68026)	400 tons
			Blair (2252 Pittack St., Blair, NE 68008)	400 tons
			Mormon Bridge (5015 Battlefield Dr., Omaha, NE 68152)	250 tons
			4425 S 108 th St Omaha, NE 68145	250 tons
			South Omaha (5929 S 25 th St., Omaha, NE 68107)	250 tons
			Melia Hill 15525 S 234 th St., Gretna, NE 68028)	400 tons
			Elkhorn (2829 N 204 th St, Elkhorn, NE 68022)	400 tons
			Plattsmouth (1000 S 22 nd St., Plattsmouth, NE 68048)	400 tons
NOTES/COMMENTS:				

E. DELIVERY ARO

YES	NO	NO & PROVIDE ALTERNATIVE	
X			1. Delivery shall be made within fourteen (14) – twenty-one (21) days after receipt of order. Deliveries beyond twenty-two (22) days are an aware consideration
X			2. Deliveries shall be made between the hours of 8:00 A.M. and 4:00 P.M. Monday through Friday (excluding State or Federal holidays or as otherwise directed). If an emergency arises delivery arrangements will be scheduled by the facility/location personnel who placed the order and/or receiving personnel
X			3. There will be no minimum order requirements. Deliveries must be clearly marked with the purchase order number. If delays in delivery are anticipated, the Contractor will immediately notify the NDOT of the expected delivery date. The order may be canceled if the delivery time is unsatisfactory, and the State may procure item(s) from other sources and the Contractor will be held responsible for any/all excess cost
X			4. At the time of delivery, a designated State employee will sign the "invoice/packing slip". This signature will only indicate that the order has been received and that the items actually delivered agree with the delivery invoice. This signature does not indicate all items were received in good condition and/or that there is not possible hidden damage
NOTES/COMMENTS:			

F. DELIVERY LOCATIONS / INSTRUCTIONS

YES	NO	NO & PROVIDE ALTERNATIVE	
X			1. <u>Please refer to ITB 6844 OF for a listing of multiple delivery locations for 3/8" Washed, Crushed rock for surfacing, 1.0" and 1.5" Crusher Run rock for NDOT</u>
X			2. Deliveries of 3/8" Washed, Crushed rock for surfacing, 1.0" and 1.5" Crusher Run rock shall be FOB destination and shall be made to either state maintenance yards or designated roadside mix sites as requested by area Supervisors or Superintendents specified on the ITB.
NOTES/COMMENTS:			

G. DELIVERY PROCESS AND INSTRUCTIONS

YES	NO	NO & PROVIDE ALTERNATIVE	
X			1. Stamped weight tickets from a certified scale will be required for each load hauled. Vendors must furnish copies of weight tickets or itemized load sheets to the Maintenance Superintendent's office in order to obtain payment. If a certified scale is not accessible, vendor must obtain advance written approval from the District Operations Maintenance Manager (DOMM) or their designee for the use of detailed truck sketches before truck sketches will be accepted/slowed.
X			2. If truck sketches are approved by DOMM, a factor of 1.3 TONS/CY shall be used to calculate the amount in tons. In addition, a copy of each sketch must be submitted to the Maintenance Superintendent. If more than one truck is used, vendor must have a numbering system. (i.e., truck #1, #2, #3, etc.) An itemized list showing number of loads hauled per day, per unit, must be submitted.
X			3. 3/8" Washed, 1.0", and 1.5" Crushed Chip Rock may be sampled and tested in increments representing 200 tons.
X			a. When any of the crushed rock does not meet gradation requirements of Section 1033 as amended elsewhere in this contract, the vendor will be given notice to stop all further delivery of material. The remainder of the contract may be canceled at the option of the State of Nebraska.
X			b. The Vendor will not resume material delivery until written notice has been given by the State of Nebraska unless and until it has received credible written assurance that corrective action has been taken to ensure that future delivered crushed rock will meet the gradation requirements. Approval to resume delivery will be issued from the District Engineer or their designee of the district wherein the delivery site is located.
X			c. Delivered 3/8" Washed Crushed Rock, Crushed Rock for Surfacing, 1.0" Crusher Run rock and 1.5" Crusher Run Rock not meeting gradation provisions required will be removed by the Vendor under the direction of the district at no additional cost to the State of Nebraska Department of Transportation
X			d. Additionally, if the Vendor fails to meet gradation requirements, the State may procure the material from other sources and hold the Vendor responsible for any excess cost.
NOTES/COMMENTS:			

H. DELIVERY FOR ALTERNATE LOCATIONS, FREIGHT FACTOR INCREASE/DECREASE ORDERS

YES	NO	NO & PROVIDE ALTERNATIVE	
<p>⊗</p>			<p>1. In the event delivery locations change or additional locations may be needed during the term of the contract that were not included in original Invitation to Bid (ITB), please include a price per ton-mile for freight to add for greater distance or subtract for closer delivery locations. The state (NDOT) will select the overall lowest priced Vendor for alternate or additional locations based on the bid price of nearby locations plus or minus the freight cost using the delivery cost per ton mile as bid by each Vendor. Vendors will not be obligated to serve these alternate or additional locations but will have the opportunity to do so. All other specifications and conditions will remain for any alternate or additional locations.</p> <p>Example 1. The State requests gravel for an alternate or additional location not on the ITB. Vendor A has a contract for a nearby location for \$15/ton. Haul distance is 10 miles farther to the alternate or additional location. Vendor A has bid \$0.10 per ton-mile for additional freight. The price for delivery to the alternate or additional location is increased by \$1.00/ton.</p> <p>Vendor A overall price</p> $\frac{\$15.00}{\text{ton}} + \left(\frac{\$0.10}{\text{ton mile}} * 10 \text{ miles} \right) = \frac{\$16.00}{\text{ton}}$ <p>Vendor B has a contract for a nearby location for \$18/ton. Haul distance is 17 miles shorter to the alternate or additional location. Vendor B has bid \$0.15 per ton-mile for additional freight. The price for delivery to the alternate or additional location is reduced by \$2.55/ton.</p> <p>Vendor B overall price</p> $\frac{\$18.00}{\text{ton}} - \left(\frac{\$0.15}{\text{ton mile}} * 17 \text{ miles} \right) = \frac{\$15.45}{\text{ton}}$ <p>Example 2. The State requests gravel for an alternate or additional location not on the ITB. Vendor A has a contract for a nearby location for \$25/ton. Haul distance is 15 miles shorter to the alternate or additional location. Vendor A has bid \$0.09 per ton-mile for additional freight. The price for delivery to the alternate or additional location is reduced by \$1.35/ton.</p> <p>Vendor A overall price</p> $\frac{\$25.00}{\text{ton}} - \left(\frac{\$0.09}{\text{ton mile}} * 15 \text{ miles} \right) = \frac{\$23.65}{\text{ton}}$ <p>Vendor B has a contract for location for \$23/ton. Haul distance is 6 miles farther to the alternate or additional location. Vendor B has bid \$0.11 per ton-mile for additional freight. The price for delivery to the alternate or additional location is increased by \$0.66/ton.</p> <p>Vendor B overall price</p> $\frac{\$23.00}{\text{ton}} + \left(\frac{\$0.11}{\text{ton mile}} * 6 \text{ miles} \right) = \frac{\$23.66}{\text{ton}}$
<p>⊗</p>			<p>2. All orders must reference a purchase order number and the purchase order number must be referenced on the packing slip, and invoice. Invoices are to be sent to the "Invoice to" address on the purchase order.</p>

I. ORDERS

YES	NO	NO & PROVIDE ALTERNATIVE	
Y			1. Orders will be placed either by, phone, e-mail, or Internet (if available and not to the exclusion of the other methods) to the vendor by district personnel, stating the location, quantity, and purchase order number
Y			2. All orders must reference a purchase order number and the purchase order number must be referenced on the packing slip, and invoice. Invoices are to be sent to the "Invoice to" address on the purchase order.
Y			3. An itemized invoice including the ordering agency and ordering location, purchase order number, product description, unit cost, extension and total charges will be mailed to the "invoice to" address on the purchase order
Y			4. Vendor must furnish copies of weight tickets to receiving/personnel
Y			5. There will be no minimum requirements
NOTES/COMMENTS:			

J. QUALITY

YES	NO	NO & PROVIDE ALTERNATIVE	
Y			1. Product quality must meet specifications and be consistent for the term of the contract. All materials must be of first quality, under standard production by the manufacturer and be of standard design, complete as regularly advertised and marketed and be of proven performance.
Y			2. A guarantee of satisfactory performance by the contractor and meeting delivery dates are considered to be an integral part of the purchase contract resulting from this bid invitation.
Y			3. Products are to be fully guaranteed and may be returned for full credit or replacement (at the State's option) for any reason during the initial warranty period with no additional charges for shipping or restocking.
NOTES/COMMENTS:			

VII. INVITATION TO BID – TECHNICAL AND MATERIAL SPECIFICATIONS / SPECIAL PROVISIONS

Special Provisions for 3/8" Washed Crushed Rock

A. BIDDER INSTRUCTIONS

Bidder must respond to each of the following statements. Specifications listed are minimum conditions that must be met for a Bidder to qualify for the award.

“YES” response means the Bidder guarantees they can meet this condition.

“NO” response means the Bidder cannot meet this condition and will not be considered.

“NO & PROVIDE ALTERNATIVE” responses should be used only with a narrative response in the NOTES/COMMENTS section explaining in detail any deviation from the Bidder’s ability to meet the condition, and an explanation of how this would be determined to be an acceptable alternative to meeting the condition. Alternatives must be detailed in such a way that allows such deviations to be fully evaluated. The State shall determine at its sole discretion whether the Bidder’s alternative is an acceptable alternative.

All items bid shall be of the latest manufacture in production as of the date of the Invitation to Bid and be of proven performance and under standard design complete as regularly advertised and marketed. All necessary materials for satisfactory performance of the supplies shall be incorporated into the Washed Crushed Rock, Crusher Run Rock, or Crushed Rock for Surfacing whether or not they may be specifically mentioned below.

All items bid shall conform to section 1033 in the 2017 Nebraska Department of Transportation Standard Specifications [Microsoft Word - 2017-specbook.docx \(nebraska.gov\)](#) for highway construction and special provisions as specified in these bid documents.

Materials shall conform to the Nebraska Department of Transportation Standard Specifications for the Highway Construction 2017 Edition as amended in this Specification and amendments to the Division 1000

B. NON-COMPLIANCE STATEMENT

YES	NO	NO & PROVIDE ALTERNATIVE	
y			1. Read these specifications carefully. Any and all exceptions to these specifications must be written on or attached to quotation request. Any noncompliance may void your bid. Non-compliance to any single specification can void your bid.
y			2. It is the responsibility of Bidders to obtain information and clarifications as provided below. The State is not responsible for any erroneous or incomplete understandings or wrongful interpretations of this ITB by any bidder.
y			3. No interpretation related to the meaning of solicitation specifications or other pre-bid documents will be made orally to any Contractor by the State. Any solicitation interpretation must be put in writing by the Contractor to the State Purchasing Bureau, email questions to SPB. as.materielpurchasing@nebraska.gov by the last day to submit written questions per the Schedule of Events. (Inquiries received after the last day to submit written questions may not be addressed).
NOTES/COMMENTS:			

C. TECHNICAL SPECIFICATIONS: 3/8" Washed Crushed Rock

YES	NO	NO & PROVIDE ALTERNATIVE	MATERIAL SPECIFICATION: FOR 3/8" Washed Crushed Rock														
P			1. Material shall conform to Section 1033. In addition, Table 1033.06 is amended as follows: Gradation For 3/8" Washed Crushed Rock Mineral Aggregate for Crushed Rock <table border="1" style="margin-left: 20px;"> <thead> <tr> <th>Sieve Size</th> <th>Percent Passing</th> </tr> </thead> <tbody> <tr> <td>1/2" (12.5mm)</td> <td>100</td> </tr> <tr> <td>3/8"</td> <td>85 - 100</td> </tr> <tr> <td>#4</td> <td>0 - 50</td> </tr> <tr> <td>#8</td> <td>0 - 8</td> </tr> <tr> <td>#16</td> <td>0 - 5</td> </tr> <tr> <td>#200</td> <td>0 - 1.5</td> </tr> </tbody> </table>	Sieve Size	Percent Passing	1/2" (12.5mm)	100	3/8"	85 - 100	#4	0 - 50	#8	0 - 8	#16	0 - 5	#200	0 - 1.5
Sieve Size	Percent Passing																
1/2" (12.5mm)	100																
3/8"	85 - 100																
#4	0 - 50																
#8	0 - 8																
#16	0 - 5																
#200	0 - 1.5																
NOTES/COMMENTS:																	

D. DURABILITY – SECTION 1033 IS AMENDED TO INCLUDE THE FOLLOWING

YES	NO	NO & PROVIDE ALTERNATIVE	
P			1. Shall have a Los Angeles Abrasion loss percentage of not more than forty (40) (AASHTO 96)
P			2. Shall have a soundness loss of not more than twelve percent (12%) by mass at the end of five (5) cycles using sodium sulfate solution (AASHTO T-96)

End Of 3/8" Washed Crushed Rock Specification

VIII. INVITATION TO BID – TECHNICAL AND MATERIAL SPECIFICATIONS / SPECIAL PROVISIONS

Special Provisions for 1.0” Crusher Run Rock Instructions

A. BIDDER INSTRUCTIONS

BIDDER must respond to each of the following statements. Specifications listed are minimum conditions that must be met in order for a Bidder to qualify for the award.

“YES” response means the Bidder guarantees they can meet this condition.

“NO” response means the Bidder cannot meet this condition and will not be considered.

“NO & PROVIDE ALTERNATIVE” responses should be used only with a narrative response in the NOTES/COMMENTS section explaining in detail any deviation from the bidder’s ability to meet the condition, and an explanation of how this would be determined to be an acceptable alternative to meeting the condition. Alternatives must be detailed in such a way that allows such deviations to be fully evaluated. The State shall determine at its sole discretion whether or not the bidder’s alternative is an acceptable alternative.

All items bid shall be of the latest manufacture in production as of the date of the Invitation To Bid and be of proven performance and under standard design complete as regularly advertised and marketed. All necessary materials for satisfactory performance of the supplies shall be incorporated into the Washed Crushed Rock, Crusher Run Rock, or Crushed Rock for Surfacing whether or not they may be specifically mentioned below.

All items bid shall conform to section 1033 in the 2017 Nebraska Department of Transportation Standard Specifications [Microsoft Word - 2017-specbook.docx \(nebraska.gov\)](#) for highway construction and special provisions as specified in these bid documents.

Materials shall conform to the Nebraska Department of Transportation Standard Specifications for the Highway Construction 2017 Edition as amended in this Specification and amendments to the Division 1000

B. NON-COMPLIANCE STATEMENT

YES	NO	NO & PROVIDE ALTERNATIVE	
2			1. Read these specifications carefully. Any and all exceptions to these specifications must be written on or attached to quotation request. Any noncompliance may void your bid. Non-compliance to any single specification can void your bid.
2			2. It is the responsibility of bidders to obtain information and clarifications as provided below. The State is not responsible for any erroneous or incomplete understandings or wrongful interpretations of this ITB by any bidder.
2			3. No interpretation related to the meaning of solicitation specifications or other pre-bid documents will be made orally to any Contractor by the State. Any solicitation interpretation must be put in writing by the Contractor to the State Purchasing Bureau, email questions to SPB. as.materieipurchasing@nebraska.gov by the last day to submit written questions per the Schedule of Events. (Inquiries received after the last day to submit written questions may not be addressed).
NOTES/COMMENTS:			

C. TECHNICAL SPECIFICATIONS: 1.0" Crusher Run Rock

YES	NO	NO & PROVIDE ALTERNATIVE	MATERIAL SPECIFICATION: FOR 1.0" Crusher Run Rock										
P			1. Material shall conform to Section 1033. In addition, Table 1033 is amended as follows: Crusher Run Rock Gradation Limits <table border="1" style="margin-left: 40px;"> <thead> <tr> <th>Sieve Size</th> <th>Percent Passing</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>100</td> </tr> <tr> <td>#4</td> <td>20 - 60</td> </tr> <tr> <td>#10</td> <td>0 - 30</td> </tr> <tr> <td>#200</td> <td>0 - 10</td> </tr> </tbody> </table>	Sieve Size	Percent Passing	1"	100	#4	20 - 60	#10	0 - 30	#200	0 - 10
Sieve Size	Percent Passing												
1"	100												
#4	20 - 60												
#10	0 - 30												
#200	0 - 10												
NOTES/COMMENTS:													

D. DURABILITY – SECTION 1033 IS AMENDED TO INCLUDE THE FOLLOWING

YES	NO	NO & PROVIDE ALTERNATIVE	
P			1. Shall have a Los Angeles Abrasion loss percentage of not more than forty (40) (AASHTO 96)
P			2. Shall have a soundness loss of not more than twelve percent (12%) by mass at the end of five (5) cycles using sodium sulfate solution (AASHTO T-96)

End of 1.0" Crusher Run Rock Specifications

IX. INVITATION TO BID - TECHNICAL AND MATERIAL SPECIFICATIONS / SPECIAL PROVISIONS

Special Provisions for 1.5" Crushed Run Rock

A. BIDDER INSTRUCTIONS

Bidder must respond to each of the following statements. Specifications listed are minimum conditions that must be met in order for a Bidder to qualify for the award.

"YES" response means the Bidder guarantees they can meet this condition.

"NO" response means the Bidder cannot meet this condition and will not be considered.

"NO & PROVIDE ALTERNATIVE" responses should be used only with a narrative response in the NOTES/COMMENTS section explaining in detail any deviation from the Bidder's ability to meet the condition, and an explanation of how this would be determined to be an acceptable alternative to meeting the condition. Alternatives must be detailed in such a way that allows such deviations to be fully evaluated. The State shall determine at its sole discretion whether or not the Bidder's alternative is an acceptable alternative.

All items bid shall be of the latest manufacture in production as of the date of the Invitation To Bid and be of proven performance and under standard design complete as regularly advertised and marketed. All necessary materials for satisfactory performance of the supplies shall be incorporated into the Washed Crushed Rock, Crusher Run Rock, or Crushed Rock for Surfacing whether or not they may be specifically mentioned below.

All items bid shall conform to section 1033 in the 2017 Nebraska Department of Transportation Standard Specifications [Microsoft Word - 2017-specbook.docx \(nebraska.gov\)](#) for highway construction and special provisions as specified in these bid documents.

Materials shall conform to the Nebraska Department of Transportation Standard Specifications for the Highway Construction 2017 Edition as amended in this Specification and amendments to the Division 1000

B. NON-COMPLIANCE STATEMENT

YES	NO	NO & PROVIDE ALTERNATIVE	
2			1. Read these specifications carefully. Any and all exceptions to these specifications must be written on or attached to quotation request. Any noncompliance may void your quotation. Non-compliance to any single specification can void your bid.
2			2. It is the responsibility of bidders to obtain information and clarifications as provided below. The State is not responsible for any erroneous or incomplete understandings or wrongful interpretations of this ITB by any bidder.
2			3. No interpretation related to the meaning of solicitation specifications or other pre-bid documents will be made orally to any Contractor by the State. Any solicitation interpretation must be put in writing by the Contractor to the State Purchasing Bureau, email questions to SPB. as.materielpurchasing@nebraska.gov by the last day to submit written questions per the Schedule of Events. (Inquiries received after the last day to submit written questions may not be addressed).
NOTES/COMMENTS:			

C. MATERIAL SPECIFICATIONS: 1.5" Crusher Run Rock

YES	NO	NO & PROVIDE ALTERNATIVE	MATERIAL SPECIFICATION: FOR 1.5" Crusher Run Rock												
X			1. Material shall conform to Section 1033. In addition, Table 1033 is amended as follows: 1.5" Crusher Run Rock Gradation Limits <table border="1" style="margin-left: 40px;"> <thead> <tr> <th>Sieve Size</th> <th>Percent Passing</th> </tr> </thead> <tbody> <tr> <td>1 1/2"</td> <td>100</td> </tr> <tr> <td>3/4"</td> <td>65 - 95</td> </tr> <tr> <td>3/8"</td> <td>30 - 70</td> </tr> <tr> <td>#10</td> <td>10 - 30</td> </tr> <tr> <td>#200</td> <td>0 - 10</td> </tr> </tbody> </table>	Sieve Size	Percent Passing	1 1/2"	100	3/4"	65 - 95	3/8"	30 - 70	#10	10 - 30	#200	0 - 10
Sieve Size	Percent Passing														
1 1/2"	100														
3/4"	65 - 95														
3/8"	30 - 70														
#10	10 - 30														
#200	0 - 10														
NOTES/COMMENTS:															

D. DURABILITY – SECTION 1033 IS AMENDED TO INCLUDE THE FOLLOWING

YES	NO	NO & PROVIDE ALTERNATIVE	
X			1. Shall have a Los Angeles Abrasion loss percentage of not more than forty (40) (AASHTO 96)
X			2. Shall have a soundness loss of not more than twelve percent (12%) by mass at the end of five (5) cycles using sodium sulfate solution (AASHTO T-96)

End of 1.5" Crusher Run Rock Specifications

X. INVITATION TO BID - TECHNICAL AND MATERIAL SPECIFICATIONS / SPECIAL PROVISIONS

Special Provisions for Crushed Rock for Surfacing

A. BIDDER INSTRUCTIONS

Bidder must respond to each of the following statements. Specifications listed are minimum conditions that must be met in order for a Bidder to qualify for the award.

“YES” response means the Bidder guarantees they can meet this condition.

“NO” response means the Bidder cannot meet this condition and will not be considered.

“NO & PROVIDE ALTERNATIVE” responses should be used only with a narrative response in the NOTES/COMMENTS section explaining in detail any deviation from the Bidder’s ability to meet the condition, and an explanation of how this would be determined to be an acceptable alternative to meeting the condition. Alternatives must be detailed in such a way that allows such deviations to be fully evaluated. The State shall determine at its sole discretion whether or not the Bidder’s alternative is an acceptable alternative.

All items bid shall be of the latest manufacture in production as of the date of the Invitation To Bid and be of proven performance and under standard design complete as regularly advertised and marketed. All necessary materials for satisfactory performance of the supplies shall be incorporated into the Washed Crushed Rock, Crusher Run Rock, or Crushed Rock for Surfacing whether or not they may be specifically mentioned below.

All items bid shall conform to section 1033 in the 2017 Nebraska Department of Transportation Standard Specifications [Microsoft Word - 2017-specbook.docx \(nebraska.gov\)](#) for highway construction and special provisions as specified in these bid documents.

Materials shall conform to the Nebraska Department of Transportation Standard Specifications for the Highway Construction 2017 Edition as amended in this Specification and amendments to the Division 1000

B. NON-COMPLIANCE STATEMENT

YES	NO	NO & PROVIDE ALTERNATIVE	
X			1. Read these specifications carefully. Any and all exceptions to these specifications must be written on or attached to quotation request. Any noncompliance may void your quotation. Non-compliance to any single specification can void your bid.
X			2. It is the responsibility of bidders to obtain information and clarifications as provided below. The State is not responsible for any erroneous or incomplete understandings or wrongful interpretations of this ITB by any bidder.
X			3. No interpretation related to the meaning of solicitation specifications or other pre-bid documents will be made orally to any Contractor by the State. Any solicitation interpretation must be put in writing by the Contractor to the State Purchasing Bureau, email questions to SPB. as.materieelpurchasing@nebraska.gov by the last day to submit written questions per the Schedule of Events. (Inquiries received after the last day to submit written questions may not be addressed).
NOTES/COMMENTS:			

C. MATERIAL SPECIFICATIONS: Crushed Rock for Surfacing

YES	NO	NO & PROVIDE ALTERNATIVE	MATERIAL SPECIFICATION: FOR Crushed Rock for Surfacing										
P			1. Material shall conform to Section 1033. In addition, Table 1033 is amended as follows: Crushed Rock for Surfacing Gradation Limits <table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th>Sieve Size</th> <th>Percent Passing</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>100</td> </tr> <tr> <td>#4</td> <td>20 – 60</td> </tr> <tr> <td>#10</td> <td>0 – 30</td> </tr> <tr> <td>#200</td> <td>0 – 10</td> </tr> </tbody> </table>	Sieve Size	Percent Passing	1"	100	#4	20 – 60	#10	0 – 30	#200	0 – 10
Sieve Size	Percent Passing												
1"	100												
#4	20 – 60												
#10	0 – 30												
#200	0 – 10												
NOTES/COMMENTS:													

D. DURABILITY – SECTION 1033 IS AMENDED TO INCLUDE THE FOLLOWING

YES	NO	NO & PROVIDE ALTERNATIVE	
P			1. Shall have a Los Angeles Abrasion loss percentage of not more than forty (40) (AASHTO 96)
P			2. Shall have a soundless loss of not more than twelve percent (12%) by mass at the end of five (5) cycles using sodium sulfate solution (AASHTO T-96)

End of Crushed Rock for Surfacing