State of Nebraska - INVITATION TO BID CONTRACT

Date 01/04/24	1	Page 1 of 1	
Solicitation Number	6850 OF		
Opening Date and Time	02/01/24	2:00 pm	
Buyer	VICKI COL	LINS (AS)	

DESTINATION OF GOODS

CORRECTIONS - CENTRAL OFFICE BUILDING 1 FOLSOM & W PROSPECTOR PL LINCOLN NE 68522-0000

Per Nebraska's Transparency in Government Procurement Act, DAS is required to collect statistical information regarding the number of contracts awarded to Nebraska contractors. This information is for statistical purposes only and will not be considered for contract award purposes.

____NEBRASKA CONTRACTOR AFFIDAVIT: Bidder hereby attests that bidder is a Nebraska Contractor. "Nebraska Contractor" shall mean any bidder who has maintained a bona fide place of business and at least one employee within this state for at least the six (6) months immediately preceding the posting date of this ITB.

____ I hereby certify that I am a Resident disabled veteran or business located in a designated enterprise zone in accordance with Neb. Rev. Stat. §73-107 and wish to have preference, if applicable, considered in the award of this contract.

Contract to supply and deliver Institutional Clothing to the State of Nebraska as per the attached specifications for a two (2) year period from date of award. The contract may be renewed for two (2) additional two (2) year periods when mutually agreeable to the vendor and the State of Nebraska.

(BT 12/26/23)

INVITATION

SEE ATTACHMENT A BID SHEET

BIDDER MUST COMPLETE THE FOLLOWING DISCOUNT PAYMENT TERMS: 0 % 3 D DAYS

By signing this Invitation to Bid form, the bidder guarantees compliance with the provisions stated in this Invitation to Bid, agrees to the terms and conditions unless order. Failure to enter Delivery Date may cause quotation to be REJECTED.

Sign
Here (Authorized Signature Mandatory – Form must be signed manually in ink or by DocuSign)

Enter Contact Information Below

Contact

VENDOR#

VENDOR: MINI WIND US

Address: 2516 V/A TELON STE 216

Telephone 424.558.3867
Email matt@ miniwinheatth.a

VI. TECHNICAL SPECIFICATIONS

A. CONTRACTOR INSTRUCTIONS

Contractor must respond to each of the following statements. Specifications listed are minimum conditions that must be met in order for a Contractor to qualify for the award.

"YES" response means the Contractor guarantees they can meet this condition.

"NO" response means the Contractor cannot meet this condition and will not be considered.

"NO & PROVIDE ALTERNATIVE" responses should be used only with a narrative response in the NOTES/COMMENTS section explaining in detail any deviation from the Contractor's ability to meet the condition, and an explanation of how this would be determined to be an acceptable alternative to meeting the condition. Alternatives must be detailed in such a way that allows such deviations to be fully evaluated. The State shall determine at its sole discretion whether or not the Contractor's alternative is an acceptable alternative.

B. NON-COMPLIANCE STATEMENT

YES	NO	NO & PROVIDE ALTERNATIVE	
4			1. Read these specifications carefully. Any and all exceptions to these specifications must be written on or attached to solicitation response. Any noncompliance may void your bid. Non-compliance to any single specification can void your bid.
J			2. It is the responsibility of Contractors to obtain information and clarifications as provided below. The State is not responsible for any erroneous or incomplete understandings or wrongful interpretations of this solicitation by any Contractor.
\int			3. No interpretation related to the meaning of solicitation specifications or other prebid documents will be made orally to any Contractor by the State. Any solicitation interpretation must be put in writing by the Contractor and uploaded through the following ShareFile link: https://nebraska.sharefile.com/r-ra343150b89cc4dc0a8ecd992604273e0 by the last day to submit written questions per the Schedule of Events. (Inquiries received after the last day to submit written questions may not be addressed).
OTES/C	OMMENT:	S:	not be addressed).

C. ANNUAL USAGE, ESTIMATED (APPLIES TO ALL PRODUCTS WITHIN THIS BID)

YES	NO	NO & PROVIDE ALTERNATIVE		
			1.	Annual usage figures provided are estimates and are not to be construed as either a minimum or maximum purchase quantity. The orders shall be for the actual quantities of each item ordered by or for any agency during the life of the contract. Contractor shall not impose minimum order requirements.
NOTES/C	OMMENT	S:		

D. TECHNICAL SPECIFICATION: SOCK STYLE AND SIZES-REQUIRED COLOR WHITE AND ORANGE

YES	NO	NO & PROVIDE ALTERNATIVE	
			1. The following White and Orange Socks shall be:
			a. 80% Cotton / 20% Polyester.
,			b. Mid-Calf Height.
			 Reinforced Toe and Heel (toe and heel may be contrasting colors).
_			d. Crew / Work Boot Sock.

	e. Tube socks not acceptable.
	f. Estimated Annual Usage for White Crew / Work Boot Socks is 1,145 DZ.
	g. Estimated Annual Usage for Orange Crew / Work Boot Socks is 135 DZ.
	h. Machine Washable.
	i. Tube Sock Style not acceptable.
	2. Men's, size OSFA/M. If not OSFA/M please specify sizes / size range up to size sixteen (16):
	3. Men's Diabetic, size OSFA/M. If not OSFA/M please specify sizes / size range up to size sixteen (16):
	4. Women's, size OSFA/M. If not OSFA/M please specify sizes / size range up to size fourteen (14):
	5. Women's Diabetic, size OSFA/M. If not OSFA/M please specify sizes / size range up to size fourteen (14):
OTES/COMMENTS:	no bid

E. TECHNICAL SPECIFICATION: STOCKING HATS / WATCH CAPS, LOOSE KNIT

YES	NO	NO & PROVIDE ALTERNATIVE		
			1. St	ocking Hats / Watch Caps, Loose Knit shall be:
V			a.	100% Acrylic.
			b.	OSFM.
~			C.	High Bulk.
			d.	Dark Brown.
			e.	Orange.
			f.	Estimated Annual Usage for Stocking Caps / Watch Caps, Loose Knit, Dark Brown and Orange Caps combined, is 552 DZ.
NOTES/CO	OMMENT	S:		\$19 duzen

F. TECHNICAL SPECIFICATION: STOCKING HATS / WATCH CAPS, TIGHT KNIT

YES	NO	NO & PROVIDE ALTERNATIVE	
			1. Stocking Hats / Watch Caps, Tight Knit shall be:
V			a. 100% Acrylic.
			b. OSFM.
1			c. Flat.
V			d. Smooth.
1			e. Black.
			f. Heavyweight.
			g. Estimated Annual Usage for Stocking Caps / Watch Caps, Tight K Dark Brown, and Orange Caps combined, is 193 DZ.
OTES/Co	OMMENT	S:	\$17 DOZEN

G. TECHNICAL SPECIFICATION: UNISEX THERMAL BOTTOMS / DRAWERS

YES	NO	NO & PROVIDE ALTERNATIVE	
			1. Unisex Thermal Bottoms / Drawers shall be:
✓			a. First Quality, Free from defects.
V			b. Heavy Duty Elastic Waistband.
1			c. 50% Cotton / 50% Polyester Blend.
/			d. Sizes Small through 8XL.
			e. Available in natural or off white.
			 f. Permanently affixed size and care instructions which may be "Tagged or "Tag-less".
			Please specify which or both:
			both
V			g. Bottoms / Drawers shall NOT have flaps.
			Estimated Annual Usage for Unisex Thermal Bottoms / Drawers (if there is no usage for size within the stated range the usage is zero):
		\$33/02	a. Size Medium, 2 DZ.
		\$ 33/da	b. Size Large, 4 DZ.
		\$33/d8	c. Size XL, 2 DZ.
		\$36 /dz	d. Size 2XL, 28 DZ.
		\$ 38 /dz	e. Size 3XL, 32 DZ.
		\$ 40 102	f. Size 4XL, 34 DZ.
		\$ 42 102	g. Size 5XL, 24 DZ.
		\$ 44 1dz	h. Size 6XL, 14 DZ.
		\$ 46 /dz	i. Size 8XL, 4 DZ.
TES/CO	MMENTS:		

H. TECHNICAL SPECIFICATION: UNISEX THERMAL TOPS / SHIRTS

YES	NO	NO & PROVIDE ALTERNATIVE	
			1. Unisex Thermal Tops / Shirts shall be:
V			a. First Quality. Free from defects.
V			b. Crew Neck.
V			c. Long Sleeve.
V			d. 50% Cotton / 50% Polyester Blend.
*	V	UP 10×L	e. Sizes Small through 12XL.
V			f. Available in natural or off white.
			g. Permanently affixed size and care instructions which may be "Tagged or "Tag-less".
			Please specify which or both:
			botM
			2. Estimated Annual Usage for Unisex Tops / Shirts:
		\$33/dz	a. Size Medium, 2 DZ.
		\$ 33 Id2	b. Size Large, 4 DZ.
		\$ 33/dz	c. Size XL, 2 DZ.
		\$36 /dz	d. Size 2XL, 22 DZ.
		\$ 38 / 92	e. Size 3XL, 32 DZ.
		\$ 40 102	f. Size 4XL, 34 DZ.
		\$42/03	g. Size 5XL, 24 DZ.
		\$ 44/12	h. Size 6XL, 20 DZ.
		\$46 142	i. Size 8XL, 16 DZ.
		\$49/03	j. Size 10XL, 6 DZ.
			k. Size 12XL, 4 DZ.
IOTES/CO	MMENT	S:	

I. TECHNICAL SPECIFICATION: MEN'S JUMPSUITS, REQUIRED COLOR SOLID ORANGE AND GREEN

YES	NO	NO & PROVIDE ALTERNATIVE		ORAMSZ INLY
			1. Solid	Orange and Green Men's Jumpsuits shall:
			a.	7.5 oz. Twill.
1			b.	Short Sleeves, only.
			C.	Blend: 65% Polyester / 35% Cotton.
			d.	Sleeves and Pant Legs must be hemmed.
4			е.	Sizes: Large through 8XL.
-/			f.	Have either a Snap Closure that are solid brass and nickel plated with no elastic waistband or have a Velcro Closure with an elastic waistband.
				Please specify which style being bid or if both styles will be bid:

/	g.	Have permanently affixed size and care instructions which may be "Tagged" or "Tag-less".
V		Please specify which or both:
OTES/COMMENTS:		

J. ANNUAL USAGE, ESTIMATED FOR MEN'S JUMPSUITS

YES	NO	NO & PROVIDE ALTERNATIVE	
			 Estimated Annual Usage for Men's Jumpsuits with Snap Closures (if there is no usage for size within the stated range the usage is zero):
		\$19	a. Size XL, 24 EA.
V		621	b. Size 2XL, 12 EA.
		\$23	c. Size 3XL, 24 EA.
~		\$25	d. Size 4XL, 18 EA.
1		\$27	e. Size 6XL, 6 EA.
√		\$29	f. Size 8XL, 6 EA.
			2. Estimated Annual Usage for Men's Jumpsuits with Velcro Closures:
V	*	\$19	a. Size XL, 20 EA.
/		\$2/	b. Size 2XL, 20 EA.
		\$23	c. Size 3XL, 30 EA.
	. 4	\$25	d. Size 4XL, 40 EA.
-	1	\$26	e. Size 5XL, 24 EA.
V		\$27	f. Size 6XL, 18 EA.
NOTES/CO	OMMENTS	3:	

K. TECHNICAL SPECIFICATION: BELT WEBBING, REQUIRED COLOR KHAKI

YES	NO	NO & PROVIDE ALTERNATIVE				
			1.	Khaki B	Belt Webbing sha	II:
				a.	Polyester / Cotto	n Blend or 100% Cotton.
					Please specify w	hich style is being bid or if both styles will be bid:
				b.	50-yard rolls.	
				c.	1 1/4" wide.	
			2.	Estimate	ed Annual Usage f	or Khaki Belt Webbing is 36 Rolls.
OTES/COMI	MENTS	3:		ho	614	g statemen
				ho	bit/	

L. TECHNICAL SPECIFICATION: WOMEN'S UNDERWEAR, REQUIRED COLOR WHITE

YES	NO	NO & PROVIDE ALTERNATIVE	
			1. White Women's Underwear shall:
			a. Polyester / Cotton Blend or 100% Cotton.
/			Please specify which style is being bid or if both styles will be bid:
V			160% CUTTON
/			b. Available in sizes 5 through 14.
V		PAITIES	c. "Briefs" style, only.
V		71-2	d. Double Panel Crotch.
V			e. Knit Elastic Waist and Leg Bands.
V			f. Machine Washable and able to Tumble Dry.
~			g. Have permanently affixed size and care instructions which may be "Tagged" or "Tag-less". Please specify which or both:
			tagged
			Estimated Annual Usage for White Women's Underwear is: (if there is no usage for size within the stated range the usage is zero):
		14,50/07	a. Size 5, 36 DZ.
		14.50/02	b. Size 6, 76 DZ.
		14.50/07	c . Size 7, 132 DZ.
		14.50/02	d. Size 8, 172 DZ.
		16.50/08	e. Size 9, 280 DZ.
		1650/17	f. Size 10, 88 DZ.
		1650/02	g. Size 11, 52 DZ.
		18.50102	h. Size 12, 80 DZ.
TES/CC	DMMENTS:	18.00/02	i. Size 14, 9 DZ.

M. TECHNICAL SPECIFICATION: FULL-FIGURE / PLUS SIZE BRAS / FULL SUPPORT BRAS, REQUIRED COLORS WHITE, NUDE, TAN AND/OR BEIGE

YES	NO	NO & PROVIDE ALTERNATIVE	
			1. Full Support Bras shall:
V			a. Glamorize Full Figure Cami Sports Bra or equivalent.
-			b. Available in White, Nude, Tan, and/or Beige.
0			c. Contain NO underwire, must be Wire Free or Soft Cup.
V			d. Have Adjustable Shoulder Straps.
V			e. Be Machine Washable.
/			f. Have Back Hook and Eye Closure.
	V	50, 52,5% 56,58	g. Available in Band Sizes: 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 55, 56, & 58.

	h. Have permanently affixed size and care instructions which may be "Tagged" or "Tag-less".
	Please specify which or both:
V	togge/
NOTES/COMMENTS:	00

N. ANNUAL USAGE, ESTIMATED FOR FULL SUPPORT BRAS AND FULL-FIGURE / PLUS SIZE BRAS

YES	NO	NO & PROVIDE ALTERNATIVE	
			1. Estimated Annual Usage for Full Support Bras and Full-Figure / Plus Size Bras is:
V		3.25 /ea	a. 34C, 48 EA.
V		3.25 /69	b. 36C, 60 EA.
V		3.25/ea	c. 36D, 60 EA.
V		3.25 /ea	d. 36DD, 60 EA.
V		3.25 /ea	e. 38C, 72 EA.
~		3.25/09	f. 38D, 72 EA.
		3.25/ea	g. 38DD, 60 EA.
V		3.25/89	h. 38F, 15 EA.
V		3.50/eq	i. 40C, 72 EA.
V		3.50/ea	j. 40D, 72 EA.
~		3.50/ea	k. 40DD, 61 EA.
V		3.50/09	I. 42C, 60 EA.
V		3.50/eq	m. 42D, 72 EA.
~		3.5V/ea	n. 42DD, 60 EA.
V		3.50/ea	o. 44C, 48 EA.
V		3.5V/ea	p. 44D, 48 EA.
/		3.50/ea	q. 44DD, 60 EA.
/		3.50/ea	r. 46D, 48 EA.
V		3.50/ea	s. 46DD, 48 EA.
V		3.50/eq	t. 48C, 24 EA.
V		3-50/en	u. 48D, 48 EA.
V		3-50/09	v. 48DD, 36 EA.
			w. 50D, 12 EA.
			x. 50DD, 36 EA.
		и.	y. 50F, 12 EA.
OTES/CO	MMENTS	S: .	

O. DELIVERY ARO

YES	NO	NO & PROVIDE ALTERNATIVE		
			1.	Delivery desired within 30 days after receipt of order(s).
J			2.	At the time of delivery, a designated State employee will sign the "invoice/packing slip." This signature will only indicate that the order has been received and that the items actually delivered agree with the delivery invoice. This signature does not indicate all items were received in good condition and/or that there is not possible hidden damage.
NOTES/0	COMMEN	ITS:		pecolole muderi dalmage.

P. DELIVERY LOCATIONS / INSTRUCTIONS (CONTRACTOR AGREES THAT THEY CAN MEET THE DELIVERY LOCATIONS)

YES	NO	NO & PROVIDE ALTERNATIVE		
J			1.	See Attachment B – NDCS Delivery locations for contact person, delivery hours and instructions. Shipping locations are not restricted to the attached list and are subject to change.
1			2.	See Attachment B for delivery hours. Monday through Friday excluding Nebraska State and Federally observed holidays or as otherwise directed.
2			3.	Purchase Orders may contain additional delivery and shipping instructions.

Q. PACKAGING

YES	NO	NO & PROVIDE ALTERNATIVE		
V			1. Packag purchas	es are to be clearly marked with size, weight, color, quantity, and the e order number.
NOTES	COMME!	NTS:		

R. ORDERS

YES	NO	NO & PROVIDE ALTERNATIVE		
/			1.	Orders will be placed either by, phone, e-mail or Internet (if available and not to the exclusion of the other methods).
1			2.	All orders must reference a purchase order number.
			3.	The purchase order number must be referenced on the packing slip.
			4.	The purchase order number must be referenced on the invoice.
V			5.	Invoices are to be sent to the "Invoice to" address on the purchase order.
NOTES/	COMMEN	ITS:		

S. QUALITY

YES	NO	NO & PROVIDE ALTERNATIVE		
/			1.	Product quality must meet specifications and be consistent for the term of the contract. All materials must be of first quality, under standard production by the manufacturer and be of standard design, complete as regularly advertised and marketed and be of proven performance.
			2.	A guarantee of satisfactory performance by the contractor and meeting delivery dates are considered to be an integral part of the purchase contract resulting from this bid invitation.
J			3.	Products are to be fully guaranteed and may be returned for full credit o replacement (at the State's option) for any reason during the initial warranty period with no additional charges for shipping or restocking.

T. PROHIBITED PRODUCTS

YES	NO	NO & PROVIDE ALTERNATIVE		
1			1.	The State will not accept Gray Market Products for this solicitation. Gray Market is defined as the trade of a commodity through distribution channels which, while legal, are unofficial, unauthorized, or unintended by the original manufacturer. Gray Market items are not designed to be sold in a particular market and cannot be supported by the authorized importer because of various reasons.
1			2.	The State will not accept any products made by a company owned by the Chinese Communist Party
1			3.	The State will not accept goods from countries or persons identified on the Office of Foreign Assets Control Sanctions List.

U. AUTHORIZED DEALER & WARRANTY

YES	NO	NO & PROVIDE ALTERNATIVE		
1			1.	To the extent required by the manufacturer, the Contractor shall be an authorized dealer. Contractor may be required to substantiate that he/she is an authorized dealer. Proof, if required, must be submitted to SPB within three (3) business days of the request and prior to the award of any contract.
1			2.	The terms of the original manufacturer's standard warranty shall apply to all equipment acquired from this solicitation for the entire warranty period.
NOTES/0	COMMEN	ITS:		

V. SAMPLES

YES	NO	NO & PROVIDE ALTERNATIVE		
J			1.	Samples of materials proposed, in accordance with the specifications utilizing materials and features as proposed, may be required prior to an award, or at any time during the term of the contract.
V			2.	Samples are to be provided within ten (10) business days of a written request.
V			3.	Failure to provide samples or samples not meeting the specifications may void the bid or constitute a breach of the contract resulting from this bid invitation.
V			4.	Samples of materials bid shall be provided at no cost to the State.
V			5.	The total quantity of samples being requested may be up to five (5).
J				a. Three (3) sizes may be selected of each color bid in addition to two(2) control samples of each size and color.
J			6.	Upon a written request from the State of Nebraska Purchasing Bureau, sample(s) shall be shipped to: Attn: NDCS Assistant Materiel Administrator 801 W. Prospector Place, Bldg #1 Lincoln, NE 68522
1			7.	Receiving hours are between 07:00A.M. and 3:00 P.M., Monday through Friday (excluding State holidays and / or as otherwise directed).

W. PERFORMANCE TESTING

YES	NO	NO & PROVIDE ALTERNATIVE		
1			1.	Samples of materials proposed will not be returned to the Contractor upon completion of testing conducted by NDCS.
J			2.	Contractor shall have ten (10) business days to provide sample(s) upon the State's written request.
7			3.	Samples of materials proposed are to be of material and construction as bid.
1			4.	Samples of materials proposed that fail any of the protocols/tests as outlined may be grounds to reject the bid.
1			5.	Bids may be rejected based on the quality of samples provided.
1			6.	Samples will be tested to ensure conformity to specifications.
1			7.	To determine shrinkage testing will include ten (10) washing cycles and ten (10 drying cycles of multiple sizes.
				 Shrinkage will be determined based on flat measurement of washed garment(s) to control sample(s).
				b. Shrinkage cannot be more than four percent (4%).
1			8.	To determine colorfastness testing will include ten (10) washing cycles and te (10) drying cycles of all colors.
				 Colorfastness will be determined based on comparison of washed garment(s) to control sample(s).
4			9.	Washing cycle temperatures will be between 170° and 180°.
J			10.	Drying cycle temperatures will be between 200° and 250° with item(s)/product(s reaching temperatures of 100° to 125°.
1OTES/	COMMENT	S:		

Form A Contractor Contact Sheet Invitation To Bid Number 6850 OF

Form A should be completed and submitted with each response to this solicitation. This is intended to provide the State with information on the Contractor's name and address, and the specific person(s) who are responsible for preparation of the Contractor's response.

nformation
MATT HUAND MINIWING USA
2516 VIA TEXAN STE 216 P.V. E CA 90274
mat humas CED
matt @ minimum Realth con
matt @ miniwing Realth com 424. 558 3867

Each Contractor shall also designate a specific contact person who will be responsible for responding to the State if any clarifications of the Contractor's response should become necessary.

Communication with the State Contact I	Information	
Contractor Name:		
Contractor Address:	ganl.	
Contact Person & Title:	0	
E-mail Address:		1.00
Telephone Number (Office):		
Telephone Number (Cellular):		
Fax Number:		