538854

## STATE OF NEBRASKA CONTRACT AMENDMENT

PAGE	ORDER DATE
1 of 3	04/10/22
BUSINESS UNIT	BUYER
9000	VICKI COLLINS (AS)

VENDOR NUMBER:

**VENDOR ADDRESS:** 

NEUTRAL POSTURE INC ATTN ACCOUNTS PAYABLE 3904 N TEXAS AVE BRYAN TX 77803-0555 State Purchasing Bureau 1526 K Street, Suite 130 Lincoln, Nebraska 68508

Telephone: (402) 471-6500 Fax: (402) 471-2089

CONTRACT NUMBER 15378 OC

THE CONTRACT PERIOD IS:

#### **NOVEMBER 24, 2020 THROUGH JUNE 26, 2022**

THIS CONTRACT HAS BEEN AMENDED PER THE FOLLOWING INFORMATION:

NO ACTION ON THE PART OF THE CONTRACTOR NEEDS TO BE TAKEN AT THIS TIME. ORDERS FOR THE MATERIALS AND/OR SERVICES WILL BE MADE AS NEEDED BY THE VARIOUS AGENCIES OF THE STATE.

THIS CONTRACT IS NOT AN EXCLUSIVE CONTRACT TO FURNISH THE MATERIALS AND/OR SERVICES SHOWN BELOW, AND DOES NOT PRECLUDE THE PURCHASE OF SIMILAR MATERIALS AND/OR SERVICES FROM OTHER SOURCES.

THE STATE RESERVES THE RIGHT TO EXTEND THE PERIOD OF THIS CONTRACT BEYOND THE TERMINATION DATE WHEN MUTUALLY AGREEABLE TO THE CONTRACTOR AND THE STATE OF NEBRASKA.

Awarded from GSA Contract GS-27F-0014Y

Contract to supply and deliver EQUITY SYSTEMS FURNITURE, SEATING, ACCESSORIES AND ASSOCIATED SERVICES using GSA like pricing to the State of Nebraska agencies and political sub-divisions for the period of November 24, 2020 through June 26, 2022. The State reserves the right to extend the period of this contract beyond the termination date when mutually agreeable to the vendor and the State of Nebraska.

List prices based upon GSA Contract GS-27F-0014Y and includes all product lines. Seating must be sourced first through Cornhusker State Industries (CSI) per Nebraska State Statute before purchasing seating through this contract. New product lines and/or pricing changes are automatically updated on this GSA contract.

Link to the website for current price list: https://gsaelibrary.gsa.gov/ElibMain/searchResults.do?searchText=GS-27F-0014Y&searchType=allWords&x=8&y=6

Payment Terms: Net 30

(For State Agencies - The State of Nebraska, Building Division (SBD) should be involved in the initial planning and design of State-owned and commercially leased space per State Statute 83-145. Contact SBD at assbd.designandconstruction@nebraska.gov to assist agency through the space selection and the usage process. Quotes may be obtained from the State of Nebraska SBD or Neutral Posture at orderentry@neutralposture.com, or phone 979-778-0502 or 800-466-3746. See attached Design and Construction instructions explaining services for State Building Division.)

Vendor Contact: Jennifer Gurode Phone: 979-778-0502 Ext 126

Fax: 979-778-0408

Email: jgurode@neutralposture.com

Local Dealer: Office Interiors & Design, Inc.

Vendor Contact: Wendy O'Brien Phone: 402-484-7500

Email: wendy.obrien@oidinc.com

(10/19/20 sc)

Amendment One (1) as attached. (MH 11/29/21)

Amendment Two (2) as attached. (MH 04/10/22)

∫∬

4/12/2022

—DocuSigned by: Vicki Collins 4/12/2022 DocuSigned by:

Amara Block 4/15/2022

MATERIE 11 ARMINISTRATOR

BUYE4R06A24A8E8446D...

PAGE	ORDER DATE
2 of 3	04/10/22
BUSINESS UNIT	BUYER
9000	VICKI COLLINS (AS)

VENDOR NUMBER: 538854

State Purchasing Bureau 1526 K Street, Suite 130 Lincoln, Nebraska 68508

Telephone: (402) 471-6500 Fax: (402) 471-2089

#### CONTRACT NUMBER 15378 OC

		Estimated	Unit of	Unit
Line	Description	Quantity	Measure	Price
1	EQUITY SYSTEMS FURNITURE INCLUDES: Equity System Panels, Connections and Power Accessories Equity Furniture Systems, Work Surfaces, Computer Furniture Equity Freestanding Support Equity Drawer Pedestals and Files Equity Cabinets and Shelves; includes Task Lights	1,900,000.0000	\$	1.0000
	Systems - Discount 70% from list price			
2	INSTALLATION SERVICES PER PERSON/PER HOUR FOR NON-UNION MEMBER	100.0000	HR	51.5000
3	INSTALLATION SERVICES PER PERSON/PER HOUR FOR UNION MEMBER	100.0000	HR	106.2500
4	CHECK IN SERVICES PER PERSON/PER HOUR Delivery locations that require verification of items delivered by Contractor-Authorized Dealer/Distributor	100.0000	HR	75.0000
5	PER PROJECT, TO BE QUOTED  Products delivered by the Authorized Dealer or a carrier inside location. The driver is required to go inside (beyond the front cloading dock) to deliver a shipment instead of remaining on the truck.	loor or e dock or in	\$	1.0000
	NO ASSEMBLY IS REQUIRED BY THE AUTHORIZED DEAL	.ER		
6	LIFTGATE SERVICE DELIVERY FEE Per project, to be quoted Products delivered to a receiving address that does not have a	4,000.0000 a loading dock.	\$	1.0000
7	DELIVERY AND INSTALLATION FULL SERVICE Per Project, to be quoted. Products will be delivered, unloaded and assembled according and move-in ready condition.	35,000.0000 g to a design plan	\$	1.0000
8	NEUTRAL POSTURE SEATING	100,000.0000	\$	1.0000



PAGE	ORDER DATE
3 of 3	04/10/22
BUSINESS UNIT	BUYER
9000	VICKI COLLINS (AS)

VENDOR NUMBER: 538854

State Purchasing Bureau 1526 K Street, Suite 130 Lincoln, Nebraska 68508

Telephone: (402) 471-6500 Fax: (402) 471-2089

#### CONTRACT NUMBER 15378 OC

**Estimated** Unit of Unit Line Quantity Measure **Price Description INCLUDES:** High Performance Ergonomic Task and Conference Seating **Industrial Seating Guest Seating** 24-7 Seating (multi-shift) **Bariatric Seating** Seating -Discount 58% from list price 9 **NEUTRAL POSTURE WORPLACE** 50,000.0000 \$ 1.0000 **ACCESSORIES INCLUDES**: Key Board Trays and Arms Monitor Arms and Attachments **CPU Holders** Forearm Supports Anti-fatigue Floor Mats **Tablet Holder** StandUps Workplace Accessories - Discount 58% from list price

#### AMENDMENT TWO Contract 15378 OC

# Equity Systems Furniture, Seating, Accessories and Associated Services for the State of Nebraska Between

#### The State of Nebraska and Neutral Posture INC

This Amendment (the "Amendment") is made by the State of Nebraska and Neutral Posture INC, parties to Contract 15378 OC, and upon mutual agreement and other valuable consideration, the parties agree to and hereby amend the contract as follows:

Effective upon execution of both parties, the vendor contact information is hereby removed and replaced as follows:

Local Dealer: Office Interiors & Design, Inc.

Vendor Contact: Wendy O'Brien

Phone: 402-484-7500

Email: wendy.obrien@oidinc.com

This amendment and any attachments hereto will become part of the Contract. Except as set forth in this Amendment, the Contract is unaffected and shall continue in full force and effect in accordance with its terms. If there is conflict between this amendment and the Contract or any earlier amendment, the terms of this amendment will prevail.

IN WITNESS WHEREOF, the parties have executed this Amendment as of the date of execution by both parties below.

State of Nebraska  Docusigned by:	Contractor: Neutral Posture INC	
By: Amara Block 4CFF2711162A4A2	By:	
Name: Amara Block	Name: Kari Krueger	
Title: Interim Materiel Administrator	Title: President	
Date: 4/15/2022	Date: 3/28/2022	

#### **State Building Division – Design and Construction Services**

#### SBD email contact: assbd.designandconstruction@nebraska.gov

#### **DESIGN SERVICES:**

- Define scope of the project \*
- Space planning and layout design \*
- Provide furniture specifications for the creation of the Purchase Order by the agency \*
- Assist with product selection and finishes \*
- Installation drawings and documentation \*

#### **DELIVERABLES/ORDER PREPARATION/PROJECT COORDINATION:**

- Bill of Materials for the Purchase Order
- Coordinate lead-time commitments from various contracted furniture manufactures
- Project tracking reports (as needed) \*

#### **PROJECT MANAGEMENT SERVICES:**

- Set up project/construction meetings as needed \*
- Delivery coordination
- Installations oversight
- Furniture punch list and fine-tune final installation
- Products and finish documentation
- Plan furniture installation and check for accuracy
- Verify critical dimensions \*
- Assist in location of electrical and data ports \*
- Coordinate with general contractor and subs throughout project \*

#### **INSTALLATION SERVICES:**

- Installation of Knoll product by Knoll Certified Furniture Installation Company as bid through DAS Materiel Division Statewide installation and moving services contracts or DAS Building Division staff
- Furniture punch list and fine-tune final installation\*
- Complete post-installation walk through and punch list\*

#### **ADDITIONAL SERVICES:**

- Space utilization studies\*
- As-Built drawings\*

<sup>\*</sup> In State leased space, some of the duties mentioned above fall under the responsibility of the Agency Representative, Building owners, Architect, and or Contractors.

<sup>\*\*</sup> In DAS owned buildings, the Building Divisions services listed above are included in the agencies rent. In any other facility or lease space, the Building Division charges the standard work order rate.

PAGE	ORDER DATE
1 of 3	11/29/21
BUSINESS UNIT	BUYER
9000	VICKI COLLINS (AS)

VENDOR NUMBER: 538854

VENDOR ADDRESS:

NEUTRAL POSTURE INC ATTN ACCOUNTS PAYABLE 3904 N TEXAS AVE BRYAN TX 77803-0555 State Purchasing Bureau 1526 K Street, Suite 130 Lincoln, Nebraska 68508

Telephone: (402) 471-6500 Fax: (402) 471-2089

CONTRACT NUMBER 15378 OC

THE CONTRACT PERIOD IS:

#### **NOVEMBER 24, 2020 THROUGH JUNE 26, 2022**

THIS CONTRACT HAS BEEN AMENDED PER THE FOLLOWING INFORMATION:

NO ACTION ON THE PART OF THE CONTRACTOR NEEDS TO BE TAKEN AT THIS TIME. ORDERS FOR THE MATERIALS AND/OR SERVICES WILL BE MADE AS NEEDED BY THE VARIOUS AGENCIES OF THE STATE.

THIS CONTRACT IS NOT AN EXCLUSIVE CONTRACT TO FURNISH THE MATERIALS AND/OR SERVICES SHOWN BELOW, AND DOES NOT PRECLUDE THE PURCHASE OF SIMILAR MATERIALS AND/OR SERVICES FROM OTHER SOURCES.

THE STATE RESERVES THE RIGHT TO EXTEND THE PERIOD OF THIS CONTRACT BEYOND THE TERMINATION DATE WHEN MUTUALLY AGREEABLE TO THE CONTRACTOR AND THE STATE OF NEBRASKA.

Awarded from GSA Contract GS-27F-0014Y

Contract to supply and deliver EQUITY SYSTEMS FURNITURE, SEATING, ACCESSORIES AND ASSOCIATED SERVICES using GSA-like pricing to the State of Nebraska agencies and political sub-divisions for the period of November 24, 2020 through June 26, 2022, per the terms, conditions and specifications of the GSA contract GS-27F-0014Y . This contact may be renewed beyond the termination date when mutually agreeable to the vendor and the State of Nebraska. The GSA Master Agreement contract can be found at https://www.gsaelibrary.gsa.gov/ElibMain/contractorInfo.do?contractNumber=GS-27F-0014Y&contractorName=NEUTRAL+POSTURE%2C+INC. &executeQuery=NO

Payment Terms: Net 30

(For State Agencies -Contact Neutral Posture Inc. for a written quote at orderentry@neutralposture.com or phone 979-778-0502 or 800-466-3746. List prices based upon GSA Contract GS-27F-0014Y and includes all Equity Systems Furniture. Seating must be sourced first through Cornhusker State Industries (CSI) per Nebraska Statutes before purchasing seating through this contract.)

Vendor Contact: Jennifer Gurode Phone: 979-778-0502 Ext 126

Fax: 979-778-0408

Email: jgurode@neutralposture.com

Local Dealer: Encompas Vendor Contact: Wendy O'Brien

vendor Contact. Wendy O Brief

Phone: 402-499-7251

Email: wendy@encompas.com

(10/19/20 sc)

Amendment One (1) as attached. (MH 11/29/21)

\_\_\_ps ∭

12/3/2021

DocuSigned by:

Vicki Collins 12/3/2021

**B4106 2 R**A8E8446D...

—DocuSigned by:

Amara Block 12/7/2021

MATERIELE2ADMINISTRATOR

R43500|NISM0001|NISM0001 20210628

PAGE	ORDER DATE
2 of 3	11/29/21
BUSINESS UNIT	BUYER
9000	VICKI COLLINS (AS)

VENDOR NUMBER: 538854

State Purchasing Bureau 1526 K Street, Suite 130 Lincoln, Nebraska 68508

Telephone: (402) 471-6500 Fax: (402) 471-2089

#### CONTRACT NUMBER 15378 OC

Line	Description	Estimated Quantity	Unit of Measure	Unit Price
1	EQUITY SYSTEMS FURNITURE INCLUDES: Equity System Panels, Connections and Power Accessories Equity Furniture Systems, Work Surfaces, Computer Furniture Equity Freestanding Support Equity Drawer Pedestals and Files Equity Cabinets and Shelves; includes Task Lights  Systems - Discount 70% from list price	1,700,000.0000	\$	1.0000
2	INSTALLATION SERVICES PER PERSON/PER HOUR FOR NON-UNION MEMBER	100.0000	HR	51.5000
3	INSTALLATION SERVICES PER PERSON/PER HOUR FOR UNION MEMBER	100.0000	HR	106.2500
4	CHECK IN SERVICES PER PERSON/PER HOUR Delivery locations that require verification of items delivered by Contractor-Authorized Dealer/Distributor	100.0000	HR	75.0000
5	INSIDE DELIVERY FEE PER PROJECT, TO BE QUOTED Products delivered by the Authorized Dealer or a carrier inside location. The driver is required to go inside (beyond the front dloading dock) to deliver a shipment instead of remaining on the the truck.	oor or	\$	1.0000
	NO ASSEMBLY IS REQUIRED BY THE AUTHORIZED DEAL	ER		
6	LIFTGATE SERVICE DELIVERY FEE Per project, to be quoted Products delivered to a receiving address that does not have a	4,000.0000 a loading dock.	\$	1.0000
7	DELIVERY AND INSTALLATION FULL SERVICE Per Project, to be quoted. Products will be delivered, unloaded and assembled according and move-in ready condition.	35,000.0000 g to a design plan	\$	1.0000
8	NEUTRAL POSTURE SEATING	100,000.0000	\$	1.0000



PAGE	ORDER DATE
3 of 3	11/29/21
BUSINESS UNIT	BUYER
9000	VICKI COLLINS (AS)

VENDOR NUMBER: 538854

State Purchasing Bureau 1526 K Street, Suite 130 Lincoln, Nebraska 68508

Telephone: (402) 471-6500 Fax: (402) 471-2089

#### CONTRACT NUMBER 15378 OC

**Estimated** Unit of Unit Quantity Measure **Price** Line **Description INCLUDES:** High Performance Ergonomic Task and Conference Seating **Industrial Seating Guest Seating** 24-7 Seating (multi-shift) **Bariatric Seating** Seating -Discount 58% from list price 9 **NEUTRAL POSTURE WORPLACE** 50,000.0000 \$ 1.0000 **ACCESSORIES INCLUDES**: Key Board Trays and Arms Monitor Arms and Attachments **CPU Holders** Forearm Supports Anti-fatigue Floor Mats **Tablet Holder** StandUps Workplace Accessories - Discount 58% from list price

## AMENDMENT ONE Contract 15378 OC

# Equity Systems Furniture, Seating, Accessories and Associated Services for the State of Nebraska Between

#### The State of Nebraska and Neutral Posture INC

This Amendment (the "Amendment") is made by the State of Nebraska and Neutral Posture INC, parties to Contract 15378 OC, and upon mutual agreement and other valuable consideration, the parties agree to and hereby amend the contract as follows:

Effective upon execution of both parties, the vendor contact information is hereby removed and replaced as follows:

Vendor Contact: Jennifer Gurode Phone: 979-778-0502 Ext 126

Fax: 979-778-0408


Email: jgurode@neutralposture.com

This amendment and any attachments hereto will become part of the Contract. Except as set forth in this Amendment, the Contract is unaffected and shall continue in full force and effect in accordance with its terms. If there is conflict between this amendment and the Contract or any earlier amendment, the terms of this amendment will prevail.

IN WITNESS WHEREOF, the parties have executed this Amendment as of the date of execution by both parties below.

State of Nebraska  DocuSigned by:	Contractor: Neutral Posture INC
By:Block	Вуст
Name: Amara Block	Name: Kari Krueger
Title: Interim Materiel Administrator	Title: EVP of Strategic Development
Date:	Date: <u>11/24/2021</u>





## **TABLE OF CONTENTS**

GENERAL INFORMATION         4           Panels         4           Power         4           Raceway         4           Environmental Impact         4           Storage         4           Legacy Customers         4
SUSTAINABLE DESIGN5Manufacturing Process.5Shipping Initiatives.5
TERMS AND CONDITIONS         6           Ordering         6           Pricing         6           Taxes         6           Lead Time         6           Customer's Own Material         6           Storage Fee         6           Compliance with Law         6           Shipping         .7           Accessorial Charges Freight Damage         .7           Delay/Force Majeure         .7           Returns         .7           Warranty Claims         .7           Warranty         .8           Certifications & Standards         .8           Key-Alike Program         .9           GSA Contract Overview         .10           GSA Contract Details         .11           Wall Mounting Suggestions         .12           Wall Mounting Details         .13
FINISHES         14           Fabrics         14           Laminates         14           Edge Bands         14           Paints         15           Plexiglass         15           Glass         15           Designer Glass         15           Corian         15           Textured Corian         15           CUSTOM FINISHES PROGRAM         16           Customer's Own Fabric         16
Customer's Own Laminate 16 Custom RAL Paint Finishes 16
LEGACY FINISHES         17           Legacy – Laminates         17           Legacy – Edge Bands         17           Legacy – Paint & Plastics         17

PANELS	18
Features	18
Construction	
Surface Materials	
Fabric Panels	
Insert Panels Perforated Aluminum Insert Panels	
Tequity Panels	
Post Assemblies	
End Kits	
Wall Starter/Wall Mounted Channel	
Posts (Multi-height)	34
Connectors/Shrouds	3
STACK-ON PANELS	30
Components	
Stack-on Panel Connectors	
Specifying Stack-on Configurations	
Stack-on Diagram	
Stack-on Configurations	
Fabric with slots	
Fabric without slots	
Insert with slots	
Perforated Aluminum Insert w/slots	
Perforated Aluminum Insert w/o slots	
Stack-on Posts	
Panel Accessories	
Frameless Glass	
Frameless Glass Connectors	
Add-on Screens	
Slat Rail	
Slat Rail Accessories	
ELECTRICAL	
How to Order	
Infeeds	
Technical Data	
Ceiling Infeeds	
Base Infeeds	63
Components	
Knock-out Replacement Cover	
Jumper.	
Dedicated Neutral System Components	
Dedicated Neutral Jumpers	
Desktop Data & Power	
Ashley Duo	
Ashley 202	
Ashley Trio	
Ashley Quad	69

WORKSURFACES	<b>70</b>
Features	
Wiring & Cabling	70
Edge Detail.	
Surface Materials	
General Information	
Support Information	
Grain Direction	
Straights	
Corners	
Split Corner	
Blended Corners	
Corner Peninsulas	
Peninsulas	
Half Round & Linking	82
Blended Double Corner	
135° Curved Corner	
Supports	
Legs	
Worksurface for Height Adjustable Supports	
Electric Height Adjustable Base	
120° Planning	
120°	
Transition Tops	94
CASCADE WORKSURFACES	95
Cascade Edge	95
Cascade Edge	95
	95 96
Straights	95 96 97
Straights	95 96 97 98
Straights	95 96 97 98 99
Straights	95 96 97 98 99 00 01
Straights	95 96 97 98 99 00 01
Straights  Corners & Extended Corners  Corner Peninsulas  Waves  Rounds. 1  Accessories 1  Personal Drawer 1	95 96 97 98 99 00 01
Straights  Corners & Extended Corners  Corner Peninsulas  Waves  Rounds  1 Accessories 1 Personal Drawer 1  COUNTER CAPS  1 Corners  Extended Corners 1  1 Accessories 1 A	95 96 97 98 99 00 01 01
Straights  Corners & Extended Corners  Corner Peninsulas  Waves  Rounds  Accessories  1 Personal Drawer  1 COUNTER CAPS  1 Straights  1	95 96 97 98 99 00 01 01 <b>02</b>
Straights  Corners & Extended Corners  Corner Peninsulas  Waves  Rounds  1 Accessories 1 Personal Drawer 1  COUNTER CAPS  1 Corners  Extended Corners 1  1 Accessories 1 A	95 96 97 98 99 00 01 01 <b>02</b>
Straights         Corners & Extended Corners         Corner Peninsulas         Waves         Rounds       1         Accessories       1         Personal Drawer       1         COUNTER CAPS       1         Straights       1         Corners       1	95 96 97 98 99 00 01 01 <b>02</b> 03
Straights  Corners & Extended Corners  Corner Peninsulas  Waves  Rounds  Accessories  1 Personal Drawer  1 COUNTER CAPS  Straights  Corners  1 PANEL SUPPORTED STORAGE	95 96 97 98 99 00 01 01 <b>02</b> 02 03
Straights Corners & Extended Corners Corner Peninsulas Waves Rounds 1 Accessories 1 Personal Drawer 1 COUNTER CAPS Straights 1 Corners 1 PANEL SUPPORTED STORAGE 1 Open Shelves 1	95 96 97 98 99 00 01 01 <b>02</b> 02 03 <b>04</b>
Straights Corners & Extended Corners Corner Peninsulas Waves Rounds Accessories Personal Drawer  COUNTER CAPS Straights 1 Corners 1  PANEL SUPPORTED STORAGE 1 Open Shelves 1 Overheads 1	95 96 97 98 99 00 01 01 <b>02</b> 02 03 <b>04</b> 04
Straights  Corners & Extended Corners  Corner Peninsulas  Waves  Rounds  Accessories  Personal Drawer  1  COUNTER CAPS  Straights  Corners  1  PANEL SUPPORTED STORAGE  Open Shelves  Overheads  1  Shared Storage  1  Corners  1	95 96 97 98 99 00 01 01 <b>02</b> 02 03 <b>04</b> 06 08
Straights Corners & Extended Corners Corner Peninsulas Waves Rounds Accessories Personal Drawer  1 COUNTER CAPS Straights Corners 1 PANEL SUPPORTED STORAGE Open Shelves Overheads Shared Storage 1 Tackboards 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	95 96 97 98 99 00 01 01 <b>02</b> 03 <b>04</b> 06 08 10
Straights  Corners & Extended Corners  Corner Peninsulas  Waves  Rounds  Accessories  Personal Drawer  1  COUNTER CAPS  Straights  Corners  1  PANEL SUPPORTED STORAGE  Open Shelves  Overheads  1  Shared Storage  1  Corners  1	95 96 97 98 99 00 01 01 <b>02</b> 03 <b>04</b> 06 08 10
Straights  Corners & Extended Corners  Corner Peninsulas  Waves  Rounds  Accessories  Personal Drawer  1  COUNTER CAPS  Straights  Corners  1  PANEL SUPPORTED STORAGE  Open Shelves  1  Overheads  1  Shared Storage  1  Tackboards  1  Wall Mounted Channel  1	95 96 97 98 99 00 01 01 <b>02</b> 03 <b>04</b> 06 08 10
Straights Corners & Extended Corners Corner Peninsulas Waves Rounds 1 Accessories 1 Personal Drawer 1 COUNTER CAPS 1 Straights 1 Corners 1 PANEL SUPPORTED STORAGE 1 Open Shelves 1 Overheads 1 Shared Storage 1 Tackboards 1 Wall Mounted Channel 1 LIGHTING 1 TASK	95 96 97 98 99 00 01 01 02 03 04 06 08 10 11 12
Straights Corners & Extended Corners Corner Peninsulas Waves Rounds 1 Accessories 1 Personal Drawer 1 COUNTER CAPS 1 Straights 1 Corners 1 PANEL SUPPORTED STORAGE 1 Open Shelves 1 Overheads 1 Shared Storage 1 Tackboards 1 Wall Mounted Channel 1 LIGHTING 1 TASK	95 96 97 98 99 00 01 01 02 03 04 06 08 10 11 12
Straights Corners & Extended Corners Corner Peninsulas Waves Rounds 1 Accessories 1 Personal Drawer 1  COUNTER CAPS 1 Straights 1 Corners 1  PANEL SUPPORTED STORAGE 1 Open Shelves 1 Overheads 1 Shared Storage 1 Taklb Mounted Channel 1  LIGHTING 1  Corners 1  1  LIGHTING 1  LIGHTING 1  LIGHTING 1  Corners 1  1  LIGHTING 1  LIGHTING 1  LIGHTING 1  Corners 1  1  LIGHTING 1  LIGHTING 1  Corners 1  1  LIGHTING  LIGHTI	95 96 97 98 99 00 01 01 02 03 04 06 08 10 11 12 14 15

TABLES Features Construction Surface Materials	118 118
OCCASIONAL Round Square	120
CONFERENCE Oval Rectangle	122
DESKS C-Legs O-Legs T-Legs	124
SIT/STAND DESKS Electric Height Adjustable Stand-biased	126
SIT/STAND PACKAGES  1000 Series Sit/Stand Packages 8000 Series Sit/Stand Packages	128
SCREENS Privacy/Modesty Panels Desktop Mobile Privacy	130 132

STORAGE	
Accessory Availability  Accessories	
PEDESTALS	
Features	
Construction	
Surface MaterialsPedestals	
FILE CENTERS	. 142
Features	. 142
Construction	
Surface Materials	
LATERALS	. 146
Features	
Construction	
Laterals	. 148
Lateral – BF	. 149
Lateral – Worksurface Supporting	
Lateral – Eateral/Open Shelves Lateral – 6B, BBF & BBFF	
Lateral – Common Tops	. 151
Lateral – Cushions	
TOWERS	
FeaturesConstruction	
Surface Materials	
24" Wide	
24" Wide – Side Access 15" Wide	
15" Wide – Side Access	
CREDENZAS	
Features	
Construction	
Surface Materials	
Credenza – Drawers	
Credenza – Shelves	
Accessories Credenza – Common Tops	. 160 161
Credenza – Cushion Tops	. 161
CABINETS	. 162
Features	. 162
Construction	
Surface Materials	
LOCKERS	166
Features	
Construction	
Surface Materials	
Lockers – Double	
Lockers – Quad	. 168
Lockers – Cubby Lockers – Common Tops	
BOOKCASES Features	
Construction	
Surface Materials	
Bookcases	. 172

WORKPLACE ACCESSORIES	174
Keyboard Trays	176
Keyboard Arms	
Easy Combos	177
Monitor Arms	178
CPU Holders	178
Forearm Supports	179
Anti-fatigue Floor Mats	179
Tablet Holder	179
StandUp	180
StandUp A1	181
GRADED IN FABRICS	182
GRADED IN FABRICS	
	182
Carnegie	182 182
Carnegie C.F. Stinson Designtex	182 182 183
Carnegie	182 182 183
Carnegie C.F. Stinson Designtex Guilford of Maine	182 182 183 183
Carnegie C.F. Stinson Designtex Guilford of Maine Luna	182 182 183 183 184
Carnegie C.F. Stinson Designtex Guilford of Maine Luna Luna Maharam	182 182 183 183 184 184
Carnegie C.F. Stinson Designtex Guilford of Maine Luna Luna	182 182 183 183 184 184 184

## **General Information**

#### **PANELS**

Width dimension of all panels is centerline to centerline of adjacent panel connectors.

Panel thickness is 1½". Panel thickness at the base covers is 2".

#### **FABRIC PANELS**

Fabric panels incorporate a mineral wool core construction. Fabric panels are acoustical and fully tackable. The base raceway is nominally 5" high.

#### **INSERT PANELS**

Insert panels are constructed with a tapered aluminum frame that is mitered in the corners. Insert panels may be ordered with plexiglass, laminate, perforated aluminum or as an open frame for complete accessibility through the panel.

#### **STACK-ON PANELS**

Stack-on panels connect on the top of any standard panel to provide additional privacy or new aesthetic options and can also be load bearing.

#### **PANEL CONNECTORS**

Panel connectors are 1½" diameter and required at every panel connection and panel end (except when postless end assembly is used). Posts are painted to match the selected trim finish and include an adjustable glide on the bottom for leveling.

#### **POWER**

Fabric and insert panels accept electrical components.

Equity panels distribute power through the office and directly to the individual workstation through field-installed modular, electrical wiring components in the base of the panels. The panel base is factory prepared to accept a terminal block in a centered location where two 20-amp receptacles can be installed; one on each side of a panel, arranged back-to-back. An auxiliary side mount duplex receptacle is also available and plugs directly into the side of the terminal block connector end when a second duplex receptacle is required.

#### **RACEWAY**

The panel base cover provides openings for receptacles and/ or communication outlets, which can be covered when not in use.

All panel bases provide a cable management segment to facilitate lay-in of workstation cables and cords.

#### **CABLE CAPACITY**

ELECTRICAL	WITH		WITH	IOUT
FILL	100%	40%	100%	40%
Cat 5	36	14	102	40
Cat 6	28	11	80	32

#### **STORAGE**

All storage components come standard locking.

Master key and key alike are available upon request.

#### **LEGACY PRODUCTS**

Neutral Posture offers Legacy products for existing Equity which was ordered before February of 2016.

For any code compliance testing data, please contact Customer Service at customerservice@neutralposture.com or 979.778.0502.

#### **ENVIRONMENTAL IMPACT**

Neutral Posture takes great pride in providing one of the most environmentally friendly furniture systems available on the market today.

Building an effective Green Program takes a company-wide effort, but we think it's worth the effort to ensure that our manufacturing process leaves the smallest possible footprint on the environment. Neutral Posture products are designed and manufactured to support a long and useful product life. Our products, if need be, can withstand repeated service, repairs and handling; and our products are made with standardized parts and components which make replacing worn out parts easy and as green as possible.

The steel and plastic materials used to construct Equity can be recycled after the product's life. The system is also designed to be cleaned with low environmental impact materials.

The clean technology used to manufacture the Equity system results in negligible off-gassing from the product.

We continually work with many 3rd party organizations to firmly establish a quality Sustainability Program.

- BIFMA level® Certification
- SCS Indoor Advantage Gold Certification
- LEED
- Underwriters Laboratories (UL)
- Canadian Standards Association (CSA)
- Occupational Safety and Health Administration (OSHA)
- · ISO 9001:2015

#### **GREEN MANUFACTURING PROCESS**

Neutral Posture is highly efficient in its manufacturing process. New roll forming machines can change between parts with zero scrap. Current manufacturing efforts recycle process water and refrain from using hazardous process chemicals.

#### **PLASTIC**

Neutral Posture uses plastic which contains up to 25% pre-consumer recycled plastics. The majority of the plastics used in Neutral Posture products are #3 and #7 plastics and can be recycled in many areas.

#### **STEEL & ALUMINUM**

Neutral Posture products contain steel and aluminum that is 100% recyclable. Additionally, up to 25% of this steel comes from preconsumer recycled product. Aluminum maintains a high scrap value and is known for having a very long working life.

#### FABRIC

Neutral Posture maintains an excellent supply of green fabrics. These fabrics are made from pre- and post-consumer recycled materials. Some fabrics contain 100% recycled materials and continues to divert recycled plastic from landfills, turning it into beautiful designs.

#### PANEL INNER

Neutral Posture uses mineral wool, spun from basalt and volcanic rocks to provide lightweight, sound resistant panels. These mineral wool inserts are considered rapidly renewable products.

#### WOOD

Wood worksurfaces and panels use 100% recycled/recovered wood fiber. All adhesives used in these products are virtually VOC-free and pass stringent emission standards.

#### **GREEN SHIPPING INITIATIVES**

Neutral Posture holds their freight carrier partners accountable to similar criteria as suppliers, however, due to the immense impact freight companies have on the environment, all carriers must also become a partner in the Environmental Protection Agency (EPA) SmartWay program within one year of service. All freight carriers are screened through a logistics company and become a partner associate with Neutral Posture based on annual evaluation reports.

#### PACKAGING OPTIONS

Our cardboard shipping boxes are produced from 45% recycled material and 100% of the materials come from renewable pulp sources. For large orders, customers can choose to use a box made from 100% recycled materials for an upcharge.

#### A LONG AND HEALTHY PRODUCT LIFE

Neutral Posture products are made to last, as is evidenced by our limited lifetime warranty. Neutral Posture has been around since the 1980s and it is not unusual to find original products from our first year of production in perfect working condition. Although we are continually improving our products, we allow for retrofitting of earlier generations. This allows the customer to upgrade individual components as desired without having to discard the product they already have or purchase a new one. This helps avoid filling landfills with used furniture and is another way in which Neutral Posture customers contribute to their immediate health and wellbeing as well as the continued wellness of our environment.

For more information about Neutral Posture's sustainability program, visit NeutralPosture.com/sustainability.

#### **TERMS AND CONDITIONS**

For all non-rated or new accounts, payment terms are Cash in Advance (C.I.A.) until credit has been approved or rated. Please send full credit information and references and allow time for Credit Department approval.

For all established accounts, payment is due within thirty (30) days from the invoice date. Neutral Posture (NP) reserves the right to change or cancel the terms of sale based on volume, credit rating and/or credit information. Prepayment, whole or in part, may be requested at any time at the discretion of the corporate office. For orders greater than \$100,000 net, a fifty percent (50%) deposit is due at the time of order placement, with the remainder due within thirty (30) days of the date of invoice.

Past due accounts are subject to a 1.5% late charge or maximum amount permitted under local law, for each thirty (30) days the outstanding balance remains open after the due date.

Withholding of payments based on carrier damages, shortages or other disputes is illegal and subject to charges.

Neutral Posture does not accept credit cards.

#### **ORDERING**

All orders must be in writing; faxed, emailed or mailed. The product model number(s) contained in the order acknowledgment shall be the final expression of the order. A purchase order is not binding on NP until customer has received NP's order confirmation or acknowledgment. Orders must have a contact name and phone number. Orders may not be canceled without written consent of Neutral Posture.

To expedite complete/correct entry of your order, be certain all model numbers, quantities, colors and area identifications are completely specified. Also, include complete purchase order number(s), bill-to and ship-to addresses, a contact name and specific factory shipping dates required.

Orders should be sent to:
Neutral Posture, Inc.
3904 N Texas Avenue Bryan, TX 77803
979.778.0502 (Option 2)
800.446.3746
979.778.0408 FAX

 $\hbox{E-mail: orderentry} @ neutral posture.com$ 

When an order is received, it is assigned a scheduled ship date. That date is shown on the order acknowledgment.

Purchase orders may not be changed or canceled, in whole or in part, without prior written consent of NP. Changes may affect delivery dates. Expenses incurred because of changes shall be charged to customer. In the event of cancellation, customer will be liable for reasonable cancellation charges as established by NP. Orders for special product, orders including customer's own material (COM) and orders pursuant to expedited delivery programs, may not be canceled.

An Expedite Fee of a minimum of 3% of net will be charged for orders requiring less than standard lead time.

#### **PRICES**

Prices are subject to change without notice. List prices shall be those in effect on the date of receipt of purchase order unless shipment is requested more than ninety (90) days after order entry in which case prices in effect on the date of shipment apply. Prices in effect at time of shipment prevails in the event of a discrepancy.

#### **TAXES**

All sales, use, excise and other taxes applicable to the sale of the products shall be paid by customer. If customer claims an exemption from any tax, customer shall submit to NP the appropriate exemption certificates.

#### **LEAD TIME**

Please contact Customer Service for current lead time at customerservice@neutralposture.com or 979.778.0502.

#### **CUSTOMER'S OWN MATERIAL (COM)**

A customer who requests a fabric or other surface material not standard to NP's line of products, must submit samples of the requested material to NP prior to entry of a customer order. NP shall determine if the material is suitable to its manufacturing processes and meets any requirements of Underwriters Laboratories and/or Canadian Standards Association. If the COM is acceptable, NP will then establish a price for using the COM. For a description of the procedures for submitting samples and testing, contact Customer Service. NP shall have no responsibility for the appearance, condition, performance, durability, colorfastness or any other physical attribute of the COM. Customer shall indemnify and hold NP harmless for any damages, injuries or losses arising out of or related to use of the COM on the product.

#### STORAGE FEE

Any changes made by the customer to postpone the delivery date on orders which have already gone into production, will be charged a storage fee. This fee will be applied to both partially and fully built orders. NP will advise of fee prior to applying charge.

#### **COMPLIANCE WITH LAW**

Customer is solely responsible for compliance with all applicable federal, state and local laws, ordinances, regulations, rules and standards relating to the installation, maintenance, use and operation of the products.

#### **TERMS AND CONDITIONS**

#### **SHIPPING**

Most NP products include shipping. For Equity, only orders that are over \$2,000 (Net) include shipping. For orders under \$2,000 (Net) please contact Customer Service for a shipping quote. In accordance with the aforementioned conditions, all standard discount orders are F.O.B destination delivered by way of parcel or freight carrier dock to dock within the forty-eight (48) contiguous United States and the District of Columbia. NP will designate the shipping mode and carrier based on geographical location and best service as defined by our Logistics Department.

For orders shipping outside the forty-eight (48) contiguous United States and the District of Columbia, customer pays shipping from port of embarkation to destination and order will be shipped "best way". Customer will incur additional charges if they choose to specify a freight carrier.

Any order requiring special delivery service, other than normal dock to dock delivery, will incur additional charges. These services include, but are not limited to residential delivery, limited access delivery, lift gate service, inside delivery, call before delivery, re-routed deliveries, specific delivery date/time requests or congestion fees. These charges will be quoted upon customer request.

Conditions beyond the control of NP, including weather, available facilities and traffic conditions, may affect exact time of delivery. NP shall not be responsible for specific carrier delivery date or time unless it has made a specific delivery commitment, in writing.

Delivery date and time are at the discretion of the carrier within reasonable transit time unless special arrangements have been agreed to in writing between customer and NP prior to shipment.

#### **Accessorial Charges**

Delivery Appointment Required Inside Delivery/Pick Up Items Over 96 Inches Lift Gate Required Limited Access Delivery Notification/CBD Residential Delivery Ship Fully Assembled Pre-delivery Notification Re-delivery/Return Trip

Contact Customer Service at customerservice@neutralposture.com or 979.778.0502 for pricing.

#### **DELAY/FORCE MAJEURE**

NP shall not be liable for failure to perform or for delay in performance due to fire, flood, strike or other labor difficulty, act of God, act of any governmental authority or of the customer, riot, embargo, fuel or energy shortage, wrecks or delay in transportation, inability to obtain necessary labor, materials or manufacturing facilities from usual sources or failure of suppliers to meet their contractual obligations, or due to any cause beyond its reasonable control. If any such event occurs, NP may extend delivery dates by a period of time necessary to overcome the effect of such delay, allocate available product or cancel any purchase order.

#### **FREIGHT DAMAGE**

Upon receipt of shipment consignee is responsible for checking delivery for shortages or signs of damage. If a problem is discovered, bring it to the driver's attention immediately. If any of the goods called for on the Bill of Lading are shorted or damaged, consignees should not accept them until the carrier makes a notation on the freight bill of the shorted or damaged goods. The more precise the notation, the easier the claim can be resolved. NP's responsibility ceases when the consignee signs the freight delivery receipt as received in good condition. Shipping claims must be made within thirty (30) days of shipment delivery.

#### **RETURNS**

The return of product without written authorization by NP shall not be accepted. All merchandise returns must be pre-approved by the corporate office and sent freight prepaid. Contact the Warranty Department, warrantyrequest@neutralposture.com, to receive a Return Merchandise Authorization (RMA) number for any return. RMAs are valid for thirty (30) days and any returned merchandise without a RMA number will be refused.

No deductions from any NP invoices can be made for return merchandise until it is approved by the corporate office. No deductions will be honored until returned goods are processed through our Quality Control Audit.

All returns for canceled orders must be pre-approved by the corporate office and sent freight prepaid. No returns will be authorized unless our inventory allows it, the parts are in good reusable condition and it was sold within the last thirty (30) days. Authorized seating returns will be charged a thirty percent (30%) (twenty percent (20%) for GSA) restocking fee, by agreement, to cover handling, inspection, stocking and repackaging. Authorized systems returns are subject to a forty-five percent (45%) of list restocking charge. Products not currently offered for sale by NP (including COM) shall not be authorized for return. All returned products must be unused, in original condition and in the original NP packing cartons. No refund or credit will be given for damaged products.

#### **WARRANTY CLAIMS**

Neutral Posture reserves the right to specify that items or parts claimed to be defective, be returned to the factory for our inspection. If the claim is justified, repair or replacement of defective parts under warranty will be made through NP at no cost to the customer. NP will, at its discretion, reimburse the furniture dealer for labor (actual costs only) on warranty parts. The furniture dealer must submit a quote to be approved prior to service. If approved, the furniture dealer must then submit an invoice to NP for reimbursement after the service is completed. Freight for products and parts covered under warranty will be covered for the fortyeight (48) contiguous states and the District of Columbia, with the method of shipping at NP's discretion. All claims must include the product serial number. NP will have no warranty obligation if the product was subjected to abuse, alteration, misuse, negligence or accident or if the user fails to perform the proper maintenance for the product.

## **Selling Policy**

#### WARRANTY

Neutral Posture warrants to the original purchaser only that the products Neutral Posture manufactures and sells to purchaser are free of defects in workmanship and materials, during the applicable warranty period set forth below.

This comprehensive warranty applies to all products installed or reconfigured by an authorized installer.

Warranty period set forth below is for 24-hour, 7 days a week, multi-shift use. Should any failure occur to a product listed below during the applicable warranty period from the date of shipment, Neutral Posture shall, upon prompt written notice, repair or replace, at its discretion, the affected part or parts.

#### PRODUCT AND PERIOD OF WARRANTY

#### Lifetime

Panels and panel connector parts, high pressure laminate worksurfaces, table tops and common tops, storage, modesty/privacy screens

#### 10 Years

Cascade worksurfaces, height adjustable worksurface supports (except for gas lift), laminate overhead doors, sliding doors, desktop and storage accessories (unless otherwise specified)

#### 5 Years

Table bases, tapered table legs, anti-fatigue mats, operational parts, controls, electrical, lighting (except light ballasts, bulbs and power supply), special or custom product, height adjustable worksurface support gas lift

#### 3 Years

Electric height adjustable bases (including motor), fabric

#### 1 Year

Light ballasts, bulbs and power supply

This warranty does not apply to:

- Damage caused by a carrier.
- Normal wear and tear or acts or omissions of parties other than Neutral Posture (including user modification, improper use or installation of products).
- COM or other third party materials applied to products.
- Products not installed by or under the auspices of a Neutral Posture Dealer.
- Dramatic temperature variations or exposure to unusual conditions.
- Changes in surface finishes including colorfastness due to aging or exposure to light.

The express warranties contained herein are in lieu of all other warranties, express or implied, including any warranties of merchantability and fitness for particular purpose and all other warranties arising from course of dealing or usage of trade.

The remedies provided above are the customer's sole remedies for any failure of Neutral Posture to comply with its obligations regarding the workmanship of its products. Correction of any nonconformity in the manner and for the period of time provided shall constitute complete fulfillment of all liabilities of Neutral Posture, with respect to or arising out of the product furnished hereunder.

#### **CERTIFICATIONS & STANDARDS**

#### ANSI/BIFMA

Independent tests show that Equity components meet or exceed current ANSI/BIFMA X5.6 Panel System and ANSI/BIFMA X5.9 Storage Unit standards. Electrical components are UL listed. Panels have tested to NRC ratings of 0.75.

#### SCS INDOOR ADVANTAGE CERTIFICATION

The Equity product line is certified by SCS Global Services for indoor air quality.

#### DESIGN

NP reserves the right to make changes and improvements in design and materials and to discontinue parts and components at their discretion.

#### **WOMEN'S BUSINESS ENTERPRISE (WBE)**

This certification is administered by the Women's Business Enterprise National Council (WBENC) and is used by most large corporations to qualify potential vendors as credible diversity suppliers.

#### WOMAN OWNED SMALL BUSINESS (WOSB)

The U.S. Small Business Administration's WOSB Federal Contract Program provides greater access to federal contracting opportunities for WOSBs. The program allows contracting officers to set aside specific contracts for certified WOSBs and helps federal agencies achieve the existing statutory goal of five percent of federal contracting dollars being awarded to WOSBs. NP is certified as a WOSB.

#### HISTORICALLY UNDERUTILIZED BUSINESS (HUB)

The Texas Historically Underutilized Business (HUB) program encourages the use of HUBs in state procurement and provides information to minority and woman-owned businesses on the state's procurement process.

## BUSINESS AND INSTITUTIONAL FURNITURE MANUFACTURER'S ASSOCIATION

NP is a member of the Business and Institutional Furniture Manufacturer's Association (BIFMA). Tests developed by BIFMA and approved by the American National Standards Institute (ANSI) determine the strength and durability of office furniture in its everyday use. Although this testing does not serve as a warranty or guarantee, NP standard products within this price list meet or exceed applicable ANSI/BIFMA X5.6 Panel Systems and ANSI/BIFMA X5.9 Storage Unit standards. Combinations of options added on to the standard products may not meet ANSI/BIFMA standards. Those combinations which do not meet ANSI/BIFMA standards are not available on GSA. Additionally, Equity is BIFMA level 2 certified. For more information, contact Customer Service at customerservice@neutralposture.com.

#### **GENERAL INFORMATION**

Neutral Posture pedestals, overheads and storage cabinets ship with lock cores. The locks are field installed. If your purchase order does not specify key-alike you will automatically receive random lock cores with your order.

Neutral Posture furniture can be keyed-alike or random keyed.

#### **KEY-ALIKE**

Furniture may be keyed alike at no charge if specified with a furniture order. Write "key-alike" in the description of your purchase order for any storage piece you wish to have keyed alike.

Using the key-alike instructions, order cores and keys as line items on your purchase order. Neutral Posture will select key numbers from the standard range of 226 – 425. Key numbers will not be repeated unless over 199 sets are ordered.

There is no charge for key-alike orders if placed with the furniture order.

If product is ordered and shipped random-keyed, additional lock cores for key-alike are billable.

#### **KEYS**

A key is shipped with every lock core. 199 key numbers are available. For numbers above 199, contact Customer Service. Additional keys and key blanks are available.

#### **MASTER KEYING**

Neutral Posture locks can be controlled by means of a master key. There is no additional per-lock charge for master keying. Master keys must be ordered separately. See service parts below for master key model # and pricing.

#### **INSTALLING LOCK CORES**

Lock cores can be installed or removed in the field by using a change key. Cores must be in the unlocked position to be removed. See service parts below for change key model number and pricing.

#### **SERVICE PARTS**

MODEL#	DESCRIPTION	LIST
NLCKE	Shrouded Key (Specify key number desired)	\$20
NAKC	Change Key	\$20
NKM	Master Key	\$20

NOTE: A letter of approval on company letterhead from the client must accompany all orders for change and master keys.


NOTE: Neutral Posture locks/keys are not compatible with Knoll Equity pedestals/double pedestals.

#### **HOW TO SPECIFY KEY-ALIKE**

Following is an example of how to specify keyalike for a cluster of 10 workstations.

#### STEP 1

Using the project floor plan, count the number of locks in each workstation.



#### STEP 2

Count the number of workstations with the same quantity of locks. Group together the workstations with a like number of locks.

3 workstations with 4 locks per station 2 overhead w/laminate fronts

2 workstations with 5 locks per station

5 workstations with 2 locks per station

#### STEP 3

For the first group (3 sets of 4 locks), enter the number of workstations in the quantity column.

QTY	MODEL#	DESCRIPTION	UNIT LIST	EXT LIST
3	NSPEC4	Set of 4 cores/kevs	N/C	N/C

#### STEP 4

Then enter the model number "NSPEC\_\_" and add a suffix for the number of locks for that group (i.e., for 2 locks per station, add the suffix "2"). Up to 30 lock cores are available in a set (i.e., NSPEC 30).

QTY	MODEL#	DESCRIPTION	UNIT LIST	EXT LIST
3	NSPEC4	Set of 4 cores/keys	N/C	N/C

#### STEP 4b

If the station has overheads w/laminate fronts add a suffix for the number of locks needed for the overheads w/laminate fronts for that group (i.e., for 2 overhead laminate front locks per station, add the suffix "OL2").

QTY	MODEL#	DESCRIPTION	UNIT LIST	EXT LIST
3	NSPEC4OL2	Set of 4 cores/keys, 2 for overheads w/laminate fronts	N/C	N/C

#### STEP 5

Repeat for other groups.

QTY	MODEL#	DESCRIPTION	UNIT LIST	EXT LIST
3	NSPEC4OL2	Set of 3 cores/keys	N/C	N/C
2	NSPEC5	Set of 5 cores/keys	N/C	N/C
5	NSPEC2	Set of 2 cores/keys	N/C	N/C

Your key instructions are complete.

Neutral Posture will select key numbers for each set from 199 available numbers.

For additions to existing installations, specify desired key numbers in the description.

#### **GSA Contract Overview**

#### **GSA CONTRACT**

We have had a contract with GSA for over 25 years and they continue to be our most favored customer.

NP is dedicated to helping government agencies meet their facilities and acquisition needs. NP is registered with the System For Award Management (SAM) formerly Central Contractor Registry (CCR) with ORCA certifications, has an assigned cage code of OUTL8 and is eligible to receive federal contract awards. NP is also recognized as a Woman Owned Small Disadvantaged Business by the U.S. Small Business Administration (SBA).

#### **WOMEN-OWNED SMALL BUSINESS (WOSB)/ ECONOMICALLY DISADVANTAGED WOMEN-OWNED SMALL BUSINESS (EDWOSB)**

The U. S. Small Business Administration (SBA) issued the Final Rule to amend its regulations governing small business contracting procedures. The SBA has increased the emphasis and awareness of contracting mandates regarding the new 5% spend mandate for WOSB/EDWOSB's similar to those in place for 8a, SDV and HUB Zone businesses.

The SBA has also implemented a Sole Source vehicle for Economically Disadvantaged Women-Owned Small Businesses (EDWOSB). Neutral Posture, a small business manufacturer, received this certification in April of 2016.

Our Packaged Office contract includes many great manufacturing partners and we are willing to team with other manufacturers to support strong GSA Dealers and meet the needs of our customers.

For more information please visit NeutralPosture.com/WOSB

#### **GSA OVERVIEW**

SIN 337121H

GSA Contract# GS-27F-0014Y

Schedule MAS - Furniture

SIN 337121H	Household, Dormitory & Quarters Furniture
SIN 337127	Institutional Furniture
SIN 33721	Office Furniture
CINI 22721D	Dackaged Office Furniture

Packaged Office Furniture SIN 33721P SIN OLM **Order Level Materials** 

#### **NAICS CODES**

337127	Institutional Furniture Manufacturing
337211	Wood Office Furniture Manufacturing
337214	Office Furniture (except wood) Manufacturing

423210 **Furniture Merchant Wholesalers** 

NP products may be found on GSA Advantage.

#### **GSA Contract Details**

GS-27F-0014Y

#### TERM DATE 6/26/2012 - 6/26/2022

#### 1a. Special Item Numbers Awarded

SIN 337121H Household, Dormitory & Quarters Furniture

SIN 337127 Institutional Furniture
SIN 33721 Office Furniture
SIN 33721P Packaged Office Furniture

SIN 33721P Packaged Office Furnitu
SIN OLM Order Level Materials

#### 1b. Lowest Priced Item

SIN 337121H Contact Corporate Office SIN 337127 Contact Corporate Office

SIN 33721 SPTRY Pencil Tray \$5.95

SIN 33721P Contact Corporate Office

#### 1c. Installation Rate — SIN 33721

\$51.50 per hour (non-union inclusive IFF) \$106.25 per hour (union inclusive of IFF)

#### 2. Maximum Order

SIN 337121H	\$1,000,000
SIN 337127	\$250,000
SIN 33721	\$250,000
SIN 33721P	\$5,000,000
SIN OLM	\$0

#### 3. Minimum Order

All SINs .....\$50

#### 4. Geographic Coverage

CONUS & OCONUS

#### 5. Point of Production

3904 N. Texas Avenue, Bryan, 77803, Brazos County, TX, USA

#### 6. Discount from List Price

#### Seating/Workplace Accessories

SIN 33721 — Discount 58%

#### Systems

SIN 33721 — Discount 70%

#### 7. Quantity Discounts

No discount tiers have been negotiated.

#### 8. Prompt Payment Terms

Net 30 Days

#### 9. Government Purchase Cards Accepted

Visa/Master Card

#### 10. Foreign Item

None

#### 11a. Time of Delivery

5 – 90 days after receipt of order

#### 11b. Expedited Delivery

Expedited delivery available. Contact Customer Service.

#### 11c. Overnight and 2-day Delivery

Available with an upcharge. Contact Customer Service.

#### 12. F.O.B. Points

Destination/CONUS, within the 48 contiguous states and the District of Columbia. Port of embarkation for delivery to Alaska, Hawaii, Puerto Rico, the Virgin Islands and U.S. Government installations overseas.

#### 13. Ordering Address

Neutral Posture, Inc. attn: Order Entry/\* or dealer 3904 N. Texas Avenue Bryan, TX 77803 979.778.0502 800.446.3746 fax 979.778.0408 orderentry@neutralposture.com

## \* Authorized Dealers should be cited on order 14. Payment Address

Neutral Posture, Inc. 3904 N. Texas Avenue Bryan, TX 77803

#### 15. Warranty Provision

Neutral Posture's commercial warranty applies.

#### 16. Export Packing Charges

Contact Customer Service for quote.

#### 17. Terms and Conditions of Government Purchase Card

Government purchase cards will be accepted for purchases at prices shown in this authorized price list (no additional discount offered).

#### 18. Terms and Conditions Of Rental, Maintenance, and Repair

Not applicable

#### 19. Terms and Conditions of Installation

Installation and instruction are available from authorized dealers. Please contact your local NP Dealer for pricing.

#### 20. Terms and Conditions of Repair Parts

Repair parts are offered at the agreed upon discount from the NP repair parts price list in effect at the time the repair parts are ordered.

#### 20a. Terms and Conditions for Any Other Services

GSA has accepted all of our standard terms and conditions as noted on page 6–8.

#### 21. List of Service and Distribution Points

Not applicable

#### 22. List of Dealers

Please contact Customer Service, or visit NeutralPosture. com for the name of your nearest authorized Dealer.

#### 23. Preventive Maintenance

Not offered or applicable

#### 24. Environmental Attributes

Not applicable

#### 25. Other Information

 Tax Identification Number (TIN):
 74-2983577

 DUNS:
 61-0339723

 Cage Code:
 0UTL8

 NAICS:
 337214

#### 26. SAM

NP is registered in System For Award Management (SAM).

**NOTE:** It is mandatory that all Government purchase orders be made out to NP only. Local Dealers are not authorized to accept purchase orders, issue invoices or receive payment of Government funds for these items without serious violation of this Federal Supply Schedule Contract.

## **Wall Mounting**

#### **WALL MOUNTING SUGGESTIONS**

The following information is provided only as a guide and represents minimum recommendations only. Neutral Posture does not accept responsibility for the attachment of any Neutral Posture product to a customer's site wall. Wall specification/construction is the responsibility of the customer and its structural engineer/architect. Failure to properly attach Neutral Posture products to adequate wall structures can lead to property damage and/or personal injury.

You should consult your own structural engineers and/or architects and must not rely on the information provided herein.

It is the responsibility of the customer and its structural engineers/architects to verify that the permanent structural walls (studs, blocks, solid masonry, etc.) on which the

Neutral Posture products are intended to be mounted are designed appropriately to support the product weight, PLUS 3 lbs. per linear inch for each usable shelf length.

NOTE: A cabinet's top is considered a "usable shelf" and MUST be included in the calculation of the total load for an overhead cabinet.

It is the responsibility of the customer and its structural engineer/architects to specify the fasteners and method for attaching the Neutral Posture supplied wall mounting cleat, bracket, frame, etc. to the supporting wall and to confirm that the installers have adhered to these specifications. For all local building standards and codes, and additional requirements (including, but not limited to, seismic conditions) the customer should always consult local code agencies.

## **New Construction**

## **Existing Construction**

'		Cinder Block or Poured Concrete Masonry Wall	Wood Stud Wall, the studs being <b>FULL HEIGHT</b> to the roof/floor above	Wood Stud Wall, the studs being only ceiling height	Steel Stud Wall, the studs being <b>FULL HEIGHT</b> to the roof/floor above	Steel Stud Wall, the studs being only ceiling height
Stud Specification	Wood studs, grade #2 or better, 3 ½" minimum width, OR Metal studs, minimum 25 gage thickness, 3 %" minimum width	The wall must be a minimum of 6" thick, and must be full height to the roof/floor structure above	Wood studs must be Grade #2, or better, 3 ½" minimum width	Wood studs must be Grade #2, or better, 3 ½" minimum width	Metal studs must be minimum 25 gage thickness, 3 %" minimum width	Metal studs must be minimum 25 gage thickness, 3 %" minimum width
Stud Centers	Metal and wood studs must be spaced at 16" c/c maximum.	N/A	Wood studs must be spaced at 16" c/c maximum.	Wood studs must be spaced at 16" c/c maximum.	Metal studs must be spaced at 16" c/c maximum.	Metal studs must be spaced at 16" c/c maximum.
Stud Height	Metal and wood studs must extend upwards, and be securely attached to the roof/floor structure above.			Wood studs must be braced above the ceiling, and be securely attached to the roof/floor structure above Affix #2 grade 'cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof/floor structure above.		Metal studs must be braced above the ceiling and be securely attached to the roof/floor structure above Affix metal bracing 'cap' across the top of the studs. Then place diagonal studs from the top cap up to underside of the roof / floor structure above.
Mounting the Neutral Posture Supplied Cleat, Bracket, Frame, etc	Insert a 2" x 6" wood block, #2 grade or better, [or a locally approved flexible wood backing system] horizontally between each of the studs to accommodate the full width of the cabinet and beyond to the next stud.  Fasten the wood block to each stud using three screws at the ends of each block.  (Fasten the locally approved wood backing system as directed by the manufacturer.)  Fasten the Neutral Posture supplied wall mounting cleat, bracket, frame, etc directly to each wood block every 6".  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6" and fasten the lower horizontal element to each wall stud, using one fastener per stud.	Fasten the Neutral Posture supplied cabinet wall mounting cleat, bracket, frame, etc. directly to the masonry wall every 6".  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wall every 6" and fasten the lower horizontal element to the wall every 16".	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet and beyond to the next stud.  Insert a 2" x 6" wood block, #2 grade or better, horizontally between each of the exposed studs.  Fasten the wood block to each stud using three screws at the ends of each block.  Replace the drywall and repair as desired.  Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6".  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud.  Insert a 2" x 6" wood block, #2 grade or better, horizontally between each of the exposed studs.  Fasten the wood block to each stud using three screws at the ends of each block.  Replace the drywall and repair as desired.  Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6".  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet and beyond to the next stud.  Insert a 2" x 6" wood block, #2 grade or better, for a locally approved flexible wood backing system] horizontally between each of the exposed studs.  Fasten the wood block to each stud using three screws at the ends of each block.  Replace the drywall and repair as desired.  Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6".  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud,	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet and beyond to the next stud.  Insert a 2" x 6" wood block, #2 grade or better, [or a locally approved flexible wood backing system] horizontally between each of the exposed studs.  Fasten the wood block to each stud using three screws at the ends of each block.  Replace the drywall and repair as desired.  Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6".  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6" and fasten the lower horizontal element to each wall stud,
Fasten the Neutral Posture Supplied Wall Cleat With	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	%" x 3 ½" masonry screws Screws or equiv. in every mounting hole provided with 1 ¼" embedment, screwed directly into the masonry wall	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	using one fastener per stud.  #10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	using one fastener per stud.  #10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking

## **Finishes**

Α		WIDTH
Cross Check	M	WIDTH 54"
	Mayer	
Forte	Mayer	54"
Quattro	Mayer	54"
Strata	Mayer	66"
В		
Cape Cod	Guilford of Maine	66"
Grasscloth	Mayer	66"
Luminary	Mayer	66"
Metallation	Guilford of Maine	66"
Metro	Guilford of Maine	66"
Pact	Momentum	66"
Sprite	Guilford of Maine	66"
Tweed	Guilford of Maine	66"
C		
Infinity C-Zero	Momentum	57"
Fedora	Mayer	54"
Marathon C-Zero	Momentum	57"
Millennium C-Zero	Momentum	56"
Odyssey C-Zero	Momentum	56"
Rattan	Guilford of Maine	66"
Reverb	Mayer	54"
Tradition C-Zero	Momentum	56"
Verse	Momentum	66"
D		
Echo	Mayer	54"
	-	

LAMINATES		EDGE BANDS	
L1			
Casual Linen	SS-CLN	Asian Sand	EB-ASD
Grey Mesh	SP-GRM	Astro Strandz	EB-AST
Linen	SS-LN	Beige	EB-BEI
Mangalore Mango	SW-MGM	Biltmore Cherry	EB-BCH
Mission Maple	SW-MNM	Casual Linen	EB-CLN
Nickle Ev	SS-NEV	Cosmic Strandz	EB-CST
Organic Cotton	SS-OC	Custom Laminate	EB-COL
Soft Gold Mesh	SP-SGM	Empire Mahogany	EB-EMH
Sterling Ash	SW-STA	Fashion Grey	EB-FGR
		Fired Steel	EB-FIS
L2		Forged Steel	EB-FOR
Asian Sand	PW-ASD	Grey	EB-GRY
Astro Strandz	PP-AST	Grey Mesh	EB-GRM
Biltmore Cherry	PW-BCH	Khaki Brown	EB-BRN
Cosmic Strandz	PP-CST	Linen	EB-LN
Empire Mahogany	PW-EMH	Mangalore Mango	EB-MGN
Fired Steel	PP-FIS	Mission Maple	EB-MNN
Forged Steel	PP-FOS	Nickle Ev	EB-NEV
Shaker Cherry	PW-SCH	Organic Cotton	EB-OC
Silver Alchemy	PW-SAL	Pepperdust	EB-PPR
Studio Teak	PW-STK	Platinum	EB-PLT
Vapor Strandz	PP-VST	Sand	EB-SND
		Shadow	EB-SHD
		Shaker Cherry	EB-SCH
		Silver Alchemy	EB-SAL
		Slate Grey	EB-SGR
		Soft Gold Mesh	EB-SGM
		Sterling Ash	EB-STA
		Studio Teak	EB-STK
		Vapor Strandz	EB-VST
		Virtual Design Laminate	EB-VL

NOTE: Laminates and other finishes may vary in color due to different dye lots. Slight variations are normal.

PAINTS	
P1	
Cream	201T
Designer Beige	202T
Grey	203T
Jet Black	204T
Sky White	200T
P2	
Brass	303
Champagne	301
Platinum	302

PLEXIGLASS	
Clear	CL
Ice	IC
Frost (Not Available on Insert Panels)	LF
Smoked	SM
Translucent	TR

GLASS	
Clear	CL
Grey	GR
Smoked	SM
Translucent	TR

## **DESIGNER GLASS**

Patterns from Skyline Design. Some exceptions apply.

There is a minimum \$500 set-up and crating fee for all designer glass orders. Please call Customer Service for a quote 979.778.0502 ext 301.

CORIAN		TEXTURED CORIAN		
Glacier White	CR001		CR001T	
Pearl Grey	CR002	Pearl Grey	CR002T	
Corian Clay	CR003	Corian Clay	CR003T	
Silver Grey	CR004	Silver Grey	CR004T	
Corian Grey	CR005	Corian Grey	CR005T	

## **Custom Finishes Program**

While Neutral Posture offers a large selection of unique finishes, we understand you might want to create a signature on your project or brand your project. We are offering an easy way for you to provide pricing to your client.

#### **CUSTOMER'S OWN FABRIC**

Neutral Posture can apply any UL fire rated fabric. This will add to the lead time as we will require three yards of fabric to test on a panel. Test yardage should be sent to the factory address in Bryan, TX with the project name clearly marked on the label noting test yardage.

Neutral Posture Test Fabric Attention: Systems Product Manager 3904 N. Texas Ave. Bryan, TX 77803

We can also grade-in any fabric from any supplier in the industry. Please contact Customer Service for grade-in pricing. Note that all grade-ins must be pre-approved for suitability before production begins.

#### **CUSTOMER'S OWN LAMINATE**

All of Neutral Posture's standard laminates are Wilsonart. For your project, you can select any Wilsonart laminate and use L1 for standard laminates, L2 for premium laminates and L3 for custom and virtual library programs. An upcharge may apply for matching edge banding. Please contact Customer Service for more information.

We can also grade-in any laminate from any other supplier. Please contact Customer Service for grade-in pricing. Note that all grade-ins must be pre-approved for suitability before production begins.

#### **CUSTOM RAL PAINT FINISHES**

Whether it is an 8 person or 1,000 person project, use any RAL powder coat color on your metal products. If you have any questions, please contact Customer Service for more information.

#### **HOW TO PRICE**

For Each Order

# Legacy finishes are only available for existing customers to match existing installs

LEGACY – LAMINATES		LEGACY – EDGE BANI	OS
L1			
Bright White	118	Bright White	118
Caramel Maple	MC	Caramel Maple	MC
Clear Maple	CM	Clear Maple	CM
Deep Mahogany	MP58	Jet Black	111
Jet Black	111	Medium Cherry	124
Medium Cherry	124	Pumice (was LF)	119
Pearwood	PA		
Pumice (was LF)	119		
Warm Cherry	WM		
White Essence	ES7		
Winter Grey Matrix	MR6		

NOTE: If your laminate is not listed please contact Customer Service at customerservice@neutralposture.com or 979.778.0502 ext. 301 to check availability.

LEGACY – PAINTS & PLASTICS				
P1				
Jet Black	111			
Brown	112			
Dark Grey (was Y3)	113			
Folkstone Grey (was LA)	114			
Med. Grey (was Y2)	115			
Sandstone	116			
Soft Grey (was E)	117			
Dark Neutral	D			
Taupe	R			
P2				
Beige Mist Metallic	611			
Medium Metallic Grey	612			
Beige Metallic	Н			
Light Tan Metallic	W			
P3				
Bright White	118			
Silver	613			

## NOTE: EP1 and EP2 panels and components are not available in the following:

Bright White	118
Brown	112
Jet Black	111

## **Panels**

**General Info** 

#### Step 1 - Model #

	Тор Сар	Panel Type	W	н	Raceway
EP Equity Panel	3 Beveled <b>N Flat</b>	FA Fabric Panel	36	29	K with knockouts N without knockouts
EP	: •• :	:	36	29	К

Sten	2 -	Surface	Finish
Steb		Juliace	LIIIISI

Step 3 - Trim Finish

Fabric	Paint
F298 Forte	301 Champagne
F298	301
••••••	••••••

F	F	ΑT	U	R	FS
		n i	v	11	

#### **HEIGHTS**

29" H

36" H

41" H 49" H

54" H

61" H

66" H

81" H

#### **WIDTHS**

12" W

18" W

24" W 30" W

36" W

42" W

48" W

60" W

#### **THICKNESS**

1 ½"

#### **TOP CAP**





3 – Beveled

N – Flat

#### RACEWAY

(K) with knockouts (N) without knockouts

#### PANEL RATINGS

NRC	.75
STC	15

#### **CONSTRUCTION**

#### **FABRIC PANEL FRAME**

Galvaneal roll formed steel frame

#### **FABRIC PANEL CORE**

Mineral wool Fiberglass backer

#### **INSERT PANEL FRAME**

Extruded aluminum

#### **INSERT PANEL CORE**

1/4" Laminate

1/4" Perforated aluminum

1/4" Plexiglass

Open Frame

#### TOP CAP, SLOTTED STANDARD

Cold rolled, roll formed steel

#### **TOP CAP CLIP**

Spring steel

## RACEWAY COVER, RACEWAY BASE & RACEWAY RETENTION CHANNEL

Cold rolled, roll formed steel

#### **RACEWAY STANCHIONS**

Pressed & folded steel

#### PANEL HOOKS

Steel

#### **POSTS**

Steel tube

#### **POST CONNECTORS**

Diecast aluminum

#### **SHROUDS**

Pressed & folded steel

#### **SURFACE MATERIALS**

#### **ALL PANELS**

Trim – paint

#### **FABRIC PANELS (FA)**

Fabric

#### **INSERT PANELS**

m.1			100	
Ple	xia	lass	(PG)	)

Clear	CL
Ice	IC
Smoked	SM
Translucent	TR

#### Glass (GL)

Clear	CL
Grey	GR
Smoked	SM
Translucent	TR

#### **Designer Glass (DG)**

Patterns from Skyline Design. Some exceptions apply.

There is a minimum \$500 set-up and crating fee for all designer glass orders. Please call customer service for a quote 979.778.0502 ext 301.

#### Laminate (LM)

Laminate

#### Perforated Aluminum (PA)

Paint


#### Open Frame (OF)


Paint

#### **POSTS, CONNECTORS & SHROUDS**

Paint

## **PANELS**





<b>29</b> "	H	•		PAINT							
W	MODEL#	A	В	C	D	E	F	G	Н	P2	Р3
12"	EP(3/N)FA1229(K/N)	\$494	\$524	\$564	\$614	\$674	\$744	\$824	\$914	+ \$28	+ \$57
18"	EP(3/N)FA1829(K/N)	\$552	\$582	\$622	\$672	\$732	\$802	\$882	\$972	+ \$28	+ \$57
24"	EP(3/N)FA2429(K/N)	\$609	\$639	\$679	\$729	\$789	\$859	\$939	\$1,029	+ \$28	+ \$57
30"	EP(3/N)FA3029(K/N)	\$667	\$697	\$737	\$787	\$847	\$917	\$997	\$1,087	+ \$28	+ \$57
36"	EP(3/N)FA3629(K/N)	\$747	\$807	\$887	\$987	\$1,107	\$1,247	\$1,407	\$1,587	+ \$28	+ \$57
42"	EP(3/N)FA4229(K/N)	\$793	\$853	\$933	\$1,033	\$1,153	\$1,293	\$1,453	\$1,633	+ \$28	+ \$57
48"	EP(3/N)FA4829(K/N)	\$839	\$899	\$979	\$1,079	\$1,199	\$1,339	\$1,499	\$1,679	+ \$28	+ \$57
60"	EP(3/N)FA6029(K/N)	\$885	\$945	\$1,025	\$1,125	\$1,245	\$1,385	\$1,545	\$1,725	+ \$28	+ \$57

11	п	ш
41		п

	· <del>-</del>										
12"	EP(3/N)FA1241(K/N)	\$552	\$592	\$642	\$702	\$782	\$872	\$982	\$1,112	+ \$28	+ \$57
18"	EP(3/N)FA1841(K/N)	\$609	\$649	\$699	\$759	\$839	\$929	\$1,039	\$1,169	+ \$28	+ \$57
24"	EP(3/N)FA2441(K/N)	\$667	\$707	\$757	\$817	\$897	\$987	\$1,097	\$1,227	+ \$28	+ \$57
30"	EP(3/N)FA3041(K/N)	\$724	\$764	\$814	\$874	\$954	\$1,044	\$1,154	\$1,284	+ \$28	+ \$57
36"	EP(3/N)FA3641(K/N)	\$805	\$885	\$985	\$1,105	\$1,265	\$1,455	\$1,695	\$1,985	+ \$28	+ \$57
42"	EP(3/N)FA4241(K/N)	\$862	\$942	\$1,042	\$1,162	\$1,322	\$1,512	\$1,752	\$2,042	+ \$28	+ \$57
48"	EP(3/N)FA4841(K/N)	\$920	\$1,000	\$1,100	\$1,220	\$1,380	\$1,570	\$1,810	\$2,100	+ \$28	+ \$57
60"	EP(3/N)FA6041(K/N)	\$977	\$1,057	\$1,157	\$1,277	\$1,437	\$1,627	\$1,867	\$2,157	+ \$28	+ \$57

#### 49" H

12"	EP(3/N)FA1249(K/N)	\$621	\$661	\$711	\$771	\$851	\$951	\$1,071	\$1,221	+ \$28	+ \$57
18"	EP(3/N)FA1849(K/N)	\$678	\$718	\$768	\$828	\$908	\$1,008	\$1,128	\$1,278	+ \$28	+ \$57
24"	EP(3/N)FA2449(K/N)	\$736	\$776	\$826	\$886	\$966	\$1,066	\$1,186	\$1,336	+ \$28	+ \$57
30"	EP(3/N)FA3049(K/N)	\$793	\$833	\$883	\$943	\$1,023	\$1,123	\$1,243	\$1,393	+ \$28	+ \$57
36"	EP(3/N)FA3649(K/N)	\$874	\$954	\$1,054	\$1,174	\$1,344	\$1,554	\$1,824	\$2,144	+ \$28	+ \$57
42"	EP(3/N)FA4249(K/N)	\$931	\$1,011	\$1,111	\$1,231	\$1,401	\$1,611	\$1,881	\$2,201	+ \$28	+ \$57
48"	EP(3/N)FA4849(K/N)	\$989	\$1,069	\$1,169	\$1,289	\$1,459	\$1,669	\$1,939	\$2,259	+ \$28	+ \$57
60"	EP(3/N)FA6049(K/N)	\$1,069	\$1,149	\$1,249	\$1,369	\$1,539	\$1,749	\$2,019	\$2,339	+ \$28	+ \$57

#### Specify

- 1. Model #
- 2. Fabric
- 3. Paint

#### **Application Notes**

The panel is fabric covered. If two different fabrics are used on one panel, the price will reflect the cost of the most expensive panel fabric.

NOTE: Power duplexes cannot be installed on 12" W panels. Side mount receptacles available on 24" W panels and wider.

#### Assembly

#### Included

- Panel
- Top cap
- Metal raceway covers

#### **Ordered Separately**

- Posts
- Panel connectors
- Electrical components


#### **Top Cap Styles**

3 – Beveled

N – Flat







54"	H				FAB	RIC				PAIN	NT.
W	MODEL#	A	В	С	D	E	F	G	Н	P2	P3
12"	EP(3/N)FA1254(K/N)	\$678	\$718	\$768	\$838	\$938	\$1,048	\$1,178	\$1,338	+ \$28	+ \$57
18"	EP(3/N)FA1854(K/N)	\$736	\$776	\$826	\$896	\$996	\$1,106	\$1,236	\$1,396	+ \$28	+ \$57
24"	EP(3/N)FA2454(K/N)	\$793	\$833	\$883	\$953	\$1,053	\$1,163	\$1,293	\$1,453	+ \$28	+ \$57
30"	EP(3/N)FA3054(K/N)	\$851	\$891	\$941	\$1,011	\$1,111	\$1,221	\$1,351	\$1,511	+ \$28	+ \$57
36"	EP(3/N)FA3654(K/N)	\$943	\$1,033	\$1,133	\$1,273	\$1,483	\$1,713	\$1,983	\$2,313	+ \$28	+ \$57
42"	EP(3/N)FA4254(K/N)	\$1,000	\$1,090	\$1,190	\$1,330	\$1,540	\$1,770	\$2,040	\$2,370	+ \$28	+ \$57
48"	EP(3/N)FA4854(K/N)	\$1,058	\$1,148	\$1,248	\$1,388	\$1,598	\$1,828	\$2,098	\$2,428	+ \$28	+ \$57
60"	EP(3/N)FA6054(K/N)	\$1,138	\$1,228	\$1,328	\$1,468	\$1,678	\$1,908	\$2,178	\$2,508	+ \$28	+ \$57
61"	Н										
4011	ED/2 (DDED 4 2 4 4 / 4 / 4 / 4 / 4 / 4 / 4 / 4 / 4	. 4706	ć70 <i>c</i>		4006	****	****	***	** ***	400	457

12"	EP(3/N)FA1261(K/N)	\$736	\$786	\$846	\$926	\$1,036	\$1,156	\$1,296	\$1,466	+ \$28	+ \$57
18"	EP(3/N)FA1861(K/N)	\$793	\$843	\$903	\$983	\$1,093	\$1,213	\$1,353	\$1,523	+ \$28	+ \$57
24"	EP(3/N)FA2461(K/N)	\$851	\$901	\$961	\$1,041	\$1,151	\$1,271	\$1,411	\$1,581	+ \$28	+ \$57
30"	EP(3/N)FA3061(K/N)	\$908	\$958	\$1,018	\$1,098	\$1,208	\$1,328	\$1,468	\$1,638	+ \$28	+ \$57
36"	EP(3/N)FA3661(K/N)	\$989	\$1,089	\$1,209	\$1,369	\$1,599	\$1,849	\$2,129	\$2,469	+ \$28	+ \$57
42"	EP(3/N)FA4261(K/N)	\$1,046	\$1,146	\$1,266	\$1,426	\$1,656	\$1,906	\$2,186	\$2,526	+ \$28	+ \$57
48"	EP(3/N)FA4861(K/N)	\$1,104	\$1,204	\$1,324	\$1,484	\$1,714	\$1,964	\$2,244	\$2,584	+ \$28	+ \$57
60"	EP(3/N)FA6061(K/N)	\$1,207	\$1,307	\$1,427	\$1,587	\$1,817	\$2,067	\$2,347	\$2,687	+ \$28	+ \$57

## 66" H


12"	EP(3/N)FA1266(K/N)	\$759	\$809	\$869	\$949	\$1,069	\$1,199	\$1,349	\$1,529	+ \$28	+ \$57
18"	EP(3/N)FA1866(K/N)	\$816	\$866	\$926	\$1,006	\$1,126	\$1,256	\$1,406	\$1,586	+ \$28	+ \$57
24"	EP(3/N)FA2466(K/N)	\$874	\$924	\$984	\$1,064	\$1,184	\$1,314	\$1,464	\$1,644	+ \$28	+ \$57
30"	EP(3/N)FA3066(K/N)	\$931	\$981	\$1,041	\$1,121	\$1,241	\$1,371	\$1,521	\$1,701	+ \$28	+ \$57
36"	EP(3/N)FA3666(K/N)	\$1,023	\$1,133	\$1,263	\$1,423	\$1,673	\$1,953	\$2,273	\$2,663	+ \$28	+ \$57
42"	EP(3/N)FA4266(K/N)	\$1,081	\$1,191	\$1,321	\$1,481	\$1,731	\$2,011	\$2,331	\$2,721	+ \$28	+ \$57
48"	EP(3/N)FA4866(K/N)	\$1,138	\$1,248	\$1,378	\$1,538	\$1,788	\$2,068	\$2,388	\$2,778	+ \$28	+ \$57
60"	EP(3/N)FA6066(K/N)	\$1,242	\$1,352	\$1,482	\$1,642	\$1,892	\$2,172	\$2,492	\$2,882	+ \$28	+ \$57

## 81" H

12"	EP(3/N)FA1281(K/N)	\$816	\$876	\$936	\$1,026	\$1,176	\$1,346	\$1,536	\$1,756	+ \$28	+ \$57
18"	EP(3/N)FA1881(K/N)	\$874	\$934	\$994	\$1,084	\$1,234	\$1,404	\$1,594	\$1,814	+ \$28	+ \$57
24"	EP(3/N)FA2481(K/N)	\$931	\$991	\$1,051	\$1,141	\$1,291	\$1,461	\$1,651	\$1,871	+ \$28	+ \$57
30"	EP(3/N)FA3081(K/N)	\$989	\$1,049	\$1,109	\$1,199	\$1,349	\$1,519	\$1,709	\$1,929	+ \$28	+ \$57
36"	EP(3/N)FA3681(K/N)	\$1,196	\$1,316	\$1,436	\$1,626	\$1,956	\$2,326	\$2,736	\$3,196	+ \$28	+ \$57
42"	EP(3/N)FA4281(K/N)	\$1,334	\$1,454	\$1,574	\$1,764	\$2,094	\$2,464	\$2,874	\$3,334	+ \$28	+ \$57
48"	EP(3/N)FA4881(K/N)	\$1,437	\$1,557	\$1,677	\$1,867	\$2,197	\$2,567	\$2,977	\$3,437	+ \$28	+ \$57
60"	EP(3/N)FA6081(K/N)	\$1,541	\$1,661	\$1,781	\$1,971	\$2,301	\$2,671	\$3,081	\$3,541	+ \$28	+ \$57

					UPCHARGE	(NET)			
Guardian® Panel Option					HEIGH	łT			
BULLET RESISTANT PANEL			29"	41"	49"	54"	61"	66"	81"
NIJ Level IIIA compliant		30"	\$250	\$362	\$423	\$465	\$526	\$569	\$698
Protection against handguns	WIDTH	36"	\$300	\$434	\$507	\$558	\$631	\$683	\$838
up to .44 Magnum	×	42"	\$350	\$507	\$592	\$652	\$737	\$796	\$977
· Inconspicuous – looks like a regular panel		48"	\$400	\$579	\$676	\$745	\$841	\$910	\$1,117

NOTE: To specify a Guardian Panel add a "G" to the end of the panels model number.



29" H		GLASS INSERT			LA	MINATE INSE	RT	PAII	NT	
W	MODEL#	OF	PG	GL	DG	L1	L2	L3	P2	P3
12"	EP(3/N)()1229(K/N)	\$801	\$974	\$1,077	\$1,261	\$1,031	\$1,134	\$1,237	+ \$28	+ \$57
18"	EP(3/N)()1829(K/N)	\$813	\$997	\$1,112	\$1,376	\$1,089	\$1,197	\$1,306	+ \$28	+ \$57
24"	EP(3/N)()2429(K/N)	\$824	\$1,020	\$1,146	\$1,491	\$1,123	\$1,235	\$1,347	+ \$28	+ \$57
30"	EP(3/N)()3029(K/N)	\$847	\$1,054	\$1,192	\$1,606	\$1,158	\$1,273	\$1,389	+ \$28	+ \$57
36"	EP(3/N)()3629(K/N)	\$870	\$1,100	\$1,250	\$1,710	\$1,215	\$1,336	\$1,458	+ \$28	+ \$57
42"	EP(3/N)()4229(K/N)	\$893	\$1,158	\$1,307	\$1,825	\$1,273	\$1,400	\$1,527	+ \$28	+ \$57
48"	EP(3/N)()4829(K/N)	\$916	\$1,227	\$1,376	\$1,951	\$1,342	\$1,476	\$1,610	+ \$28	+ \$57
60"	EP(3/N)()6029(K/N)	\$962	\$1,307	\$1,457	\$2,147	\$1,422	\$1,564	\$1,706	+ \$28	+ \$57

#### 41" H

12"	EP(3/N)()1241(K/N)	\$847	\$1,089	\$1,215	\$1,422	\$1,089	\$1,197	\$1,306	+ \$28	+ \$57
18"	EP(3/N)()1841(K/N)	\$859	\$1,112	\$1,238	\$1,526	\$1,204	\$1,324	\$1,444	+ \$28	+ \$57
24"	EP(3/N)()2441(K/N)	\$870	\$1,146	\$1,284	\$1,652	\$1,250	\$1,375	\$1,499	+ \$28	+ \$57
30"	EP(3/N)()3041(K/N)	\$893	\$1,192	\$1,342	\$1,802	\$1,307	\$1,437	\$1,568	+ \$28	+ \$57
36"	EP(3/N)()3641(K/N)	\$916	\$1,250	\$1,399	\$1,917	\$1,365	\$1,501	\$1,637	+ \$28	+ \$57
42"	EP(3/N)()4241(K/N)	\$939	\$1,319	\$1,468	\$2,043	\$1,434	\$1,577	\$1,720	+ \$28	+ \$57
48"	EP(3/N)()4841(K/N)	\$962	\$1,399	\$1,560	\$2,250	\$1,526	\$1,678	\$1,830	+ \$28	+ \$57
60"	EP(3/N)()6041(K/N)	\$1,008	\$1,491	\$1,664	\$2,584	\$1,629	\$1,791	\$1,954	+ \$28	+ \$57

#### 49" H

12"	EP(3/N)()1249(K/N)	\$859	\$1,112	\$1,238	\$1,445	\$1,146	\$1,260	\$1,375	+ \$28	+ \$57
18"	EP(3/N)()1849(K/N)	\$870	\$1,146	\$1,273	\$1,560	\$1,238	\$1,361	\$1,485	+ \$28	+ \$57
24"	EP(3/N)()2449(K/N)	\$882	\$1,192	\$1,330	\$1,698	\$1,296	\$1,425	\$1,554	+ \$28	+ \$57
30"	EP(3/N)()3049(K/N)	\$905	\$1,250	\$1,399	\$1,882	\$1,365	\$1,501	\$1,637	+ \$28	+ \$57
36"	EP(3/N)()3649(K/N)	\$928	\$1,319	\$1,468	\$2,066	\$1,434	\$1,577	\$1,720	+ \$28	+ \$57
42"	EP(3/N)()4249(K/N)	\$951	\$1,399	\$1,549	\$2,262	\$1,514	\$1,665	\$1,816	+ \$28	+ \$57
48"	EP(3/N)()4849(K/N)	\$974	\$1,491	\$1,641	\$2,469	\$1,606	\$1,766	\$1,927	+ \$28	+ \$57
60"	EP(3/N)()6049(K/N)	\$1,020	\$1,618	\$1,790	\$2,733	\$1,756	\$1,931	\$2,106	+ \$28	+ \$57

#### Specify

- 1. Model#
- 2. Insert type
- 3. Insert color
- 4. Paint

**NOTE: Power duplexes cannot** be installed on 12" W panels. Side mount receptacles available on 24" W panels and wider.

#### Plexiglass Finishes

CL ..Clear

**IC** . . . lce

SM..Smoked

 ${\bf TR}$  . . Translucent

#### **Glass Finishes**

**CL** . . Clear

**GR** . . Grey SM..Smoked

TR .. Translucent

#### **Application Notes**

Insert Panels are constructed with a tapered aluminum frame that is mitered in the corners. Insert panels may be ordered with multiple insert options or as an open frame for complete accessibility through the panel.

#### Assembly

#### Included

- Panel
- Top cap
- Metal raceway covers

#### **Ordered Separately**

- Posts
- Panel connectors
- Electrical components


#### **Top Cap Styles**

3 - Beveled

N – Flat







48"

60"

EP(3/N)()4881(K/N)

EP(3/N)()6081(K/N)

54" H			6	LASS INSERT	•	LAI	MINATE INSE	RT	PAIN	NT
W	MODEL#	OF	PG	GL	DG	L1	L2	L3	P2	P:
12"	EP(3/N)()1254(K/N)	\$893	\$1,123	\$1,250	\$1,457	\$1,204	\$1,324	\$1,444	+ \$28	+ \$57
18"	EP(3/N)()1854(K/N)	\$905	\$1,169	\$1,296	\$1,583	\$1,261	\$1,387	\$1,513	+ \$28	+ \$57
24"	EP(3/N)()2454(K/N)	\$916	\$1,227	\$1,365	\$1,733	\$1,330	\$1,463	\$1,596	+ \$28	+ \$57
30"	EP(3/N)()3054(K/N)	\$939	\$1,296	\$1,445	\$1,928	\$1,411	\$1,552	\$1,692	+ \$28	+ \$5
36"	EP(3/N)()3654(K/N)	\$962	\$1,376	\$1,526	\$2,124	\$1,491	\$1,640	\$1,789	+ \$28	+ \$5
42"	EP(3/N)()4254(K/N)	\$985	\$1,468	\$1,618	\$2,331	\$1,583	\$1,741	\$1,899	+ \$28	+ \$5
48"	EP(3/N)()4854(K/N)	\$1,008	\$1,572	\$1,733	\$2,561	\$1,698	\$1,867	\$2,037	+ \$28	+ \$5
60"	EP(3/N)()6054(K/N)	\$1,054	\$1,698	\$1,871	\$2,814	\$1,836	\$2,019	\$2,203	+ \$28	+ \$5
61" H										
12"	EP(3/N)()1261(K/N)	\$905	\$1,135	\$1,273	\$1,503	\$1,227	\$1,349	\$1,472	+ \$28	+ \$5
18"	EP(3/N)()1861(K/N)	\$916	\$1,192	\$1,330	\$1,618	\$1,284	\$1,412	\$1,540	+ \$28	+ \$5
24"	EP(3/N)()2461(K/N)	\$928	\$1,261	\$1,411	\$1,790	\$1,365	\$1,501	\$1,637	+ \$28	+ \$5
30"	EP(3/N)()3061(K/N)	\$951	\$1,342	\$1,503	\$1,997	\$1,457	\$1,602	\$1,748	+ \$28	+ \$5
36"	EP(3/N)()3661(K/N)	\$974	\$1,434	\$1,595	\$2,204	\$1,549	\$1,703	\$1,858	+ \$28	+ \$5
42"	EP(3/N)()4261(K/N)	\$997	\$1,537	\$1,710	\$2,434	\$1,664	\$1,830	\$1,996	+ \$28	+ \$5
48"	EP(3/N)()4861(K/N)	\$1,020	\$1,652	\$1,836	\$2,676	\$1,790	\$1,969	\$2,148	+ \$28	+ \$5
60"	EP(3/N)()6061(K/N)	\$1,077	\$1,779	\$1,974	\$3,055	\$1,928	\$2,120	\$2,313	+ \$28	+ \$5
56" H										
12"	EP(3/N)()1266(K/N)	\$916	\$1,146	\$1,284	\$1,514	\$1,238	\$1,361	\$1,485	+ \$28	+ \$5
18"	EP(3/N)()1866(K/N)	\$918	\$1,140	\$1,353	\$1,664	\$1,307	\$1,437	\$1,568	+ \$28	+ \$5
24"	EP(3/N)()2466(K/N)	\$939	\$1,213	\$1,445	\$1,848	\$1,307	\$1,538	\$1,678	+ \$28	+ \$5
30"	EP(3/N)()3066(K/N)	\$962	\$1,388	\$1,549	\$2,066	\$1,503	\$1,653	\$1,803	+ \$28	+ \$5
36"	EP(3/N)()3666(K/N)	\$985	\$1,491	\$1,652	\$2,000	\$1,606	\$1,766	\$1,927	+ \$28	+ \$5
42"	EP(3/N)()4266(K/N)	\$1,008	\$1,606	\$1,779	\$2,526	\$1,733	\$1,700	\$2,079	+ \$28	+ \$5
48"	EP(3/N)()4866(K/N)	\$1,031	\$1,733	\$1,917	\$2,779	\$1,733	\$2,058	\$2,073	+ \$28	+ \$5
60"	EP(3/N)()6066(K/N)	\$1,089	\$1,871	\$2,055	\$3,147	\$2,009	\$2,209	\$2,410	+ \$28	+ \$5
	2. (2),(7.2.2.2.(.4.2.)	71,552	¥ 1,7=1 1	7-/	7-7:	, , , , , , , , , , , , , , , , , , ,	<i>4-1</i>	,-,	. ,	
31" H										
12"	EP(3/N)()1281(K/N)	\$985	\$1,365	\$1,526	\$1,779	\$1,480	\$1,628	\$1,775	+ \$28	+ \$5
18"	EP(3/N)()1881(K/N)	\$997	\$1,480	\$1,641	\$1,986	\$1,595	\$1,754	\$1,913	+ \$28	+ \$5
24"	EP(3/N)()2481(K/N)	\$1,008	\$1,595	\$1,756	\$2,216	\$1,710	\$1,881	\$2,051	+ \$28	+ \$5
30"	EP(3/N)()3081(K/N)	\$1,031	\$1,710	\$1,871	\$2,446	\$1,825	\$2,007	\$2,189	+ \$28	+ \$5
36"	EP(3/N)()3681(K/N)	\$1,054	\$1,825	\$1,986	\$2,676	\$1,940	\$2,134	\$2,327	+ \$28	+ \$5
42"	EP(3/N)()4281(K/N)	\$1,077	\$1,940	\$2,101	\$2,906	\$2,055	\$2,260	\$2,465	+ \$28	+ \$5

	Top Cap	Panel Type	W	Н	Raceway
EP Equity Panel	3 Beveled <b>N Flat</b>	OF Open frame DG Designer glass insert GL Glass insert PG Plexiglass insert LM Laminate insert	36	29	K With knockouts  N Without knockouts
EP	N	PG	36	29	К

\$2,239

\$2,411

\$3,159

\$3,849 \$2,365

\$2,193

\$2,412

\$2,601

\$2,631

\$2,838

+ \$28

+ \$57

+ \$57


\$1,100

\$1,181 \$2,250

\$2,078

## **Insert Panels**

**Perforated Aluminum** 



29" H	1		I	NSERT PAINT		FRAME	PAINT
W	MODEL#	PA	P1	P2	Р3	P2	P3
12"	EP(3/N)PA1229(K/N)	\$916	\$966	\$976	\$986	+ \$28	+ \$57
18"	EP(3/N)PA1829(K/N)	\$928	\$988	\$1,008	\$1,028	+ \$28	+ \$57
24"	EP(3/N)PA2429(K/N)	\$951	\$1,011	\$1,041	\$1,071	+ \$28	+ \$57
30"	EP(3/N)PA3029(K/N)	\$985	\$1,045	\$1,075	\$1,115	+ \$28	+ \$57
36"	EP(3/N)PA3629(K/N)	\$1,031	\$1,091	\$1,121	\$1,161	+ \$28	+ \$57
42"	EP(3/N)PA4229(K/N)	\$1,077	\$1,147	\$1,187	\$1,227	+ \$28	+ \$57
48"	EP(3/N)PA4829(K/N)	\$1,146	\$1,216	\$1,266	\$1,316	+ \$28	+ \$57
60"	EP(3/N)PA6029(K/N)	\$1,227	\$1,297	\$1,357	\$1,417	+ \$28	+ \$57

#### 41" H

12"	EP(3/N)PA1241(K/N)	\$1,008	\$1,078	\$1,098	\$1,118	+ \$28	+ \$57
18"	EP(3/N)PA1841(K/N)	\$1,031	\$1,101	\$1,121	\$1,151	+ \$28	+ \$57
24"	EP(3/N)PA2441(K/N)	\$1,066	\$1,136	\$1,166	\$1,206	+ \$28	+ \$57
30"	EP(3/N)PA3041(K/N)	\$1,112	\$1,182	\$1,222	\$1,272	+ \$28	+ \$57
36"	EP(3/N)PA3641(K/N)	\$1,169	\$1,239	\$1,289	\$1,349	+ \$28	+ \$57
42"	EP(3/N)PA4241(K/N)	\$1,227	\$1,307	\$1,367	\$1,437	+ \$28	+ \$57
48"	EP(3/N)PA4841(K/N)	\$1,307	\$1,387	\$1,467	\$1,537	+ \$28	+ \$57
60"	EP(3/N)PA6041(K/N)	\$1,399	\$1,479	\$1,579	\$1,669	+ \$28	+ \$57

#### 49" H

12"	EP(3/N)PA1249(K/N)	\$1,031	\$1,101	\$1,121	\$1,141	+ \$28	+ \$57
18"	EP(3/N)PA1849(K/N)	\$1,066	\$1,136	\$1,166	\$1,196	+ \$28	+ \$57
24"	EP(3/N)PA2449(K/N)	\$1,112	\$1,182	\$1,232	\$1,272	+ \$28	+ \$57
30"	EP(3/N)PA3049(K/N)	\$1,169	\$1,239	\$1,299	\$1,349	+ \$28	+ \$57
36"	EP(3/N)PA3649(K/N)	\$1,227	\$1,307	\$1,377	\$1,447	+ \$28	+ \$57
42"	EP(3/N)PA4249(K/N)	\$1,307	\$1,387	\$1,467	\$1,557	+ \$28	+ \$57
48"	EP(3/N)PA4849(K/N)	\$1,399	\$1,479	\$1,579	\$1,679	+ \$28	+ \$57
60"	EP(3/N)PA6049(K/N)	\$1,526	\$1,606	\$1,726	\$1,836	+ \$28	+ \$57

#### Specify

- 1. Model#
- 2. Insert paint
- 3. Paint

NOTE: Power duplexes cannot be installed on 12" W panels. Side mount receptacles available on 24" W panels and wider.

#### **Application Notes**

Insert Panels are constructed with a tapered aluminum frame that is mitered in the corners. Insert panels may be ordered multiple insert options or as an open frame for complete accessibility through the panel.

#### Assembly

#### Included

- PanelTop cap
- Metal raceway covers

#### **Ordered Separately**

- Posts
- Panel connectors
- Electrical components


#### **Top Cap Styles**

3 – Beveled

N – Flat







54" H		INSERT PAINT			FRAME PAINT		
W	MODEL#	PA	P1	P2	Р3	P2	P
12"	EP(3/N)PA1254(K/N)	\$1,043	\$1,113	\$1,133	\$1,153	+ \$28	+ \$5
18"	EP(3/N)PA1854(K/N)	\$1,089	\$1,159	\$1,189	\$1,219	+ \$28	+ \$5
24"	EP(3/N)PA2454(K/N)	\$1,146	\$1,216	\$1,266	\$1,316	+ \$28	+ \$5
30"	EP(3/N)PA3054(K/N)	\$1,204	\$1,284	\$1,344	\$1,404	+ \$28	+ \$5
36"	EP(3/N)PA3654(K/N)	\$1,284	\$1,364	\$1,444	\$1,524	+ \$28	+ \$5
42"	EP(3/N)PA4254(K/N)	\$1,376	\$1,456	\$1,546	\$1,636	+ \$28	+ \$5
48"	EP(3/N)PA4854(K/N)	\$1,480	\$1,560	\$1,660	\$1,760	+ \$28	+ \$5
60"	EP(3/N)PA6054(K/N)	\$1,606	\$1,686	\$1,816	\$1,946	+ \$28	+ \$5
51" H							
12"	EP(3/N)PA1261(K/N)	\$1,054	\$1,124	\$1,144	\$1,174	+ \$28	+ \$5
18"	EP(3/N)PA1861(K/N)	\$1,112	\$1,182	\$1,222	\$1,262	+ \$28	+ \$5
24"	EP(3/N)PA2461(K/N)	\$1,169	\$1,249	\$1,299	\$1,349	+ \$28	+ \$5
30"	EP(3/N)PA3061(K/N)	\$1,250	\$1,330	\$1,390	\$1,460	+ \$28	+ \$5
36"	EP(3/N)PA3661(K/N)	\$1,342	\$1,422	\$1,502	\$1,582	+ \$28	+ \$5
42"	EP(3/N)PA4261(K/N)	\$1,445	\$1,525	\$1,615	\$1,715	+ \$28	+ \$5
48"	EP(3/N)PA4861(K/N)	\$1,560	\$1,640	\$1,740	\$1,860	+ \$28	+ \$5
60"	EP(3/N)PA6061(K/N)	\$1,940	\$2,000	\$2,120	\$2,260	+ \$28	+ \$5
6" H							
12"	EP(3/N)PA1266(K/N)	\$1,066	\$1,136	\$1,166	\$1,196	+ \$28	+ \$5
18"	EP(3/N)PA1866(K/N)	\$1,135	\$1,205	\$1,245	\$1,295	+ \$28	+ \$5
24"	EP(3/N)PA2466(K/N)	\$1,204	\$1,284	\$1,334	\$1,394	+ \$28	+ \$5
30"	EP(3/N)PA3066(K/N)	\$1,296	\$1,376	\$1,446	\$1,516	+ \$28	+ \$5
36"	EP(3/N)PA3666(K/N)	\$1,399	\$1,479	\$1,569	\$1,659	+ \$28	+ \$5
42"	EP(3/N)PA4266(K/N)	\$1,503	\$1,593	\$1,693	\$1,793	+ \$28	+ \$5
48"	EP(3/N)PA4866(K/N)	\$1,606	\$1,716	\$1,836	\$1,956	+ \$28	+ \$5
60"	EP(3/N)PA6066(K/N)	\$1,963	\$2,133	\$2,263	\$2,413	+ \$28	+ \$5
81" H							
12"	EP(3/N)PA1281(K/N)	\$1,250	\$1,350	\$1,390	\$1,440	+ \$28	+ \$5
18"	EP(3/N)PA1881(K/N)	\$1,365	\$1,465	\$1,525	\$1,605	+ \$28	+ \$5
24"	EP(3/N)PA2481(K/N)	\$1,480	\$1,580	\$1,660	\$1,760	+ \$28	+ \$5
30"	EP(3/N)PA3081(K/N)	\$1,710	\$1,810	\$1,910	\$2,030	+ \$28	+ \$
36"	EP(3/N)PA3681(K/N)	\$1,825	\$1,925	\$2,045	\$2,185	+ \$28	+ \$
		, .,025	,	. ,	. , 1		

	Тор Сар	Panel Type	w	Н	Raceway
EP Equity Panel	3 Beveled <b>N Flat</b>	PA Perforated Aluminum	36	29	K With knockouts  N Without knockouts
EP	N	PA	36	29	K

\$1,951

\$2,526 \$2,726

\$2,051

\$2,261

\$2,976

\$2,421

\$3,176

+ \$28

+ \$28

+ \$57

+ \$57


EP(3/N)PA4881(K/N)

EP(3/N)PA6081(K/N)

48"

60"

## **Tequity™ Panels**



29" H			PAINT				
w	MODEL#	P1	P2	P3			
12"	EP(3/N)TQ1229	\$379	\$429	\$454			
18"	EP(3/N)TQ1829	\$437	\$487	\$512			
24"	EP(3/N)TQ2429	\$494	\$544	\$569			
30"	EP(3/N)TQ3029	\$552	\$602	\$627			
36"	EP(3/N)TQ3629	\$632	\$682	\$707			
42"	EP(3/N)TQ4229	\$678	\$728	\$753			
48"	EP(3/N)TQ4829	\$724	\$774	\$799			
60"	EP(3/N)TQ6029	\$770	\$820	\$845			

41" H				
12"	EP(3/N)TQ1241	\$437	\$487	\$512
18"	EP(3/N)TQ1841	\$494	\$544	\$569
24"	EP(3/N)TQ2441	\$552	\$602	\$627
30"	EP(3/N)TQ3041	\$609	\$659	\$684
36"	EP(3/N)TQ3641	\$690	\$740	\$765
42"	EP(3/N)TQ4241	\$747	\$797	\$822
48"	EP(3/N)TQ4841	\$805	\$855	\$880
60"	EP(3/N)TQ6041	\$862	\$912	\$937

49" H				
12"	EP(3/N)TQ1249	\$506	\$556	\$581
18"	EP(3/N)TQ1849	\$563	\$613	\$638
24"	EP(3/N)TQ2449	\$621	\$671	\$696
30"	EP(3/N)TQ3049	\$678	\$728	\$753
36"	EP(3/N)TQ3649	\$759	\$809	\$834
42"	EP(3/N)TQ4249	\$816	\$866	\$891
48"	EP(3/N)TQ4849	\$874	\$924	\$949
60"	EP(3/N)TQ6049	\$954	\$1,004	\$1,029

c	nacify	
3	pecity	

- 1. Model#
- 2. Paint

#### **Application Notes**

Tequity panels are constructed with a 16 gauge welded steel frame.

#### **Worksurface Support** w/Tequity Panels

When specifying worksurfaces use panel to worksurface brackets to support each corner.

#### Assembly

#### Included

- Panel
- Top cap

#### **Ordered Separately**

- Posts
- Panel connectors


#### Top Cap Styles

3 - Beveled





# **Tequity™ Panels**



			PAINT	
W	MODEL#	P1	P2	P:
12"	EP(3/N)TQ1254	\$563	\$613	\$638
18"	EP(3/N)TQ1854	\$621	\$671	\$696
24"	EP(3/N)TQ2454	\$678	\$728	\$75
30"	EP(3/N)TQ3054	\$736	\$786	\$81
36"	EP(3/N)TQ3654	\$828	\$878	\$90
42"	EP(3/N)TQ4254	\$885	\$935	\$96
48"	EP(3/N)TQ4854	\$943	\$993	\$1,01
60"	EP(3/N)TQ6054	\$1,023	\$1,073	\$1,09
61" H				
12"	EP(3/N)TQ1261	\$621	\$671	\$69
18"	EP(3/N)TQ1861	\$678	\$728	\$75
24"	EP(3/N)TQ2461	\$736	\$786	\$81
30"	EP(3/N)TQ3061	\$793	\$843	\$86
36"	EP(3/N)TQ3661	\$874	\$924	\$94
42"	EP(3/N)TQ4261	\$931	\$981	\$1,00
48"	EP(3/N)TQ4861	\$989	\$1,039	\$1,06
60"	EP(3/N)TQ6061	\$1,092	\$1,142	\$1,16
66" H				
12"	EP(3/N)TQ1266	\$644	\$694	\$71
18"	EP(3/N)TQ1866	\$701	\$751	\$77
24"	EP(3/N)TQ2466	\$759	\$809	\$83
30"	EP(3/N)TQ3066	\$816	\$866	\$89
36"	EP(3/N)TQ3666	\$908	\$958	\$98
42"	EP(3/N)TQ4266	\$966	\$1,016	\$1,04
48"	EP(3/N)TQ4866	\$1,023	\$1,073	\$1,09
60"	EP(3/N)TQ6066	\$1,127	\$1,177	\$1,20
81" H				
	EP(3/N)TQ1281	\$644	\$694	\$71
12"	EP(3/N)TQ1881	\$701	\$751	\$77
18"	EF(3/N)IQ1001			
	EP(3/N)TQ2481	\$759	\$809	\$83
18"		\$759 \$816	\$809 \$866	\$83 \$89
18" 24"	EP(3/N)TQ2481			

	Тор Сар	Panel Type	W	н
EP Equity Panel	3 Beveled <b>N Flat</b>	TQ Tequity	36	29
EP	N	TQ	36	29

EP(3/N)TQ4881

EP(3/N)TQ6081

48"

60"

\$1,098

\$1,202

\$1,023

\$1,127

\$1,073

\$1,177

## **Sliding Doors**



49" H			INSER	ГТҮРЕ	LAI	MINATE INSE	RT	PAII	NT
OPENING	ACTUAL OPENING	MODEL#	PG	CR	LM 1	LM 2	LM 3	P2	P3
<sup>36"</sup> <b>54" H</b>	34.5"	EDR( )3649(L/R)B	\$1,813	\$2,538	\$1,733	\$1,906	\$2,079	+ \$28	+ \$57
36"	34.5"	EDR( )3654(L/R)B	\$1,905	\$2,768	\$1,928	\$2,120	\$2,313	+ \$28	+ \$57

Specify	Application Notes	Insert Type	Plexiglass Finishes	Corian Finishes
1. Model # 2. Insert type 3. Insert color 4. Paint	Sliding doors can mount on an end or corner post and require a straight, unobstructed panel run of at least 42" for their open position. Left/Right refers to opening direction.	CR Corian PG Plexiglass LM Laminate	CLClear IClce SM Smoked TR Translucent LF Frost	Glacier White CR001 Pearl Grey CR002 Corian Clay CR003 Silver Grey CR004 Corian Grey CR001
	NOTE: Sliding doors are only compatible with N (flat) top caps.			Assembly Included  Door Hardware



61" H			INSER	TYPE	LAI	MINATE INSE	RT	PAIN	<b>IT</b>
OPENING	ACTUAL OPENING	MODEL #	PG	CR	LM 1	LM 2	LM 3	P2	Р3
36"	34.5"	EDR( )3661(L/R)B	\$1,986	\$3,113	\$2,158	\$2,373	\$2,589	+ \$28	+ \$57

66" H									
36"	34.5"	EDR( )3666(L/R)B	\$2,101	\$3,343	\$2,158	\$2,373	\$2,589	+ \$28	+ \$57

						For 81" Wide Only
	Insert Type	W	Н	Door Open	<b>Door Handle</b>	Anchor Panel Width
EDR Equity Door	CR Corian	36	61	L Left	B Bar	42
	PG Plexiglass	•	:	R Right		48
	LM Laminate					60
	•			•		
<u>;</u>		•	:	:		
,	,	,	,		;	
EDR	LM	36	61	L	В	42

## **Post Assemblies**



		•••				
Stra	ight			PAINT		
Н	MODEL#		P1	P2	Р3	
29"	EP(3/N)P29S		\$170	\$178	\$186	
41"	EP(3/N)P41S		\$172	\$180	\$188	
49"	EP(3/N)P49S		\$174	\$182	\$190	
54"	EP(3/N)P54S		\$177	\$185	\$193	
61"	EP(3/N)P61S		\$179	\$187	\$195	
66"	EP(3/N)P66S		\$181	\$189	\$197	
81"	EP(3/N)P81S		\$201	\$209	\$217	



			•				
4	2-way L		PAINT				
I	Н	MODEL#	P1	P2	P3		
	29"	EP(3/N)P29L	\$170	\$178	\$186		
	41"	EP(3/N)P41L	\$172	\$180	\$188		
	49"	EP(3/N)P49L	\$175	\$183	\$191		
	54"	EP(3/N)P54L	\$180	\$188	\$196		
	61"	EP(3/N)P61L	\$189	\$197	\$205		
	66"	EP(3/N)P66L	\$197	\$205	\$213		
	81"	EP(3/N)P81L	\$212	\$220	\$228		



### 2-way 120

4	L-VV C	19 120			
	29"	EP(3/N)P29120	\$182	\$190	\$198
	41"	EP(3/N)P41120	\$192	\$200	\$208
	49"	EP(3/N)P49120	\$196	\$204	\$212
	54"	EP(3/N)P54120	\$201	\$209	\$217
	61"	EP(3/N)P61120	\$210	\$218	\$226
	66"	EP(3/N)P66120	\$218	\$226	\$234
	81"	EP(3/N)P81120	\$232	\$240	\$248

_				
•	n	ec	п	ľV
_	r	٠.	•	٠,

- 1. Model#
- 2. Paint

### **Application Notes**

Used to connect panels of the same height.

Bottom glides on post allow for up to 1 ½" of vertical adjustment.

Add "NS" to the end to of the model number to specify without shroud for use with Tequity panels.

### Assembly

### Included

- Single height postPanel connector
- Appropriate metal shroud

### Top Cap Styles

3 – Beveled

N – Flat







		•••	•••••••			
3-wa	ay T			PAINT		
Н	MODEL#		P1	P2	P3	
29"	EP(3/N)P29T		\$170	\$178	\$186	
41"	EP(3/N)P41T		\$172	\$180	\$188	
49"	EP(3/N)P49T		\$174	\$182	\$190	
54"	EP(3/N)P54T		\$177	\$185	\$193	
61"	EP(3/N)P61T		\$180	\$188	\$196	
66"	EP(3/N)P66T		\$188	\$196	\$204	
81"	EP(3/N)P81T		\$202	\$210	\$218	



		************			
4-way X			PAINT		
Н	MODEL#	P1	P2	P3	
29"	EP(3/N)P29X	\$170	\$178	\$186	
41"	EP(3/N)P41X	\$172	\$180	\$188	
49"	EP(3/N)P49X	\$174	\$182	\$190	
54"	EP(3/N)P54X	\$177	\$185	\$193	
61"	EP(3/N)P61X	\$179	\$187	\$195	
66"	EP(3/N)P66X	\$181	\$189	\$197	
81"	EP(3/N)P81X	\$196	\$204	\$212	



### 3-way 120

3-Way 120							
EP(3/N)P29Y	\$205	\$215	\$225				
EP(3/N)P41Y	\$208	\$218	\$228				
EP(3/N)P49Y	\$210	\$220	\$230				
EP(3/N)P54Y	\$212	\$222	\$232				
EP(3/N)P61Y	\$215	\$225	\$235				
EP(3/N)P66Y	\$221	\$231	\$241				
EP(3/N)P81Y	\$236	\$246	\$256				
	EP(3/N)P29Y EP(3/N)P41Y EP(3/N)P49Y EP(3/N)P54Y EP(3/N)P61Y EP(3/N)P66Y	EP(3/N)P29Y       \$205         EP(3/N)P41Y       \$208         EP(3/N)P49Y       \$210         EP(3/N)P54Y       \$212         EP(3/N)P61Y       \$215         EP(3/N)P66Y       \$221	EP(3/N)P29Y         \$205         \$215           EP(3/N)P41Y         \$208         \$218           EP(3/N)P49Y         \$210         \$220           EP(3/N)P54Y         \$212         \$222           EP(3/N)P61Y         \$215         \$225           EP(3/N)P66Y         \$221         \$231				



## **Carpet Gripper**

DESCRIPTION	MODEL#	BLACK ONLY
12 Pack	EP1CG12	\$43

	Тор Сар		н	Connection Type	Options Shroud
EP Equity Panel	3 Beveled <b>N Flat</b>	P Post	29	120	NS No Shroud (Tequity Only)
EP	N		29	s	



End w/Post			PAINT	
Н	MODEL#	P1	P2	P3
29"	EP(3/N)P29E	\$182	\$190	\$198
41"	EP(3/N)P41E	\$188	\$196	\$204
49"	EP(3/N)P49E	\$193	\$201	\$209
54"	EP(3/N)P54E	\$196	\$204	\$212
61"	EP(3/N)P61E	\$207	\$215	\$223
66"	EP(3/N)P66E	\$213	\$221	\$229
81"	EP(3/N)P81E	\$228	\$236	\$244

## End w/Post

### Specify

- 1. Model#
- 2. Paint

### Application Notes

Used to finish a panel end that is not being connected to another panel.

Add "NS" to the end to of the model number to specify without shroud for use with Tequity panels.

### Assembly

### Included

- Single height post
- Panel connector
- Appropriate metal shroud

### Top Cap Styles

3 – Beveled





## **Wall Starter/Wall Mounted Channel**

						,			,
Į	Panel Wall Starter							PAINT	
1	W	D	Н	<b>H</b> (Actual)	MODEL#		P1	P2	P3
	1 ½"	1/2"	29"	23"	EP3PWS29		\$50	\$51	\$54
	1 ½"	1/2"	41"	35"	EP3PWS41		\$50	\$51	\$54
	1 ½"	1/2"	49"	43"	EP3PWS49		\$55	\$57	\$62
	1 ½"	1/2"	54"	49"	EP3PWS54		\$57	\$62	\$67
	1 ½"	1/2"	61"	55"	EP3PWS61		\$57	\$62	\$67
	1 ½"	1/2"	64"	60"	EP3PWS64		\$59	\$64	\$71
	1 ½"	1/2"	81"	75"	EP3PWS81		\$67	\$72	\$79

### **Wall Mounted Channel**

2 %"	3/4"	29"	23"	EP3WMC29	\$128	\$133	\$140
2 1/8"	3/4"	41"	35"	EP3WMC41	\$128	\$133	\$140
2 %"	3/4"	49"	43"	EP3WMC49	\$131	\$138	\$146
2 %"	3/4"	54"	49"	EP3WMC54	\$133	\$140	\$148
2 %"	3/4"	61"	55"	EP3WMC61	\$149	\$155	\$166
2 %"	3/4"	66"	60"	EP3WMC66	\$152	\$165	\$170
2 1/8"	3/4"	81"	75"	EP3WMC81	\$186	\$193	\$204
2 1/8"	3/4"	120"	120"	EP3WMC120	\$286	\$301	\$317

### **Panel Wall Starter**

### Specify

- 1. Model #
- 2. Paint

### Application Notes

Used to start a run of panels by fastening to an existing wall and attaching a connector assembly to it. Creates 1¼" space from face of wall to centerline of post. Constructed of steel.

NOTE: Neutral Posture assumes no responsibility for wall construction or performance of fasteners used.

## **Wall Mounted Channel**

### Specify

- 1. Model #
- 2. Paint

### Application Notes

Allows hanging of all components and accessories on reinforced building walls.

NOTE: Neutral Posture assumes no responsibility for wall construction or performance of fasteners used.

### Assembly

### Included

- Panel top & bottom hook
- Panel connector

### **Not Included**

• Fasteners to attach to wall

### **Ordered Separately**

- Post
- Shrouds

### Top Cap Styles

3 – Beveled



N – Flat

### Assembly

### Included

• Extruded aluminum channel

## **Posts** Multi-height

Single He	eight		PAINT	
Н	MODEL#	P1	P2	Р3
29"	<b>EP</b> 3 <b>P</b> 29	\$106	\$109	\$112
41"	<b>EP</b> 3 <b>P</b> 41	\$108	\$111	\$114
49"	<b>EP</b> 3 <b>P</b> 49	\$110	\$113	\$116
54"	<b>EP</b> 3 <b>P</b> 54	\$113	\$116	\$119
61"	EP3P61	\$120	\$123	\$126
66"	<b>EP</b> 3 <b>P</b> 66	\$123	\$126	\$129
81"	EP3P81	\$134	\$137	\$140

Dual	H	ei	q	ht
			_	

<i>-</i>				
29"/41"	EP3DP2941	\$178	\$189	\$200
29"/49"	EP3DP2949	\$189	\$200	\$211
29"/54"	EP3DP2954	\$189	\$200	\$211
29"/61"	EP3DP2961	\$201	\$212	\$223
29"/66"	EP3DP2966	\$201	\$212	\$223
29"/81"	EP3DP2981	\$224	\$235	\$246
41"/49"	EP3DP4149	\$189	\$200	\$211
41"/54"	EP3DP4154	\$189	\$200	\$211
41"/61"	EP3DP4161	\$201	\$212	\$223
41"/66"	EP3DP4166	\$201	\$212	\$223
41"/81"	EP3DP4181	\$224	\$235	\$246
49"/54"	EP3DP4954	\$189	\$200	\$211
49"/61"	EP3DP4961	\$201	\$212	\$223
49"/66"	EP3DP4966	\$201	\$212	\$223
49"/81"	EP3DP4981	\$224	\$235	\$246
54"/61"	EP3DP5461	\$201	\$212	\$223
54"/66"	EP3DP5466	\$201	\$212	\$223
54"/81"	EP3DP5481	\$224	\$235	\$246
61"/66"	EP3DP6166	\$201	\$212	\$223
61"/81"	EP3DP6181	\$224	\$235	\$246
66"/81"	EP3DP6681	\$224	\$235	\$246

<b>Triple Heig</b>	ht		PAINT		
Н	MODEL#	P1	P2	P3	
29"/41"/49"	EP3TP294149	\$224	\$235	\$246	
29"/41"/54"	EP3TP294154	\$224	\$235	\$246	
29"/41"/61"	EP3TP294161	\$230	\$241	\$252	
29"/41"/66"	EP3TP294166	\$230	\$241	\$252	
29"/41"/81"	EP3TP294181	\$264	\$275	\$286	
29"/49"/54"	EP3TP294954	\$224	\$235	\$246	
29"/49"/61"	EP3TP294961	\$230	\$241	\$252	
29"/49"/66"	EP3TP294966	\$230	\$241	\$252	
29"/49"/81"	EP3TP294981	\$264	\$275	\$286	
29"/54"/61"	EP3TP295461	\$230	\$241	\$252	
29"/54"/66"	EP3TP295466	\$230	\$241	\$252	
29"/54"/81"	EP3TP295481	\$264	\$275	\$286	
29"/61"/66"	EP3TP296166	\$230	\$241	\$252	
29"/61"/81"	EP3TP296181	\$264	\$275	\$286	
29"/64"/81"	EP3TP296481	\$264	\$275	\$286	
41"/49"/54"	<b>EP</b> 3 <b>TP</b> 414954	\$224	\$235	\$246	
41"/49"/61"	<b>EP</b> 3 <b>TP</b> 414961	\$230	\$241	\$252	
41"/49"/66"	EP3TP414966	\$230	\$241	\$252	
41"/49"/81"	EP3TP414981	\$264	\$275	\$286	
41"/54"/61"	<b>EP</b> 3 <b>TP</b> 415461	\$230	\$241	\$252	
41"/54"/66"	EP3TP415466	\$230	\$241	\$252	
41"/54"/81"	EP3TP415481	\$264	\$275	\$286	
41"/61"/66"	<b>EP</b> 3 <b>TP</b> 416166	\$230	\$241	\$252	
41"/61"/81"	<b>EP</b> 3 <b>TP</b> 416181	\$264	\$275	\$286	
41"/64"/81"	<b>EP</b> 3 <b>TP</b> 416481	\$264	\$275	\$286	
49"/54"/61"	<b>EP</b> 3 <b>TP</b> 495461	\$230	\$241	\$252	
49"/54"/66"	EP3TP495466	\$230	\$241	\$252	
49"/54"/81"	<b>EP</b> 3 <b>TP</b> 495481	\$264	\$275	\$286	
49"/61"/66"	EP3TP496166	\$230	\$241	\$252	
49"/61"/81"	EP3TP496181	\$264	\$275	\$286	
49"/64"/81"	EP3TP496481	\$264	\$275	\$286	
54"/61"/66"	EP3TP546166	\$230	\$241	\$252	
54"/61"/81"	<b>EP</b> 3 <b>TP</b> 546181	\$264	\$275	\$286	
54"/64"/81"	EP3TP546481	\$264	\$275	\$286	
61"/64"/81"	EP3TP616481	\$264	\$275	\$286	

### Specify

- 1. Model#
- 2. Paint

### **Application Notes**

Bottom glides on post allow for up to 1 ½" of vertical adjustment.

Specify one multi-height panel connector (EP3PCMF) for each low panel when using either a dual or triple height post in a multi-height connection.

### **Dual Height Posts**

Used where 2 monolithic panels of 2 different heights intersect.

**Triple Height Posts**Used where 3 monolithic panels of 3 different heights intersect.

### Assembly

### Included

• Muti-height post

### Ordered Separately

- Panel connectors
- Metal shrouds

## **Connectors/Shrouds**

		**************************************		
Connectors			PAINT	
DESCRIPTION	MODEL#	P1	P2	P3
Straight	EP(3/N)PCS	\$42	\$45	\$48
2-way L	EP(3/N)PCL	\$42	\$45	\$48
2-way 120	EP3PC120	\$42	\$45	\$48
2-way adjustable angle	EPNPCA	\$54	\$57	\$60
3-way T	EP(3/N)PCT	\$54	\$57	\$60
3-way Y 120	EP(3/N)PCY	\$54	\$57	\$60
4-way X	EP(3/N)PCX	\$54	\$57	\$60
End	EP(3/N)PCEP	\$42	\$45	\$48
Multi-height filler	EP(3/N)PCMF	\$42	\$45	\$48
Trim filler	EPNCTF	\$42	\$45	\$48





Straight

2-way L

**2-way** Adjustable angle







3-way T

3-way Y 120









Multi-height filler

4	
Trim	filler

Metal Shrouds			PAINT	
DESCRIPTION	MODEL#	P1	P2	Р3
Straight	EP3SS	\$31	\$34	\$38
L outside	EP3SL	\$42	\$45	\$49
120 outside	EP3SO120	\$42	\$45	\$49
120 inside	EP3SI120	\$42	\$45	\$49
End	EP3SEP	\$54	\$57	\$61







Straight

L outside

120 outside



120 inside



Specify

- 1. Model#
- 2. Paint







### **COMPONENTS**

Equity stack-on panels provide the flexibility to increase the overall height of any standard Equity panel.

The stack-on panel is available in all standard Equity widths and a variety of heights in both slotted and slotless versions.

### STACK-ON PANELS W/ SLOTS

Stack-on panels with slots provide the capability to hang standard Equity components such as shelves and overheads as long as the weight load does not exceed 3lbs. per linear inch.

### STACK-ON PANELS W/O SLOTS

Stack-on panels without slots do not allow for hanging components, but do provide a cleaner aesthetic when specifying window applications.

Up to two (2) load bearing stackon panels may be stacked on top of a standard Equity panel as long as the total height above the base panels is no taller than 40" and neither individual stackon panel is taller than 20".

Stack-on panel width must match the width of the panel it is stacking on.

Stack-on panel connectors must be used between adjacent stack-on panels.


### STACK-ON PANEL CONNECTORS

### STANDARD STACK-ON POST

Standard stack-on post bottom uses a conical shaped bolt that connects it to the full height post directly beneath it. Panel connectors for the top of the stack-on post must be ordered separately to match the geometry of the stack-on panels.


### **EXTENDED STACK-ON POST**

Extended stack-on post bottom uses a double-threaded round connector to attach to the full-height post directly beneath it. Multi-height panel connectors (EPNPCMF) must be used on either side of this connector to provide a smooth transition for full-height post covers. Standard panel connectors are used along the top of the stack-on panels.





# SPECIFYING STACK-ON CONFIGURATIONS

All connectors between the base panel and stack-on panel MUST have flat (N) profile.




# **Stack-On Configurations** Using Standard Stack-on Posts









### **FLAT TOP CAP BEVELED TOP CAP**


























# Stack-On Configurations Using Standard Stack-on Posts







**BEVELED TOP CAP** 


**FLAT TOP CAP** 






















## **Stack-on Panels**

**Fabric with Slots** 



12"	Н	FABRIC									PAINT	
W	MODEL#	A	A B C D E F G I							P2	Р3	
12"	EP1SF1212	\$460	\$480	\$510	\$550	\$590	\$635	\$685	\$740	+ \$23	+ \$46	
18"	EP1SF1812	\$483	\$503	\$533	\$573	\$613	\$658	\$708	\$763	+ \$23	+ \$46	
24"	EP1SF2412	\$506	\$526	\$556	\$596	\$636	\$681	\$731	\$786	+ \$23	+ \$46	
30"	EP1SF3012	\$529	\$549	\$579	\$619	\$659	\$704	\$754	\$809	+ \$23	+ \$46	
36"	EP1SF3612	\$552	\$582	\$622	\$672	\$742	\$822	\$912	\$1,022	+ \$23	+ \$46	
42"	EP1SF4212	\$575	\$605	\$645	\$695	\$765	\$845	\$935	\$1,045	+ \$23	+ \$46	
48"	EP1SF4812	\$598	\$628	\$668	\$718	\$788	\$868	\$958	\$1,068	+ \$23	+ \$46	
60"	EP1SF6012	\$621	\$651	\$691	\$741	\$811	\$891	\$981	\$1,091	+ \$23	+ \$46	

13" l	Н										
12"	EP1SF1213	\$483	\$503	\$533	\$573	\$613	\$658	\$708	\$763	+ \$23	+ \$46
18"	<b>EP</b> 1 <b>SF</b> 1813	\$506	\$526	\$556	\$596	\$636	\$681	\$731	\$786	+ \$23	+ \$46
24"	EP1SF2413	\$529	\$549	\$579	\$619	\$659	\$704	\$754	\$809	+ \$23	+ \$46
30"	EP1SF3013	\$552	\$592	\$642	\$702	\$772	\$862	\$962	\$1,082	+ \$23	+ \$46
36"	<b>EP</b> 1 <b>SF</b> 3613	\$575	\$615	\$665	\$725	\$795	\$885	\$985	\$1,105	+ \$23	+ \$46
42"	EP1SF4213	\$598	\$638	\$688	\$748	\$818	\$908	\$1,008	\$1,128	+ \$23	+ \$46
48"	EP1SF4813	\$621	\$661	\$711	\$771	\$841	\$931	\$1,031	\$1,151	+ \$23	+ \$46
60"	EP1SF6013	\$644	\$684	\$734	\$794	\$864	\$954	\$1,054	\$1,174	+ \$23	+ \$46

15" I	Н										
12"	EP1SF1215	\$506	\$526	\$556	\$596	\$641	\$691	\$746	\$806	+ \$23	+ \$46
18"	EP1SF1815	\$529	\$549	\$579	\$619	\$664	\$714	\$769	\$829	+ \$23	+ \$46
24"	EP1SF2415	\$552	\$572	\$602	\$642	\$687	\$737	\$792	\$852	+ \$23	+ \$46
30"	EP1SF3015	\$575	\$615	\$665	\$725	\$795	\$895	\$1,005	\$1,125	+ \$23	+ \$46
36"	EP1SF3615	\$598	\$638	\$688	\$748	\$818	\$918	\$1,028	\$1,148	+ \$23	+ \$46
42"	EP1SF4215	\$621	\$661	\$711	\$771	\$841	\$941	\$1,051	\$1,171	+ \$23	+ \$46
48"	EP1SF4815	\$644	\$684	\$734	\$794	\$864	\$964	\$1,074	\$1,194	+ \$23	+ \$46
60"	<b>EP</b> 1 <b>SF</b> 6015	\$667	\$707	\$757	\$817	\$887	\$987	\$1,097	\$1,217	+ \$23	+ \$46

_					
3	n	e	c	ľ	ľ۷
_	r	_	•	•	٠,

- 1. Model#
- 2. Fabric
- 3. Paint

### Assembly

- Included • Stack-on panel
- Flat (N) top cap attached to the bottom of stack-on panel

### Not Included

• Top cap (use top cap from base panel)

### Ordered Separately

- Stack-on posts
- Panel connectors


### Top Cap Styles

3 – Beveled

N – Flat







<b>17</b> "	H	FABRIC									PAINT	
W	MODEL#	A	A B C D E F G							P2	Р3	
12"	EP1SF1217	\$529	\$559	\$599	\$644	\$694	\$749	\$809	\$874	+ \$23	+ \$46	
18"	EP1SF1817	\$552	\$582	\$622	\$667	\$717	\$772	\$832	\$897	+ \$23	+ \$46	
24"	EP1SF2417	\$575	\$605	\$645	\$690	\$740	\$795	\$855	\$920	+ \$23	+ \$46	
30"	EP1SF3017	\$598	\$648	\$708	\$778	\$868	\$978	\$1,098	\$1,228	+ \$23	+ \$46	
36"	EP1SF3617	\$621	\$671	\$731	\$801	\$891	\$1,001	\$1,121	\$1,251	+ \$23	+ \$46	
42"	EP1SF4217	\$644	\$694	\$754	\$824	\$914	\$1,024	\$1,144	\$1,274	+ \$23	+ \$46	
48"	EP1SF4817	\$667	\$717	\$777	\$847	\$937	\$1,047	\$1,167	\$1,297	+ \$23	+ \$46	
60"	EP1SF6017	\$690	\$740	\$800	\$870	\$960	\$1,070	\$1,190	\$1,320	+ \$23	+ \$46	


## 20" H

12"	EP1SF1220	\$552	\$582	\$622	\$667	\$717	\$772	\$832	\$902	+ \$23	+ \$46
18"	EP1SF1820	\$575	\$605	\$645	\$690	\$740	\$795	\$855	\$925	+ \$23	+ \$46
24"	EP1SF2420	\$598	\$628	\$668	\$713	\$763	\$818	\$878	\$948	+ \$23	+ \$46
30"	EP1SF3020	\$621	\$671	\$731	\$801	\$901	\$1,031	\$1,171	\$1,321	+ \$23	+ \$46
36"	EP1SF3620	\$644	\$694	\$754	\$824	\$924	\$1,054	\$1,194	\$1,344	+ \$23	+ \$46
42"	EP1SF4220	\$667	\$717	\$777	\$847	\$947	\$1,077	\$1,217	\$1,367	+ \$23	+ \$46
48"	EP1SF4820	\$701	\$751	\$811	\$881	\$981	\$1,111	\$1,251	\$1,401	+ \$23	+ \$46
60"	EP1SF6020	\$724	\$774	\$834	\$904	\$1,004	\$1,134	\$1,274	\$1,424	+ \$23	+ \$46

	Insert Type	w	Н
EP1S Stack-on Panel	F Fabric	36	20
EP1S		36	20

## **Stack-on Panels**

**Fabric without Slots** 



13"		:	•••••••••••••••••••••••••••••••••••••••	•••••••••••••••••••••••••••••••••••••••	•••••••••••••••••••••••••••••••••••••••	······································	······································	······································		•••••••••••••••••••••••••••••••••••••••	•••••	
<u> 12"</u>	<u>H</u>				FABR	IC				PAINT		
W	MODEL#	A	В	C	D	E	F	G	Н	P2	P3	
12"	EP1SF1212N	\$460	\$480	\$510	\$550	\$590	\$635	\$685	\$740	+ \$23	+ \$46	
18"	EP1SF1812N	\$483	\$503	\$533	\$573	\$613	\$658	\$708	\$763	+ \$23	+ \$46	
24"	EP1SF2412N	\$506	\$526	\$556	\$596	\$636	\$681	\$731	\$786	+ \$23	+ \$46	
30"	EP1SF3012N	\$529	\$549	\$579	\$619	\$659	\$704	\$754	\$809	+ \$23	+ \$46	
36"	EP1SF3612N	\$552	\$582	\$622	\$672	\$742	\$822	\$912	\$1,022	+ \$23	+ \$46	
42"	EP1SF4212N	\$575	\$605	\$645	\$695	\$765	\$845	\$935	\$1,045	+ \$23	+ \$46	
48"	EP1SF4812N	\$598	\$628	\$668	\$718	\$788	\$868	\$958	\$1,068	+ \$23	+ \$46	
60"	EP1SF6012N	\$621	\$651	\$691	\$741	\$811	\$891	\$981	\$1,091	+ \$23	+ \$46	
13"	Н											
12"	EP1SF1213N	\$483	\$503	\$533	\$573	\$613	\$658	\$708	\$763	+ \$23	+ \$46	
18"	EP1SF1813N	\$506	\$526	\$556	\$596	\$636	\$681	\$731	\$786	+ \$23	+ \$46	
24"	EP1SF2413N	\$529	\$549	\$579	\$619	\$659	\$704	\$754	\$809	+ \$23	+ \$46	
30"	EP1SF3013N	\$552	\$592	\$642	\$702	\$772	\$862	\$962	\$1,082	+ \$23	+ \$46	
36"	EP1SF3613N	\$575	\$615	\$665	\$725	\$795	\$885	\$985	\$1,105	+ \$23	+ \$46	
42"	EP1SF4213N	\$598	\$638	\$688	\$748	\$818	\$908	\$1,008	\$1,128	+ \$23	+ \$46	
48"	EP1SF4813N	\$621	\$661	\$711	\$771	\$841	\$931	\$1,031	\$1,151	+ \$23	+ \$46	
60"	<b>EP</b> 1 <b>SF</b> 6013 <b>N</b>	\$644	\$684	\$734	\$794	\$864	\$954	\$1,054	\$1,174	+ \$23	+ \$46	
15"	Н											
12"	EP1SF1215N	\$506	\$526	\$556	\$596	\$641	\$691	\$746	\$806	+ \$23	+ \$46	
18"	EP1SF1815N	\$529	\$549	\$579	\$619	\$664	\$714	\$769	\$829	+ \$23	+ \$46	
24"	EP1SF2415N	\$552	\$572	\$602	\$642	\$687	\$737	\$792	\$852	+ \$23	+ \$46	
30"	EP1SF3015N	\$575	\$615	\$665	\$725	\$795	\$895	\$1,005	\$1,125	+ \$23	+ \$46	
36"	EP1SF3615N	\$598	\$638	\$688	\$748	\$818	\$918	\$1,028	\$1,148	+ \$23	+ \$46	
42"	EP1SF4215N	\$621	\$661	\$711	\$771	\$841	\$941	\$1,051	\$1,171	+ \$23	+ \$46	
48"	EP1SF4815N	\$644	\$684	\$734	\$794	\$864	\$964	\$1,074	\$1,194	+ \$23	+ \$46	
60"	EP1SF6015N	\$667	\$707	\$757	\$817	\$887	\$987	\$1,097	\$1,217	+ \$23	+ \$46	
17"	Н											
12"	EP1SF1217N	\$529	\$559	\$599	\$644	\$694	\$749	\$809	\$874	+ \$23	+ \$46	
18"	EP1SF1817N	\$552	\$582	\$622	\$667	\$717	\$772	\$832	\$897	+ \$23	+ \$46	
24"	EP1SF2417N	\$575	\$605	\$645	\$690	\$740	\$795	\$855	\$920	+ \$23	+ \$46	
30"	EP1SF3017N	\$598	\$648	\$708	\$778	\$868	\$978	\$1,098	\$1,228	+ \$23	+ \$46	
36"	EP1SF3617N	\$621	\$671	\$731	\$801	\$891	\$1,001	\$1,121	\$1,251	+ \$23	+ \$46	
42"	EP1SF4217N	\$644	\$694	\$754	\$824	\$914	\$1,024	\$1,144	\$1,274	+ \$23	+ \$46	
48"	EP1SF4817N	\$667	\$717	\$777	\$847	\$937	\$1,047	\$1,167	\$1,297	+ \$23	+ \$46	

•	_	_		٠	c
٥	D	е	c	1	ľ

- 1. Model#
- 2. Fabric

EP1SF6017N

3. Paint

### Assembly

\$690

## Included

• Stack-on panel

\$740

\$800

\$870

• Flat (N) top cap attached to the bottom of stack-on panel

### Not Included

• Top cap (use top cap from base panel)

### Ordered Separately

\$1,070

\$1,190

Stack-on posts

\$960

• Panel connectors

### Top Cap Styles

\$1,320


+ \$23

3 – Beveled

N – Flat








20"	Н	•	•••••••••••••••••••••••••••••••••••••••	······································	FABI	RIC	······································	······································		PAIN	т
W	MODEL#	A	В	(	D	E	F	G	Н	P2	P3
12"	EP1SF1220N	\$552	\$582	\$622	\$667	\$717	\$772	\$832	\$902	+ \$23	+ \$46
18"	EP1SF1820N	\$575	\$605	\$645	\$690	\$740	\$795	\$855	\$925	+ \$23	+ \$46
24"	EP1SF2420N	\$598	\$628	\$668	\$713	\$763	\$818	\$878	\$948	+ \$23	+ \$46
30"	EP1SF3020N	\$621	\$671	\$731	\$801	\$901	\$1,031	\$1,171	\$1,321	+ \$23	+ \$46
36"	EP1SF3620N	\$644	\$694	\$754	\$824	\$924	\$1,054	\$1,194	\$1,344	+ \$23	+ \$46
42"	EP1SF4220N	\$667	\$717	\$777	\$847	\$947	\$1,077	\$1,217	\$1,367	+ \$23	+ \$46
48"	EP1SF4820N	\$701	\$751	\$811	\$881	\$981	\$1,111	\$1,251	\$1,401	+ \$23	+ \$46
60"	EP1SF6020N	\$724	\$774	\$834	\$904	\$1,004	\$1,134	\$1,274	\$1,424	+ \$23	+ \$46
25"	Н										
12"	EP1SF1225N	\$575	\$605	\$645	\$690	\$750	\$820	\$900	\$990	+ \$23	+ \$46
18"	EP1SF1825N	\$598	\$628	\$668	\$713	\$773	\$843	\$923	\$1,013	+ \$23	+ \$46
24"	EP1SF2425N	\$621	\$651	\$691	\$736	\$796	\$866	\$946	\$1,036	+ \$23	+ \$46
30"	EP1SF3025N	\$644	\$694	\$754	\$834	\$964	\$1,114	\$1,274	\$1,444	+ \$23	+ \$46
36"	EP1SF3625N	\$667	\$717	\$777	\$857	\$987	\$1,137	\$1,297	\$1,467	+ \$23	+ \$46
42"	EP1SF4225N	\$690	\$740	\$800	\$880	\$1,010	\$1,160	\$1,320	\$1,490	+ \$23	+ \$46
48"	EP1SF4825N	\$724	\$774	\$834	\$914	\$1,044	\$1,194	\$1,354	\$1,524	+ \$23	+ \$46
60"	EP1SF6025N	\$770	\$820	\$880	\$960	\$1,090	\$1,240	\$1,400	\$1,570	+ \$23	+ \$46
32"	Н										
12"	EP1SF1232N	\$598	\$628	\$668	\$713	\$773	\$863	\$963	\$1,073	+ \$23	+ \$46
18"	EP1SF1832N	\$621	\$651	\$691	\$736	\$796	\$886	\$986	\$1,096	+ \$23	+ \$46
24"	EP1SF2432N	\$644	\$674	\$714	\$759	\$819	\$909	\$1,009	\$1,119	+ \$23	+ \$46
30"	EP1SF3032N	\$667	\$717	\$777	\$867	\$1,017	\$1,187	\$1,377	\$1,597	+ \$23	+ \$46
36"	EP1SF3632N	\$690	\$740	\$800	\$890	\$1,040	\$1,210	\$1,400	\$1,620	+ \$23	+ \$46
42"	EP1SF4232N	\$713	\$763	\$823	\$913	\$1,063	\$1,233	\$1,423	\$1,643	+ \$23	+ \$46
48"	EP1SF4832N	\$747	\$797	\$857	\$947	\$1,097	\$1,267	\$1,457	\$1,677	+ \$23	+ \$46
60"	EP1SF6032N	\$782	\$832	\$892	\$982	\$1,132	\$1,302	\$1,492	\$1,712	+ \$23	+ \$46
37"	Н										
12"	EP1SF1237N	\$621	\$661	\$711	\$771	\$851	\$941	\$1,041	\$1,151	+ \$23	+ \$46
18"	EP1SF1837N	\$644	\$684	\$734	\$794	\$874	\$964	\$1,064	\$1,174	+ \$23	+ \$46
24"	EP1SF2437N	\$667	\$707	\$757	\$817	\$897	\$987	\$1,087	\$1,197	+ \$23	+ \$46
30"	EP1SF3037N	\$690	\$760	\$840	\$930	\$1,090	\$1,260	\$1,460	\$1,710	+ \$23	+ \$46
36"	EP1SF3637N	\$713	\$783	\$863	\$953	\$1,113	\$1,283	\$1,483	\$1,733	+ \$23	+ \$46
42"	EP1SF4237N	\$736	\$806	\$886	\$976	\$1,136	\$1,306	\$1,506	\$1,756	+ \$23	+ \$46
48"	EP1SF4837N	\$770	\$840	\$920	\$1,010	\$1,170	\$1,340	\$1,540	\$1,790	+ \$23	+ \$46
60"	EP1SF6037N	\$805	\$875	\$955	\$1,045	\$1,205	\$1,375	\$1,575	\$1,825	+ \$23	+ \$46

	Insert Type	W	Н	Slots
EP1S Stack-on panel	F Fabric	36	37	N Without slots
EP1S	F	36		N

## **Stack-on Panels**

**Insert with Slots** 



12" H		(	GLASS INSERT			LAMINATE INSERT			NT
W	MODEL#	PG	GL	DG	L1	L2	L3	P2	P3
12"	EP2S()1212	\$744	\$813	\$1,066	\$778	\$855	\$933	+ \$23	+ \$46
18"	EP2S()1812	\$767	\$847	\$1,100	\$801	\$881	\$961	+ \$23	+ \$46
24"	EP2S()2412	\$801	\$899	\$1,152	\$841	\$925	\$1,009	+ \$23	+ \$46
30"	EP2S()3012	\$824	\$933	\$1,209	\$864	\$950	\$1,036	+ \$23	+ \$46
36"	EP2S()3612	\$847	\$974	\$1,273	\$893	\$982	\$1,071	+ \$23	+ \$46
42"	EP2S()4212	\$870	\$1,008	\$1,330	\$916	\$1,007	\$1,099	+ \$23	+ \$46
48"	EP2S()4812	\$893	\$1,054	\$1,376	\$951	\$1,046	\$1,140	+ \$23	+ \$46
60"	EP2S()6012	\$916	\$1,123	\$1,526	\$1,008	\$1,108	\$1,209	+ \$23	+ \$46

13" H									
12"	EP2S()1213	\$790	\$859	\$1,112	\$824	\$906	\$988	+ \$23	+ \$46
18"	EP2S()1813	\$813	\$893	\$1,146	\$847	\$931	\$1,016	+ \$23	+ \$46
24"	EP2S()2413	\$836	\$933	\$1,209	\$876	\$963	\$1,051	+ \$23	+ \$46
30"	EP2S()3013	\$859	\$968	\$1,267	\$899	\$988	\$1,078	+ \$23	+ \$46
36"	EP2S()3613	\$882	\$1,008	\$1,330	\$928	\$1,020	\$1,113	+ \$23	+ \$46
42"	EP2S()4213	\$905	\$1,043	\$1,388	\$951	\$1,046	\$1,140	+ \$23	+ \$46
48"	EP2S()4813	\$928	\$1,089	\$1,480	\$985	\$1,083	\$1,182	+ \$23	+ \$46
60"	EP2S()6013	\$939	\$1,146	\$1,606	\$1,031	\$1,134	\$1,237	+ \$23	+ \$46
4.511									

15"									
12"	EP2S()1215	\$8	13 \$882	\$1,135	\$847	\$931	\$1,016	+ \$23	+ \$46
18"	EP2S()1815	\$8	36 \$916	\$1,169	\$870	\$957	\$1,044	+ \$23	+ \$46
24"	EP2S()2415	\$8	59 \$956	\$1,232	\$899	\$988	\$1,078	+ \$23	+ \$46
30"	EP2S()3015	\$8	32 \$991	\$1,290	\$922	\$1,014	\$1,106	+ \$23	+ \$46
36"	EP2S()3615	\$9	5 \$1,031	\$1,353	\$951	\$1,046	\$1,140	+ \$23	+ \$46
42"	EP2S()4215	\$9.	28 \$1,066	\$1,411	\$974	\$1,071	\$1,168	+ \$23	+ \$46
48"	EP2S()4815	\$9	\$1,100	\$1,491	\$997	\$1,096	\$1,196	+ \$23	+ \$46
60"	EP2S()6015	\$9	52 \$1,169	\$1,629	\$1,054	\$1,159	\$1,264	+ \$23	+ \$46

Specify	
1. Model #	
2 Incort type	_

2. Insert type3. Insert color

4. Paint

Plexiglass Finishes	
CL Clear	

IC . . . Ice SM . . Smoked TR . . Translucent

### Glass Finishes

CL . . Clear GR . . Grey SM . . Smoked TR . . Translucent

### Assembly

## Included • Stack-on panel


• Flat (N) top cap attached to the bottom of stack-on panel

### Not Included

• Top cap (use top cap from base panel)

### Ordered Separately

- Stack-on posts
- Panel connectors




17" H		(	GLASS INSERT			LAMINATE INSERT			NT
W	MODEL#	PG	GL	DG	L1	L2	L3	P2	P3
12"	EP2S()1217	\$836	\$905	\$1,158	\$859	\$944	\$1,030	+ \$23	+ \$46
18"	EP2S()1817	\$859	\$939	\$1,215	\$893	\$982	\$1,071	+ \$23	+ \$46
24"	EP2S()2417	\$882	\$979	\$1,278	\$922	\$1,014	\$1,106	+ \$23	+ \$46
30"	EP2S()3017	\$905	\$1,014	\$1,336	\$945	\$1,039	\$1,133	+ \$23	+ \$46
36"	EP2S()3617	\$928	\$1,054	\$1,399	\$974	\$1,071	\$1,168	+ \$23	+ \$46
42"	EP2S()4217	\$939	\$1,077	\$1,468	\$985	\$1,083	\$1,182	+ \$23	+ \$46
48"	EP2S()4817	\$962	\$1,123	\$1,560	\$1,020	\$1,122	\$1,224	+ \$23	+ \$46
60"	EP2S()6017	\$985	\$1,192	\$1,698	\$1,077	\$1,184	\$1,292	+ \$23	+ \$46

### 20" H 12" EP2S()1220 \$859 \$928 \$1,227 \$893 \$982 \$1,071 + \$23 + \$46 18" \$882 + \$23 EP2S()1820 \$962 \$1,261 \$916 \$1,007 \$1,099 + \$46 24" EP2S()2420 \$1,133 \$905 \$1,002 \$1,324 \$945 \$1,039 + \$23 + \$46 30" EP2S()3020 \$928 \$1,037 \$1,359 \$968 \$1,064 \$1,161 + \$23 + \$46 36" EP2S()3620 \$939 \$1,066 \$1,457 \$985 \$1,182 + \$23 \$1,083 + \$46 42" EP2S()4220 \$962 \$1,100 \$1,537 \$1,008 \$1,108 \$1,209 + \$23 + \$46 48" EP2S()4820 + \$46 \$1,146 \$1,629 \$1,043 \$1,147 \$1,251 + \$23 \$985 60" EP2S()6020 \$1,215 \$1,767 \$1,100 \$1,320 + \$23 + \$46 \$1,008 \$1,210

	Insert Type	W H
EP2S Stack-on panel	DG Designer glass insert GL Glass insert PG Plexiglass insert LM Laminate insert	36 15
EP2S	PG	36 15

## **Stack-on Panels**

**Insert without Slots** 



12" H	12" H		GLASS INSERT			LAMINATE INSERT			NT
W	MODEL#	PG	GL	DG	L1	L2	L3	P2	Р3
12"	EP2S()1212N	\$744	\$813	\$1,066	\$778	\$855	\$933	+ \$23	+ \$46
18"	EP2S()1812N	\$767	\$847	\$1,100	\$801	\$881	\$961	+ \$23	+ \$46
24"	EP2S()2412N	\$801	\$899	\$1,152	\$841	\$925	\$1,009	+ \$23	+ \$46
30"	EP2S()3012N	\$824	\$933	\$1,209	\$864	\$950	\$1,036	+ \$23	+ \$46
36"	EP2S()3612N	\$847	\$974	\$1,273	\$893	\$982	\$1,071	+ \$23	+ \$46
42"	EP2S()4212N	\$870	\$1,008	\$1,330	\$916	\$1,007	\$1,099	+ \$23	+ \$46
48"	EP2S()4812N	\$893	\$1,054	\$1,376	\$951	\$1,046	\$1,140	+ \$23	+ \$46
60"	EP2S()6012N	\$916	\$1,123	\$1,526	\$1,008	\$1,108	\$1,209	+ \$23	+ \$46

## 13" H

12"         EP2S()1213N         \$790         \$859         \$1,112         \$824         \$906         \$988         + \$23         + \$46           18"         EP2S()1813N         \$813         \$893         \$1,146         \$847         \$931         \$1,016         + \$23         + \$46           24"         EP2S()2413N         \$836         \$933         \$1,209         \$876         \$963         \$1,051         + \$23         + \$46           30"         EP2S()3013N         \$859         \$968         \$1,267         \$899         \$988         \$1,078         + \$23         + \$46           36"         EP2S()3613N         \$882         \$1,008         \$1,330         \$928         \$1,020         \$1,113         + \$23         + \$46           42"         EP2S()4213N         \$905         \$1,043         \$1,388         \$951         \$1,046         \$1,140         + \$23         + \$46           48"         EP2S()4813N         \$928         \$1,089         \$1,480         \$985         \$1,083         \$1,182         + \$23         + \$46           60"         EP2S()6013N         \$939         \$1,146         \$1,606         \$1,031         \$1,134         \$1,237         + \$23         + \$46	_									
24"       EP2S()2413N       \$836       \$933       \$1,209       \$876       \$963       \$1,051       + \$23       + \$46         30"       EP2S()3013N       \$859       \$968       \$1,267       \$899       \$988       \$1,078       + \$23       + \$46         36"       EP2S()3613N       \$882       \$1,008       \$1,330       \$928       \$1,020       \$1,113       + \$23       + \$46         42"       EP2S()4213N       \$905       \$1,043       \$1,388       \$951       \$1,046       \$1,140       + \$23       + \$46         48"       EP2S()4813N       \$928       \$1,089       \$1,480       \$985       \$1,083       \$1,182       + \$23       + \$46	12"	EP2S()1213N	\$790	\$859	\$1,112	\$824	\$906	\$988	+ \$23	+ \$46
30"         EP2S()3013N         \$859         \$968         \$1,267         \$899         \$988         \$1,078         + \$23         + \$46           36"         EP2S()3613N         \$882         \$1,008         \$1,330         \$928         \$1,020         \$1,113         + \$23         + \$46           42"         EP2S()4213N         \$905         \$1,043         \$1,388         \$951         \$1,046         \$1,140         + \$23         + \$46           48"         EP2S()4813N         \$928         \$1,089         \$1,480         \$985         \$1,083         \$1,182         + \$23         + \$46	18"	EP2S()1813N	\$813	\$893	\$1,146	\$847	\$931	\$1,016	+ \$23	+ \$46
36"     EP2S()3613N     \$882     \$1,008     \$1,330     \$928     \$1,020     \$1,113     +\$23     +\$46       42"     EP2S()4213N     \$905     \$1,043     \$1,388     \$951     \$1,046     \$1,140     +\$23     +\$46       48"     EP2S()4813N     \$928     \$1,089     \$1,480     \$985     \$1,083     \$1,182     +\$23     +\$46	24"	EP2S()2413N	\$836	\$933	\$1,209	\$876	\$963	\$1,051	+ \$23	+ \$46
42"     EP2S()4213N     \$905     \$1,043     \$1,388     \$951     \$1,046     \$1,140     + \$23     + \$46       48"     EP2S()4813N     \$928     \$1,089     \$1,480     \$985     \$1,083     \$1,182     + \$23     + \$46	30"	EP2S()3013N	\$859	\$968	\$1,267	\$899	\$988	\$1,078	+ \$23	+ \$46
48" <b>EP2S()</b> 4813 <b>N</b> \$928 \$1,089 \$1,480 \$985 \$1,083 \$1,182 +\$23 +\$46	36"	EP2S()3613N	\$882	\$1,008	\$1,330	\$928	\$1,020	\$1,113	+ \$23	+ \$46
	42"	EP2S()4213N	\$905	\$1,043	\$1,388	\$951	\$1,046	\$1,140	+ \$23	+ \$46
60" <b>EP2S()</b> 601 <b>3N</b> \$939 \$1,146 \$1,606 \$1,031 \$1,134 \$1,237 +\$23 +\$46	48"	EP2S()4813N	\$928	\$1,089	\$1,480	\$985	\$1,083	\$1,182	+ \$23	+ \$46
	60"	EP2S()6013N	\$939	\$1,146	\$1,606	\$1,031	\$1,134	\$1,237	+ \$23	+ \$46

## 15" H

12"	EP2S()1215N	\$813	\$882	\$1,135	\$847	\$931	\$1,016	+ \$23	+ \$46
18"	EP2S()1815N	\$836	\$916	\$1,169	\$870	\$957	\$1,044	+ \$23	+ \$46
24"	EP2S()2415N	\$859	\$956	\$1,232	\$899	\$988	\$1,078	+ \$23	+ \$46
30"	EP2S()3015N	\$882	\$991	\$1,290	\$922	\$1,014	\$1,106	+ \$23	+ \$46
36"	EP2S()3615N	\$905	\$1,031	\$1,353	\$951	\$1,046	\$1,140	+ \$23	+ \$46
42"	EP2S()4215N	\$928	\$1,066	\$1,411	\$974	\$1,071	\$1,168	+ \$23	+ \$46
48"	EP2S()4815N	\$939	\$1,100	\$1,491	\$997	\$1,096	\$1,196	+ \$23	+ \$46
60"	EP2S()6015N	\$962	\$1,169	\$1,629	\$1,054	\$1,159	\$1,264	+ \$23	+ \$46

## 17" H

12" <b>EP2S()1217N</b> \$836 \$905 \$1,158	\$859 \$944	\$1,030	+ \$23	+ \$46
18" <b>EP2S()1817N</b> \$859 \$939 \$1,215	\$893 \$982	\$1,071	+ \$23	+ \$46
24" <b>EP2S()2417N</b> \$882 \$979 \$1,278	\$922 \$1,014	\$1,106	+ \$23	+ \$46
30" <b>EP2S()3017N</b> \$905 \$1,014 \$1,336	\$945 \$1,039	\$1,133	+ \$23	+ \$46
36" <b>EP2S()3617N</b> \$928 \$1,054 \$1,399	\$974 \$1,071	\$1,168	+ \$23	+ \$46
42" <b>EP2S( )4217N</b> \$939 \$1,077 \$1,468	\$985 \$1,083	\$1,182	+ \$23	+ \$46
48" <b>EP2S( )4817N</b> \$962 \$1,123 \$1,560	\$1,020 \$1,122	\$1,223	+ \$23	+ \$46
60" <b>EP2S()6017N</b> \$985 \$1,192 \$1,698	\$1,077 \$1,184	\$1,292	+ \$23	+ \$46

### Specify

- 1. Model#
- 2. Insert Type 3. Insert color
- 4. Paint

### **Plexiglass Finishes**

**CL** ...Clear  $\textbf{IC} \dots \mathsf{lce}$ 

 $\pmb{\mathsf{SM}}..\mathsf{Smoked}$ 

**TR** . . Translucent

### **Glass Finishes**

**CL** ...Clear  $\textbf{GR} \dots \mathsf{Grey}$  $\textbf{SM}..\mathsf{Smoked}$ **TR** . . Translucent

• Top cap (use top cap from base panel)

### Assembly


### Included

- Stack-on panel
- Flat (N) top cap attached to the bottom of stack-on panel

### Not Included


Ordered Separately Stack-on posts

Panel connectors



2011		:	······································						
20" H		(	GLASS INSERT		LA	MINATE INSE	RT	PAINT	
W	MODEL#	PG	GL	DG	L1	L2	L3	P2	P3
12"	EP2S()1220N	\$859	\$928	\$1,227	\$893	\$982	\$1,071	+ \$23	+ \$46
18"	EP2S()1820N	\$882	\$962	\$1,261	\$916	\$1,007	\$1,099	+ \$23	+ \$46
24"	EP2S()2420N	\$905	\$1,002	\$1,324	\$945	\$1,039	\$1,133	+ \$23	+ \$46
30"	EP2S()3020N	\$928	\$1,037	\$1,359	\$968	\$1,064	\$1,161	+ \$23	+ \$46
36"	EP2S()3620N	\$939	\$1,066	\$1,457	\$985	\$1,083	\$1,182	+ \$23	+ \$46
42"	EP2S()4220N	\$962	\$1,100	\$1,537	\$1,008	\$1,108	\$1,209	+ \$23	+ \$46
48"	EP2S()4820N	\$985	\$1,146	\$1,629	\$1,043	\$1,147	\$1,251	+ \$23	+ \$46
60"	EP2S()6020N	\$1,008	\$1,215	\$1,767	\$1,100	\$1,210	\$1,320	+ \$23	+ \$46
25" H									
12"	EP2S()1225N	\$893	\$962	\$1,261	\$928	\$1,020	\$1,113	+ \$23	+ \$46
18"	EP2S()1825N	\$916	\$997	\$1,296	\$951	\$1,046	\$1,140	+ \$23	+ \$46
24"	EP2S()2425N	\$939	\$1,037	\$1,359	\$979	\$1,076	\$1,174	+ \$23	+ \$46
30"	EP2S()3025N	\$962	\$1,071	\$1,416	\$1,002	\$1,102	\$1,202	+ \$23	+ \$46
36"	EP2S()3625N	\$985	\$1,112	\$1,503	\$1,031	\$1,134	\$1,237	+ \$23	+ \$46
42"	EP2S()4225N	\$1,008	\$1,146	\$1,583	\$1,054	\$1,159	\$1,264	+ \$23	+ \$46
48"	EP2S()4825N	\$1,043	\$1,192	\$1,675	\$1,089	\$1,197	\$1,306	+ \$23	+ \$46
60"	EP2S()6025N	\$1,077	\$1,261	\$1,859	\$1,146	\$1,260	\$1,375	+ \$23	+ \$46
32" H									
12"	EP2S()1232N	\$916	\$985	\$1,284	\$951	\$1,046	\$1,140	+ \$23	+ \$46
18"	EP2S()1832N	\$939	\$1,020	\$1,342	\$974	\$1,071	\$1,168	+ \$23	+ \$46
24"	EP2S()2432N	\$962	\$1,060	\$1,405	\$1,002	\$1,102	\$1,202	+ \$23	+ \$46
30"	EP2S()3032N	\$985	\$1,094	\$1,508	\$1,025	\$1,127	\$1,230	+ \$23	+ \$46
36"	EP2S()3632N	\$1,008	\$1,135	\$1,618	\$1,054	\$1,159	\$1,264	+ \$23	+ \$46
42"	EP2S()4232N	\$1,031	\$1,169	\$1,721	\$1,077	\$1,184	\$1,292	+ \$23	+ \$46
48"	EP2S()4832N	\$1,066	\$1,227	\$1,825	\$1,123	\$1,235	\$1,347	+ \$23	+ \$46
60"	EP2S()6032N	\$1,123	\$1,330	\$2,020	\$1,215	\$1,336	\$1,458	+ \$23	+ \$46
37" H									
12"	EP2S()1237N	\$939	\$1,008	\$1,330	\$974	\$1,071	\$1,168	+ \$23	+ \$46
18"	EP2S()1837N	\$962	\$1,054	\$1,399	\$1,008	\$1,108	\$1,209	+ \$23	+ \$46
24"	EP2S()2437N	\$985	\$1,100	\$1,514	\$1,043	\$1,147	\$1,251	+ \$23	+ \$46
30"	EP2S()3037N	\$1,008	\$1,146	\$1,629	\$1,077	\$1,184	\$1,292	+ \$23	+ \$46
36"	EP2S()3637N	\$1,031	\$1,192	\$1,744	\$1,112	\$1,223	\$1,334	+ \$23	+ \$46
42"	EP2S()4237N	\$1,054	\$1,238	\$1,836	\$1,146	\$1,260	\$1,375	+ \$23	+ \$46
48"	EP2S()4837N	\$1,089	\$1,296	\$1,940	\$1,192	\$1,311	\$1,430	+ \$23	+ \$46
60"	EP2S()6037N	\$1,146	\$1,376	\$2,181	\$1,261	\$1,387	\$1,513	+ \$23	+ \$46

	Insert Type	w	Н	Slots
EP2S Stack-on panel	DG Designer glass insert GL Glass insert PG Plexiglass insert LM Laminate insert	36	15	N Without Slots
EP2S	PG	36	15	N



12" H	2" H		INSERT PAINT			PAINT	
W	MODEL#	PA	P1	P2	P3	P2	Р3
12"	EP2SPA1212	\$744	\$794	\$814	\$834	+ \$23	+ \$46
18"	EP2SPA1812	\$767	\$817	\$837	\$857	+ \$23	+ \$46
24"	EP2SPA2412	\$801	\$851	\$871	\$891	+ \$23	+ \$46
30"	EP2SPA3012	\$824	\$884	\$904	\$924	+ \$23	+ \$46
36"	EP2SPA3612	\$847	\$907	\$927	\$947	+ \$23	+ \$46
42"	EP2SPA4212	\$870	\$930	\$950	\$970	+ \$23	+ \$46
48"	EP2SPA4812	\$893	\$953	\$973	\$993	+ \$23	+ \$46
60"	EP2SPA6012	\$916	\$996	\$1,026	\$1,056	+ \$23	+ \$46

13" H							
12"	EP2SPA1213	\$790	\$840	\$860	\$880	+ \$23	+ \$46
18"	EP2SPA1813	\$813	\$863	\$883	\$903	+ \$23	+ \$46
24"	EP2SPA2413	\$836	\$896	\$916	\$936	+ \$23	+ \$46
30"	EP2SPA3013	\$859	\$919	\$939	\$959	+ \$23	+ \$46
36"	EP2SPA3613	\$882	\$942	\$962	\$982	+ \$23	+ \$46
42"	EP2SPA4213	\$905	\$965	\$985	\$1,005	+ \$23	+ \$46
48"	EP2SPA4813	\$928	\$988	\$1,008	\$1,038	+ \$23	+ \$46
60"	EP2SPA6013	\$939	\$1,029	\$1,059	\$1,099	+ \$23	+ \$46

15"							
12"	EP2SPA1215	\$813	\$863	\$883	\$903	+ \$23	+ \$46
18"	EP2SPA1815	\$836	\$886	\$906	\$926	+ \$23	+ \$46
24"	EP2SPA2415	\$859	\$909	\$939	\$959	+ \$23	+ \$46
30"	EP2SPA3015	\$882	\$932	\$972	\$992	+ \$23	+ \$46
36"	EP2SPA3615	\$905	\$965	\$1,005	\$1,025	+ \$23	+ \$46
42"	EP2SPA4215	\$928	\$988	\$1,038	\$1,058	+ \$23	+ \$46
48"	EP2SPA4815	\$939	\$1,009	\$1,069	\$1,089	+ \$23	+ \$46
60"	EP2SPA6015	\$962	\$1,062	\$1,122	\$1,152	+ \$23	+ \$46

### Specify

- 1. Model #
- Insert color
   Paint

### Assembly

## Included

- Stack-on panel
- Flat (N) top cap attached to the bottom of stack-on panel

### Not Included


• Top cap (use top cap from base panel)

### Ordered Separately

- Stack-on posts
- Panel connectors

## **Stack-on Panels**

**Perforated Aluminum Insert with Slots** 




17" H			INSERT PAINT			PAINT	
W	MODEL#	PA	P1	P2	Р3	P2	P3
12"	EP2SPA1217	\$836	\$886	\$906	\$926	+ \$23	+ \$46
18"	EP2SPA1817	\$859	\$909	\$929	\$949	+ \$23	+ \$46
24"	EP2SPA2417	\$882	\$942	\$962	\$982	+ \$23	+ \$46
30"	EP2SPA3017	\$905	\$965	\$995	\$1,015	+ \$23	+ \$46
36"	EP2SPA3617	\$928	\$998	\$1,028	\$1,048	+ \$23	+ \$46
42"	EP2SPA4217	\$939	\$1,019	\$1,059	\$1,079	+ \$23	+ \$46
48"	EP2SPA4817	\$962	\$1,052	\$1,102	\$1,122	+ \$23	+ \$46
60"	EP2SPA6017	\$985	\$1,105	\$1,155	\$1,185	+ \$23	+ \$46

20" H							
12"	EP2SPA1220	\$859	\$909	\$929	\$949	+ \$23	+ \$46
18"	EP2SPA1820	\$882	\$932	\$952	\$972	+ \$23	+ \$46
24"	EP2SPA2420	\$905	\$955	\$985	\$1,005	+ \$23	+ \$46
30"	EP2SPA3020	\$928	\$988	\$1,018	\$1,038	+ \$23	+ \$46
36"	EP2SPA3620	\$939	\$1,019	\$1,059	\$1,079	+ \$23	+ \$46
42"	EP2SPA4220	\$962	\$1,042	\$1,102	\$1,122	+ \$23	+ \$46
48"	EP2SPA4820	\$985	\$1,075	\$1,145	\$1,175	+ \$23	+ \$46
60"	EP2SPA6020	\$1,008	\$1,148	\$1,198	\$1,248	+ \$23	+ \$46

	Insert Type	W	н
EP2S Stack-on panel	PA Perforated Aluminum	36	15
•			
<u>:</u>			
EP2S	PA	36	15

**Perforated Aluminum Insert without Slots** 



12" H			I	NSERT PAINT		PAII	NT
W	MODEL#	PA	L1	L2	L3	P2	P3
12"	EP2SPA1212N	\$744	\$794	\$814	\$834	+ \$23	+ \$46
18"	EP2SPA1812N	\$767	\$817	\$837	\$857	+ \$23	+ \$46
24"	EP2SPA2412N	\$801	\$851	\$871	\$891	+ \$23	+ \$46
30"	EP2SPA3012N	\$824	\$884	\$904	\$924	+ \$23	+ \$46
36"	EP2SPA3612N	\$847	\$907	\$927	\$947	+ \$23	+ \$46
42"	EP2SPA4212N	\$870	\$930	\$950	\$970	+ \$23	+ \$46
48"	EP2SPA4812N	\$893	\$953	\$973	\$993	+ \$23	+ \$46
60"	EP2SPA6012N	\$916	\$996	\$1,026	\$1,056	+ \$23	+ \$46

### 13" H 12" EP2SPA1213N \$790 \$840 \$880 + \$23 + \$46 \$860 18" EP2SPA1813N \$813 \$863 \$883 \$903 + \$23 + \$46 24" EP2SPA2413N \$836 \$896 \$916 \$936 + \$23 + \$46 30" EP2SPA3013N \$859 \$919 \$939 \$959 + \$23 + \$46 36" EP2SPA3613N \$882 \$942 \$962 \$982 + \$23 + \$46 42" EP2SPA4213N \$905 \$965 \$985 \$1,005 + \$23 + \$46 48" EP2SPA4813N \$928 \$988 \$1,008 \$1,038 + \$23 + \$46 EP2SPA6013N 60" \$939 \$1,029 \$1,059 \$1,099 + \$23 + \$46

15" H							
12"	EP2SPA1215N	\$813	\$863	\$883	\$903	+ \$23	+ \$46
18"	EP2SPA1815N	\$836	\$886	\$906	\$926	+ \$23	+ \$46
24"	EP2SPA2415N	\$859	\$909	\$939	\$959	+ \$23	+ \$46
30"	EP2SPA3015N	\$882	\$932	\$972	\$992	+ \$23	+ \$46
36"	EP2SPA3615N	\$905	\$965	\$1,005	\$1,025	+ \$23	+ \$46
42"	EP2SPA4215N	\$928	\$988	\$1,038	\$1,058	+ \$23	+ \$46
48"	EP2SPA4815N	\$939	\$1,009	\$1,069	\$1,089	+ \$23	+ \$46
60"	EP2SPA6015N	\$962	\$1,062	\$1,122	\$1,152	+ \$23	+ \$46

17" H							
12"	EP2SPA1217N	\$836	\$886	\$906	\$926	+ \$23	+ \$46
18"	EP2SPA1817N	\$859	\$909	\$929	\$949	+ \$23	+ \$46
24"	EP2SPA2417N	\$882	\$942	\$962	\$982	+ \$23	+ \$46
30"	EP2SPA3017N	\$905	\$965	\$995	\$1,015	+ \$23	+ \$46
36"	EP2SPA3617N	\$928	\$998	\$1,028	\$1,048	+ \$23	+ \$46
42"	EP2SPA4217N	\$939	\$1,019	\$1,059	\$1,079	+ \$23	+ \$46
48"	EP2SPA4817N	\$962	\$1,052	\$1,102	\$1,122	+ \$23	+ \$46
60"	EP2SPA6017N	\$985	\$1,105	\$1,155	\$1,185	+ \$23	+ \$46

_				
`	n،	٦,	ΉŤ	u

- 1. Model #
- Insert color
   Paint

### Assembly

### Included

- Stack-on panel
- Flat (N) top cap attached to the bottom of stack-on panel

### Not Included


• Top cap (use top cap from base panel)

### **Ordered Separately**

- Stack-on posts
- Panel connectors

## **Stack-on Panels**

**Perforated Aluminum Insert without Slots** 



0" H			I	NSERT PAINT		PAIN	NT
w	MODEL#	PA	L1	L2	L3	P2	P:
12"	EP2SPA1220N	\$859	\$909	\$929	\$949	+ \$23	+ \$46
18"	EP2SPA1820N	\$882	\$932	\$952	\$972	+ \$23	+ \$4
24"	EP2SPA2420N	\$905	\$955	\$985	\$1,005	+ \$23	+ \$4
30"	EP2SPA3020N	\$928	\$988	\$1,018	\$1,038	+ \$23	+ \$4
36"	EP2SPA3620N	\$939	\$1,019	\$1,059	\$1,079	+ \$23	+ \$4
42"	EP2SPA4220N	\$962	\$1,042	\$1,102	\$1,122	+ \$23	+ \$4
48"	EP2SPA4820N	\$985	\$1,075	\$1,145	\$1,175	+ \$23	+ \$4
60"	EP2SPA6020N	\$1,008	\$1,148	\$1,198	\$1,248	+ \$23	+ \$4
5" H							
12"	EP2SPA1225N	\$893	\$943	\$963	\$983	+ \$23	+ \$4
18"	EP2SPA1825N	\$916	\$966	\$996	\$1,016	+ \$23	+ \$4
24"	EP2SPA2425N	\$939	\$999	\$1,029	\$1,049	+ \$23	+ \$4
30"	EP2SPA3025N	\$962	\$1,022	\$1,072	\$1,092	+ \$23	+ \$4
36"	EP2SPA3625N	\$985	\$1,055	\$1,115	\$1,135	+ \$23	+ \$-
42"	EP2SPA4225N	\$1,008	\$1,088	\$1,158	\$1,178	+ \$23	+ \$-
48"	EP2SPA4825N	\$1,043	\$1,133	\$1,203	\$1,233	+ \$23	+ \$4
60"	EP2SPA6025N	\$1,077	\$1,217	\$1,257	\$1,297	+ \$23	+ \$4
2" H							
12"	EP2SPA1232N	\$916	\$966	\$986	\$1,006	+ \$23	+ \$4
18"	EP2SPA1832N	\$939	\$989	\$1,019	\$1,039	+ \$23	+ \$4
24"	EP2SPA2432N	\$962	\$1,022	\$1,052	\$1,072	+ \$23	+ \$4
30"	EP2SPA3032N	\$985	\$1,075	\$1,105	\$1,125	+ \$23	+ \$4
36"	EP2SPA3632N	\$1,008	\$1,118	\$1,158	\$1,178	+ \$23	+ \$4
42"	EP2SPA4232N	\$1,031	\$1,151	\$1,211	\$1,231	+ \$23	+ \$4
48"	EP2SPA4832N	\$1,066	\$1,186	\$1,266	\$1,286	+ \$23	+ \$4
60"	EP2SPA6032N	\$1,123	\$1,283	\$1,363	\$1,393	+ \$23	+ \$4
7" H							
12"	EP2SPA1237N	\$939	\$989	\$1,009	\$1,029	+ \$23	+ \$4
18"	EP2SPA1837N	\$962	\$1,012	\$1,042	\$1,062	+ \$23	+ \$4
24"	EP2SPA2437N	\$985	\$1,045	\$1,075	\$1,105	+ \$23	+ \$4
30"	EP2SPA3037N	\$1,008	\$1,108	\$1,138	\$1,168	+ \$23	+ \$
36"	EP2SPA3637N	\$1,031	\$1,161	\$1,191	\$1,231	+ \$23	+ \$
42"	EP2SPA4237N	\$1,054	\$1,194	\$1,244	\$1,294	+ \$23	+\$
42	LF Z JF A ¬Z J / N						

	Insert Type	W	Н	Slots
EP2S Stack-on panel	PA Perforated Aluminum	36	15	N Without Slots
EP2S	PA		15	N

\$1,146 \$1,346

\$1,466 + \$23


\$1,406

60"

EP2SPA6037N

+ \$46







### **Extended**

12"	EP1SPC12E	\$143	\$148	\$153
13"	EP1SPC13E	\$155	\$160	\$165
15"	EP1SPC15E	\$166	\$171	\$176
17"	EP1SPC17E	\$178	\$183	\$188
20"	EP1SPC20E	\$201	\$211	\$221
25"	EP1SPC25E	\$218	\$228	\$238
32"	EP1SPC32E	\$230	\$240	\$250
37"	EP1SPC37E	\$241	\$251	\$261
Panel connectors must be ordered separately.				

### Specify

- 1. Model#
- 2. Paint

### **Application Notes**

Stack-on post must be used between adjacent stack-on panels.

### Standard Stack-on

Standard stack-on post bottom uses a conical shaped bolt that connects it to the connector directly beneath it. Panel connectors for the top of the stack-on post must be ordered separately to match the geometry of the stack-on panels.

### Extended Stack-on

Extended stack-on post bottom uses a double-threaded round connector to attach to the full-height post directly beneath it. Multi-height panel connectors (EPNPCMF) must be used on either side of the bottom of this connector to provide a smooth transition. Standard panel connectors are used along the top of the stack-on panels.



## **Coat Hook Straight**

DESCRIPTION	W	D	Н	MODEL#	BLACK OR MATTE ALUM
5 Pack	1/8"	1 %"	2 %"	EP3MMCH (B/P)	\$162



### **Coat Hook Postless End**

5 Pack	1 3/8"	3/8"	2 3/8"	EP3MMCHPE (R/L)(B/P)	\$162
5 i den	. , ,	, 0	_ /0		4.0 <u>2</u>

### Specify


- 1. Model#
- 2. Paint

### Coat Hook

Aluminum coat hook attaches to any exposed Equity vertical slot. There are two versions. The straight version will work on any Equity vertical slot except for those on an inside corner. The postless end version is handed and extends beyond the edge of a panel with a postless end. Hand is determined by which side of the panel the coat hook is installed on while facing the panel.


### Available in two colors

Black (B) Matte Aluminum (P)




## 8" H

W	Н	MODEL#	LIST
12"	8"	EPFLGL1208	\$161
18"	8"	EPFLGL1808	\$218
24"	8"	EPFLGL2408	\$276
30"	8"	EPFLGL3008	\$333
36"	8"	EPFLGL3608	\$391
42"	8"	EPFLGL4208	\$448
48"	8"	EPFLGL4808	\$506
60"	8"	EPFLGL6008	\$563
66"	8"	EPFLGL6608	\$621
72"	8"	EPFLGL7208	\$678



## 12" H

W         H         MODEL#         LIST           12"         12"         EPFLGL1212         \$218           18"         12"         EPFLGL1812         \$287           24"         12"         EPFLGL2412         \$356           30"         12"         EPFLGL3012         \$414           36"         12"         EPFLGL3612         \$471           42"         12"         EPFLGL4212         \$529           48"         12"         EPFLGL4812         \$586           60"         12"         EPFLGL6012         \$644           66"         12"         EPFLGL6612         \$701           72"         12"         EPFLGL7212         \$759				
18"       12"       EPFLGL1812       \$287         24"       12"       EPFLGL2412       \$356         30"       12"       EPFLGL3012       \$414         36"       12"       EPFLGL3612       \$471         42"       12"       EPFLGL4212       \$529         48"       12"       EPFLGL4812       \$586         60"       12"       EPFLGL6012       \$644         66"       12"       EPFLGL6612       \$701	w	Н	MODEL#	LIST
24"       12"       EPFLGL2412       \$356         30"       12"       EPFLGL3012       \$414         36"       12"       EPFLGL3612       \$471         42"       12"       EPFLGL4212       \$529         48"       12"       EPFLGL4812       \$586         60"       12"       EPFLGL6012       \$644         66"       12"       EPFLGL6612       \$701	12"	12"	EPFLGL1212	\$218
30"       12"       EPFLGL3012       \$414         36"       12"       EPFLGL3612       \$471         42"       12"       EPFLGL4212       \$529         48"       12"       EPFLGL4812       \$586         60"       12"       EPFLGL6012       \$644         66"       12"       EPFLGL6612       \$701	18"	12"	EPFLGL1812	\$287
36"       12"       EPFLGL3612       \$471         42"       12"       EPFLGL4212       \$529         48"       12"       EPFLGL4812       \$586         60"       12"       EPFLGL6012       \$644         66"       12"       EPFLGL6612       \$701	24"	12"	EPFLGL2412	\$356
42"       12"       EPFLGL4212       \$529         48"       12"       EPFLGL4812       \$586         60"       12"       EPFLGL6012       \$644         66"       12"       EPFLGL6612       \$701	30"	12"	EPFLGL3012	\$414
48"       12"       EPFLGL4812       \$586         60"       12"       EPFLGL6012       \$644         66"       12"       EPFLGL6612       \$701	36"	12"	EPFLGL3612	\$471
60"       12"       EPFLGL6012       \$644         66"       12"       EPFLGL6612       \$701	42"	12"	EPFLGL4212	\$529
66" 12" <b>EPFLGL</b> 6612 \$701	48"	12"	EPFLGL4812	\$586
	60"	12"	EPFLGL6012	\$644
72" 12" <b>EPFLGL7212</b> \$759	66"	12"	EPFLGL6612	\$701
	72"	12"	EPFLGL7212	\$759



## 14" H

	•		
W	Н	MODEL#	LIST
12"	14"	EPFLGL1214	\$253
18"	14"	EPFLGL1814	\$345
24"	14"	EPFLGL2414	\$437
30"	14"	EPFLGL3014	\$529
36"	14"	EPFLGL3614	\$621
42"	14"	EPFLGL4214	\$713
48"	14"	EPFLGL4814	\$805
60"	14"	EPFLGL6014	\$897
66"	14"	EPFLGL6614	\$989
72"	14"	EPFLGL7214	\$1.081

Sp	ecity	
_		

- 1. Model#
- 2. Glass finish

### Glass Finishes

CL ... Clear GR ... Grey SM... Smoked TR ... Translucent

### **Application Notes**

Glass is a single-pane, %" tempered safety glass.
Frameless glass can span multiple panels with one piece of glass.

### Assembly

### Not Included

• Attachment connectors

		тор Сар	туре	VV	п	
EP	Equity Panel	FL Frameless	GL Glass	48	12	
EP		FL	GL	48	12	

## **Frameless Glass**

Frameless Connectors			PAINT		
DESCRIPTION	MODEL#		P1	P2	Р3
Straight	EPFLCS		\$69	\$75	\$82
2-way L	EPFLCL		\$74	\$81	\$88
3-way T	EPFLCT		\$74	\$81	\$88
3-way Y 120	EPFLCY		\$74	\$81	\$88
4-way X	EPFLCX		\$74	\$81	\$88
End	EPFLCE		\$69	\$75	\$82







2-way L **EPFLCL** 



3-way T EPFLCT



3-way Y 120 **EPFLCY** 



4-way X **EPFLCX** 



End **EPFLCE** 

۱n	ecity
7	,

- 1. Model#
- 2. Paint

Application Notes

Frameless glass mounts to panels on either end thru connectors that screw into the top of the panel's posts.

Assembly

Included

• Attachment hardware

	Top Cap	Туре	W
EP Equity Panel	FL Frameless	C Connector	S Straight
			L 2-way L
			T 3-way T
		•	Y 3-way Y
			X 4-way X
			E End
_			
EP	FL	c	S
	i	ii	<u></u>



Add-d	n Screens			PAINT	
W	Н	MODEL#	P1	P2	P3
12"	15"	EP3AOPG1215	\$692	\$717	\$734
18"	15"	EP3AOPG1815	\$785	\$810	\$827
24"	15"	EP3AOPG2415	\$815	\$840	\$857
30"	15"	EP3AOPG3015	\$861	\$886	\$903
36"	15"	EP3AOPG3615	\$917	\$942	\$959
42"	15"	EP3AOPG4215	\$1,017	\$1,042	\$1,059
48"	15"	EP3AOPG4815	\$1,110	\$1,135	\$1,152
60"	15"	EP3AOPG6015	\$1,136	\$1,161	\$1,178

Specify	Plexiglass Finishes	Application Notes		
1. Model # 2. Plexiglass finish 3. Paint	CL Clear IC Ice SM Smoked TR Translucent LF Frost	Add-on screens mount on the slotted standard with two (2) die cast stanchion brackets that are included.	Add-on screens are compatible with flat (N) and beveled (3) top caps.	
	<b>21</b> 1030	Two add-on screens may not be mounted next to	Assembly	
		each other on the inside corner of a 90° connection.	Included • Attachment hardware	



lat R	ail — pa	nel mounted		•	PAINT	•••••
W	Н	MODEL #	MATTE ALUM	P1	P2	P3
12"	6"	<b>SR</b> 612	\$138	\$168	\$184	\$201
18"	6"	SR618	\$149	\$179	\$196	\$214
24"	6"	SR624	\$172	\$202	\$222	\$242
30"	6"	SR630	\$184	\$214	\$235	\$256
36"	6"	SR636	\$195	\$225	\$247	\$270
42"	6"	SR642	\$207	\$247	\$271	\$296
48"	6"	SR648	\$230	\$270	\$297	\$324
60"	6"	<b>SR</b> 660	\$241	\$291	\$320	\$349

Slat R	Rail Ac	cessori	ies				PAINT	
w	Н	D	MODEL#	DESCRIPTION	MATTE ALUM	P1	P2	P3
12 1/4"	4"	2 ¾"	SRAFLH	File hanger	\$80	\$114	\$125	\$136
13 1/4"	7/8"	9 5/8"	SRAPAT	Paper tray	\$92	\$126	\$138	\$151
3 1/4"	3 ½"	1 ½"	SRAUPT	Upright tray	\$69	\$103	\$113	\$123
2 ¾"	7/8"	3 3/8"	SRASMT	Small tray	\$57	\$91	\$100	\$109
7 3/4"	7/8"	3 3/8"	SRAPNH	Pencil holder	\$57	\$91	\$100	\$109



File Hanger **SRAFLH** 



Paper Tray **SRAPAT** 



Pencil Holder **SRAPNH** 



Small Tray SRASMT




Upright Tray **SRAUPT** 

### Specify

- 1. Model #
- 2. Paint

## **Electrical**

"E" Series electrical systems consist of a 4-circuit and a 6-circuit system. Each circuit in the systems provides a maximum of 20 amps. The four circuit system has eight wires; the six-circuit system has ten wires. Both 8- and 10-wire systems contain two 10-gauge "super" neutrals and two ground wires so that sensitive electronic equipment may be easily protected from unwanted electrical interference. "E" Series electrical can be connected to either single phase or threephase building power supplies.




### **SPECIFICATION CHECKLIST**

The following is a general checklist to ensure your order has been specified properly and to expedite entry of your order. It should be reviewed by a licensed electrician to ensure compliance with any local code requirements.

- Base or ceiling infeed modules.
   One for each point of connection to the building power supply.
   Select model desired. Electrical connection to the building power supply must be made by a licensed electrician to ensure proper installation.
- Select panels. Conduit jumpers are used to pass power to electrified panels. These panels do not have factory-installed power wiring, but modular power components are field-installed.
- Shrouds must be used for each panel to panel point to complete the raceway connection.
   Shrouds are included when post assemblies are ordered.
   Shrouds can also be ordered separately when building a multiple height connection.
- 4. Duplex receptacles. Specify the circuit which receptacles are to access: #1, #2, #3 and #4D for 2+2 info eight-wire applications and additionally #5D and #6D for ten wire applications. If connecting to single-phase supply, do not order #2 and #5D receptacles.
- Select and order appropriate conduit jumpers to pass power between panels.
- Conduit Jumpers are for regular panel to panel connections or used to pass power through panels from terminal block to terminal block, which can be located up to 12 feet apart.

### **Calculate Correct Jumper Length**

- 1) Add widths of both panels containing terminal blocks.
- 2) Divide by 2.
- Add width of any nonelectrified panels inbetween. The result is the correct jumper length.



7. Modular wiring components. Internal panel wiring is fully modular and is field-installed into the raceway of panels. When wiring is field-installed the following components must be specified:

### A. Terminal blocks

To branch circuits, splice jumpers or locate receptacles. Blocks snap-lock into place and are always located in the center of a panel. Panels have one block location only. Base infeed and ceiling infeed modules are each designed to plug into a terminal block, which must be ordered separately from the infeed.

# **B. Duplex Receptacles**Always specified separately according to circuit access.

### C. Side Mount Receptacles

Available for panels 24" and wider. All standard receptacles fit into side mount position on right side of terminal block connector end. Therefore, no circuit number restriction.


### **SPECIAL CONSIDERATIONS**

In addition to the checklist the following points should be remembered when planning a layout utilizing this electrical distribution system.

- "E" Series electrical consists of four or six 20-amp circuits, any of which can be accessed as desired by plugging in a specially numbered receptacle at terminal block locations in panels.
- Electrified panels can be interspersed between nonelectrified panels with the use of extra-length jumpers which pass circuitry to the next electrified panel.
- For isolation, the 2nd ground must be properly and separately grounded to the building by the installing licensed electrician.
- 4. Certain cities or localities carry special codes limiting the use of certain items within this system. Equity products are available which comply with these code requirements. Neutral Posture recommends contacting your local sales representative for clarification and possible restrictions.

Because of our continuous product improvements, these specifications are subject to change without notice. Please consult your sales representative for the latest information prior to ordering.

# **ELECTRICAL**



## **Electrical**

### **BASE INFEED MODULE**

Modular base-mounted infeed conduits in eight-wire and tenwire versions are provided for connection to building power supplies housed in underfloor outlet boxes, floor mounted (monuments) or wall outlet boxes. Available "unhanded" for ease in introducing power from left or right of infeed location. The cover plates provided by others, for floor monuments, recessed floor boxes or wall boxes are to be punched to receive a half-inch (trade size) knockout hole for installation of the box fitting, which is included on the infeed circuit. The wiring connection is to be made within the box inside the monument or behind the floor or wall flush plate. The 4'6" conduit can be shortened to meet field conditions by cutting the infeed (loose) end. Base Infeed Module plugs into terminal block at the receptacle location. For New York and San Francisco base infeed, see page 63.

Connecting to the building power source must be performed by a licensed electrician.

### **CEILING INFEED MODULE**

The straight tubular infeed may be shortened (on its bottom end) if it will not fit field conditions. ceiling infeed module is filled with 8- or 10- wire conduit and plugs into terminal block in adjacent panel. Harness length is 19'. Upper tube of module is 6' 7" in length.

### RACEWAY PANELS WITH FIELD-INSTALLED COMPONENTRY:

- An independent cableway with capacity for up to ten 3/8" dia. communications cables.
- A terminal block at the center of the panel allows for jumpers to connect panel to panel electrical connections and placement of duplex receptacles.
- Terminal block allows for receptacles in two locations, one on each side of the center of the panel (back to back), into which duplex 15-amp receptacles can be placed. The raceway covers are provided with removable knockouts.
- 4. For increased electric demands a second duplex receptacle per panel side can be added to panels 24" and wider. This receptacle plugs directly into the right side terminal block connector ends. Any standard "E" Series receptacle may be used.
- The faceplates on both sides of the panel are removable without removing receptacles.

The system and all standard components are UL-listed. Because of our continuous product improvements, these specifications are subject to change without notice. Please consult a Neutral Posture sales representative for the latest information prior to ordering.

### **CABLE CAPACITY**

FILL	100%	40%
Cat 5	35	14
Cat 6	28	11

### 8-WIRE SYSTEM

### 2 + 2

The 2+2 electrical system consists of four 20 amp, 120 volt, 60-Hertz circuits. These circuits will accommodate 120 volt single phase, 120/240 volt split phase and 120/208 volt three phase power. The system components have a 20 amp capacity. The (NEC) only allows steady loads to 80% of capacity which is equivalent to 16 amps. Each circuit can generally power 8 - 10 duplex convenience outlets that are performing a normal load. However, in heavy load situations, such as computer systems each circuit will power 3 – 5 duplex outlets.


### 3 + 1


The 3+1 electrical system consists of four 20 amp, 120 volt, 60-Hertz circuits. These circuits will power a 120 volt single phase, a 120/240 volt split and a 120/208 volt three phase power. Each system components have the capacity to power 20 amp. The National Electric Code (NEC) only allows steady loads to 80% of capacity which is equivalent to 16 amps. Each circuit can generally power 8-10 duplex convenience outlets that are performing a normal load. However, in heavy load situations, such as computer systems each circuit will power 3 – 5 duplex outlets. If each work station has two convenience duplex outlets and one protected duplex, the 8-wire (4-circuit) system can supply a cluster of 6 - 10 workstations from each infeed.

### **10-WIRE SYSTEM**

### 3 + 3

The 3+3 electrical system consists of six 20 amp, 120 volt, 60-Hertz circuits. The circuits will accommodate 120 volt single phase, 120/240 volt split phase and 120/208 volt three phase power. Each system components have the capacity to power 20 amp. The National Electric Code (NEC) only allows steady loads to 80% of capacity which is equivalent to 16 amps. Each circuit can generally power 8 - 10 duplex convenience outlets that are performing a normal load. However, in heavy load situations, such as computer systems each circuit will power 3 - 5 duplex outlets. If each workstation has two convenience duplex outlets and one protected duplex, the 10-wire (6-circuit) system can supply a cluster of 9 – 15 workstations from each infeed.





### 1 Black HOT 2 Red HOT 4D 3 Blue Pink HOT HOT Ν Ν White/Black White/Red SHARED ISOLATED G G Green/Yellow

### **COMPATIBILITY**

Equity power systems use similar components in all electrical systems. However, all parts are

not functionally interchangeable and should be used based on instructions given.

# Electrical Ceiling Infeeds

Ceili	Ceiling Infeeds				PAINT	
W	D	Н	MODEL#	P1	P2	P3
4"	1 ½"	120"	EE3CM41M	\$718	\$754	\$792
4"	1 ½"	120"	EE3CM49M	\$718	\$754	\$792
4"	1 ½"	120"	EE3CM54M	\$718	\$754	\$792
4"	1 ½"	120"	EE3CM61M	\$718	\$754	\$792
4"	1 ½"	120"	EE3CM66M	\$718	\$754	\$792
4"	1 ½"	120"	EE3CM81M	\$718	\$754	\$792

## **Ceiling Infeed Harness**

DESCRIPTION	MODEL#	LIST
E-Series 10-wire	EE1CH-10	\$658
E-Series 8-wire	EE1CH-8	\$540

### Specify

- 1. Model #
- 2. Paint

Fabric cover modules are not available.

### Configurations

### 8-wire

2 + 2

3 + 1

### 10-wire

3 + 3

### **Application Notes**

To connect a metal ceiling infeed to a corner or straight connection use an adjustable angle connector or an adjustable angle connector with multiheight connector for a three-way connection.

### **Ceiling Infeeds**

Electrical harnesses not included with modules. Modules are hollow to accommodate power and/ or data cables from source into systems furniture.

With electrical harness installed, infeed holds 28 Cat 6 cables.

No "hang on" capabilities. Module cannot be used for panel support. Powder coated module is 120" long metal extrusion with attachment hooks at proper height to attach to appropriate height post.


Cables/conduit are laid into module by removal of two-piece front 1½" wide vertical access cover which runs the length of the extrusion.

Includes escutcheon plate which is white to integrate with ceiling. Tube is trim colored to match system trim.



#### **Base Infeeds**

DESCRIPTION	W	MODEL#	LIST
8-wire (right handed)	54"	EE1BI-8	\$280
8-wire (right handed)	72"	EE1BI72-8	\$346
10-wire (right handed)	54"	<b>EE</b> 1 <b>BI</b> -10	\$339
10-wire (right handed)	72"	<b>EE</b> 1 <b>BI</b> 72-10	\$411
8-wire (left handed)	54"	EE1BI-8-L	\$280
8-wire (left handed)	72"	EE1BI72-8-L	\$346
10-wire (left handed)	54"	EE1BI-10-L	\$339
10-wire (left handed)	72"	EE1BI72-10-L	\$411



#### Base Infeeds – New York

10-wire	EE1BI-10N	\$426
8-wire	EE1BI-8N	\$349



#### Base Infeeds – San Francisco

8-wire (non-handed)	54"	EE1BI-8SF	\$280
8-wire (non-handed)	72"	EE1BI72-8SF	\$346
10-wire (non-handed)	54"	EE1BI-10SF	\$339
10-wire (non-handed)	72"	EE1BI72-10SF	\$411



## **Jumper End Base Infeeds**

10-wire (w/ground)	72"	EE1BIJ-10G	\$472
8-wire (w/ground)	72"	EE1BIJ-8G	\$391
8-wire	72"	EE1BIJ-8	\$359
10-wire	72"	EE1BIJ-10	\$443

Configurations	
8-wire	
2 + 2	

3 + 1

**10-wire** 3 + 3

to the wall or floor outlet box of a building's power supply and plugs into a terminal block in panel raceway. Power entry can be from either left or right side of panel. Metal cover conceals the baseboard connection and is reversible for either left or right entry.

be ordered separately.

An infeed conduit connects

Base Infeeds

by a licensed electrician.

Plugs into one set of
y can terminal connections at
end of terminal block.

Terminal block must be
ard located in panel adjacent

connection and is reversible for either left or right entry.
Can be field-cut to proper lengths. Color is black.
A terminal block must to source. Terminal block is ordered separately.

Base infeed can be field cut by a licensed electrician

by a licensed electrician to necessary length. Conduit is encased in black plastic sealer.

Jumper End Base Infeeds


Connects by hardwiring

to a building's electrical

supply in floor or wall box

## **Electrical** Components







Duplex Receptacle		8-W	8-WIRE		
DESCRIPTION	MODEL#	(3+1)	(2+2)	(3+3)	LIST
Circuit #1	EE1R1		•		\$57
Circuit #2	EE1R2		•		\$57
Circuit #3 dedicated for 2+2	EE1R3D		•		\$57
Circuit #3 for 3+1	EE1R3				\$57
Circuit #4 dedicated circuit for 3+1, 2+2 or 3+3	EE1R4D		•		\$57
Circuit #5 dedicated circuit for 3+3	EE1R5D				\$57
Circuit #6 dedicated circuit for 3+3	EE1R6D				\$57



		<b>;</b>	•••••		
Duplex Receptacle (10 Pack)			8-WIRE		
DESCRIPTION	MODEL#	(3+1)	(2+2)	(3+3)	LIST
Circuit #1	EE1R1 P10		•		\$472
Circuit #2	EE1R2 P10		•	•	\$472
Circuit #3 dedicated for 2+2	EE1R3D P10				\$472
Circuit #3 for 3+1	EE1R3 P10			•	\$472
Circuit #4 dedicated circuit for 3+1, 2+2 or 3+3	EE1R4D P10		•	•	\$472
Circuit #5 dedicated circuit for 3+3	EE1R5D P10			•	\$472
Circuit #6 dedicated circuit for 3+3	EE1R6D P10				\$472



Receptacle – Side Mount			/IRE	10-WIRE	
DESCRIPTION	MODEL#	(3+1)	(2+2)	(3+3)	LIST
10 Pack	EE1SMRB10				\$287

Data Shield			/IRE	10-WIRE	
DESCRIPTION	MODEL#	(3+1)	(2+2)	(3+3)	LIST
Terminal block shield	EE15BR				\$88



## **Knock-out Replacement Cover**

DESCRIPTION	MODEL#	LIST
10 Pack	EE1KC10	\$78

#### Application Notes

Receptacles are black only.


#### Terminal Block

A modular eight or ten wire block that snaps into the base location in center of the panel. Used to branch circuits, splice jumpers or locate duplex receptacles back to back.

#### Side Mount Receptacles

Plugs directly into the right side of terminal block to provide a second duplex receptacle where required.

Any "E" Series receptacle can be used in panels 24" wide and wider. Side mount receptacle bracket (EE1SMRB10) is needed when using a side mount receptacle.



			ţ	
lumper			8-WIRE	10-WIRE
LENGTH (NOMINAL)	LENGTH (ACTUAL)	MODEL#		
18"	11 ½"	EE1C18-(8/10)	\$125	\$148
21"	14 ½"	EE1C21-(8/10)	\$129	\$151
24"	17 ½"	EE1C24-(8/10)	\$133	\$155
27"	20 ½"	EE1C27-(8/10)	\$134	\$165
30"	23 ½"	EE1C30-(8/10)	\$138	\$167
33"	26 ½"	EE1C33-(8/10)	\$141	\$174
36"	29 ½"	EE1C36-(8/10)	\$142	\$177
39"	32 ½"	EE1C39-(8/10)	\$149	\$185
42"	35 ½"	EE1C42-(8/10)	\$152	\$190
45"	38 ½"	EE1C45-(8/10)	\$156	\$193
48"	41 ½"	EE1C48-(8/10)	\$162	\$195
51"	44 1/2"	EE1C51-(8/10)	\$167	\$204
54"	47 1/2"	EE1C54-(8/10)	\$167	\$204
57"	50 ½"	EE1C57-(8/10)	\$177	\$212
60"	53 ½"	EE1C60-(8/10)	\$180	\$218
63"	56 ½"	EE1C63-(8/10)	\$186	\$221
66"	59 ½"	EE1C66-(8/10)	\$189	\$231
69"	62 ½"	EE1C69-(8/10)	\$189	\$231
72"	65 ½"	EE1C72-(8/10)	\$195	\$238
75"	68 1/2"	EE1C75-(8/10)	\$197	\$241
78"	71 ½"	EE1C78-(8/10)	\$200	\$248
81"	74 ½"	EE1C81-(8/10)	\$203	\$249
84"	77 ½"	EE1C84-(8/10)	\$204	\$251
87"	80 ½"	EE1C87-(8/10)	\$213	\$263
90"	83 ½"	EE1C90-(8/10)	\$218	\$266
93"	86 1/2"	EE1C93-(8/10)	\$220	\$270
96"	89 1/2"	EE1C96-(8/10)	\$228	\$277
99"	92 1/2"	EE1C99-(8/10)	\$232	\$280
102"	95 ½"	EE1C102-(8/10)	\$235	\$286
105"	98 ½"	EE1C105-(8/10)	\$238	\$290
108"	101 ½"	EE1C108-(8/10)	\$239	\$292
111"	104 ½"	EE1C111-(8/10)	\$248	\$297
114"	107 ½"	EE1C114-(8/10)	\$253	\$305
120"	113 ½"	EE1C120-(8/10)	\$264	\$319
126"	119 ½"	EE1C126-(8/10)	\$269	\$325
132"	125 ½"	EE1C132-(8/10)	\$273	\$335
144"	137 ½"	EE1C144-(8/10)	\$290	\$353

#### Configurations

**8-wire** 2 + 2

2+2 3+1

10-wire

3+3


#### Application Notes

Jumpers transmit power circuits from one panel mounted terminal block to another. Can carry power through panels where no terminal blocks are installed. The length of the jumper corresponds to the distance between the terminal blocks.

#### **Calculate the Correct Length**

- Add widths of both panels containing terminal blocks.
- 2. Divide by two.
- 3. Add width of any non-electrified panels in-between.

The result is the correct jumper length.





#### **Terminal Block**





#### **Duplex Receptacles**

- aprex neceptaties	
EE1R	IIIN \$66
EE1R	IIN \$66
EE1R	IN \$66
EE1R	IVN \$66

MODEL#

EE1TB-(N3/N4)

LIST



## **Duplex Receptacles (10 pack)**

EE1RIIIN P10	\$502
EE1RIIN P10	\$502
EE1RIN P10	\$502
EE1RIVN P10	\$502



#### **Base Infeeds**

NOMINAL LENGTH	MODEL#	LIST
54"	EE1BI-(N3/N4)	\$358
72"	EE1BI72-(N3/N4)	\$379



#### Base Infeeds – San Francisco

54"	EE1BI-(N3/N4)SF	\$358
72"	EE1BI72-(N3/N4)SF	\$379

## **Ceiling Infeed Harness**

DESCRIPTION	MODEL#	LIST
E-Series 8-wire	EE1CH-N3	\$785
E-Series 10-wire	EE1CH-N4	\$939

#### Specification Information

#### 8-wire N3

8-wire N3 = 2+1 system (2 hots and 2 neutrals sharing one ground, 1 isolated hot and 1 isolated neutral on an isolated ground)

#### 10-wire N4

10-wire N4 = 2+2 system (2 hots and 2 neutrals sharing one ground, 2 hots and 2 neutrals sharing another ground)

#### **Application Notes**


#### **Jumpers**

Transmit power circuits from one panel mounted terminal block to another. Can carry power through panels where no terminal blocks are installed. The length of the jumper corresponds to the distance between the terminal blocks.


#### Calculate the Correct Length

- Add widths of both panels containing terminal blocks.
- 2. Divide by two.
- 3. Add width of any non-electrified panels in-between.

The result is the correct jumper length.



#### **Jumper**



NOMINAL LENGTH	MODEL#	LIST
18"	EE1C18-(N3/N4)	\$152
21"	EE1C21-(N3/N4)	\$162
24"	EE1C24-(N3/N4)	\$166
27"	EE1C27-(N3/N4)	\$174
30"	EE1C30-(N3/N4)	\$180
33"	EE1C33-(N3/N4)	\$185
36"	EE1C36-(N3/N4)	\$186
39"	EE1C39-(N3/N4)	\$192
42"	EE1C42-(N3/N4)	\$200
45"	EE1C45-(N3/N4)	\$204
48"	EE1C48-(N3/N4)	\$205
51"	EE1C51-(N3/N4)	\$215
54"	EE1C54-(N3/N4)	\$215
57"	EE1C57-(N3/N4)	\$221
60"	EE1C60-(N3/N4)	\$232
63"	EE1C63-(N3/N4)	\$236
66"	EE1C66-(N3/N4)	\$239
69"	EE1C69-(N3/N4)	\$239
72"	EE1C72-(N3/N4)	\$251
75"	EE1C75-(N3/N4)	\$256
78"	EE1C78-(N3/N4)	\$261
81"	EE1C81-(N3/N4)	\$264
84"	EE1C84-(N3/N4)	\$266
87"	EE1C87-(N3/N4)	\$277
90"	EE1C90-(N3/N4)	\$280
93"	EE1C93-(N3/N4)	\$284
96"	EE1C96-(N3/N4)	\$290
99"	EE1C99-(N3/N4)	\$293
102"	EE1C102-(N3/N4)	\$297
105"	EE1C105-(N3/N4)	\$305
108"	EE1C108-(N3/N4)	\$307
111"	EE1C111-(N3/N4)	\$318
114"	EE1C114-(N3/N4)	\$322
120"	EE1C120-(N3/N4)	\$336
126"	EE1C126-(N3/N4)	\$342
132"	EE1C132-(N3/N4)	\$350
144"	EE1C144-(N3/N4)	\$370

#### Specification Information

#### 8-wire N3

8-wire N3 = 2+1 system (2 hots and 2 neutrals sharing one ground, 1 isolated hot and 1 isolated neutral on an isolated ground)

#### 10-wire N4

10-wire N4 = 2+2 system (2 hots and 2 neutrals sharing one ground, 2 hots and 2 neutrals sharing another ground)

#### **Application Notes**


#### Jumpers

Transmit power circuits from one panel mounted terminal block to another. Can carry power through panels where no terminal blocks are installed. The length of the jumper corresponds to the distance between the terminal blocks.

#### Calculate the Correct Length

- 1. Add widths of both panels containing terminal blocks.
- 2. Divide by two.
- 3. Add width of any non-electrified panels in-between.

The result is the correct jumper length.





**Charge Spot** 

DESCRIPTION	MODEL#	LIST
Wireless device charger	AWDC1	\$491
Wireless device charger (4 Pack) w/multi unit power supply	AWDC4	\$1,664



## **Charge Spot Dongles**

Apple Lightning dongle	AWDCSA	\$88
mUSB dongle	AWDCSU	\$88

## **Charge Spot Replacement Power**

Single unit power supply	AWDCRPS1	\$65
Multi unit power supply	AWDCRPS4	\$295



## **Ashley Duo**

DESCRIPTION	W	D	Н	MODEL#	LIST
72" Cord length	5 ½"	3 1/8"	2"	EE4WSAD72	\$437
120" Cord length	5 ½"	3 1/8"	2"	EE4WSAD120	\$448



### **Ashley Duo Air**

In-surface pop-up power	7"	5"	EPUPM72	\$571
In-surface pop-up power	7"	5"	EPUPM120	\$583

## **Ashley 202**







Clamp					
72" cord length	5 ½"	3 1/8"	2"	EE4WSA202CM72	\$410
120" cord length	5 ½"	3 1/8"	2"	EE4WSA202CM120	\$422
Under Worksurface					
72" cord length	5 ½"	3 1/8"	2"	EE4WSA202UW72	\$353
120" cord length	5 ½"	3 1/8"	2"	EE4WSA202UW120	\$364
In Surface					
72" cord length	5 ½"	3 1/8"	2"	EE4WSA202IS72	\$410
120" cord length	5 ½"	3 1/8"	2"	EE4WSA202IS120	\$422

#### Specify

1. Model#

#### Specify Ashley Duo

- 2. Model #
- 3. Metal trim finish
- 4. Plastic finish
- 5. For Hardwired add **HW** to end of model number and add **\$85** to list price

#### Ashley Duo

#### Specifications

- 2 15A, 120V AC Power Outlets
- 2 2.1A/10.5W USB
- Charging Ports
   6' or 10' Cord and
- Hardwire Options
   Meets USB.org Battery
  Charging 1.2 Specifications
- Accommodates surfaces
   1" to 1 ¾" thick.

#### **Data Wiring**

Data wiring and keystones provided by customer's cabling contractor.

#### **Ashley Trio**



Clamp					
72" cord length	8"	3 %"	2"	EE4WSATRIOCM72	\$873
120" cord length	8"	3 %"	2"	EE4WSATRIOM120	\$903



Under Worksurface					
72" cord length	8"	3 %"	2"	EE4WSATRIOUW72	\$783
120" cord length	8"	3 %"	2"	EE4WSATRIOUW120	\$813



In Surface					
72" cord length	8 %"	3 1/8"	2"	EE4WSATRIOIS72	\$837
120" cord length	8 1/8"	3 1/8"	2"	EE4WSATRIOIS120	\$867

#### **Ashley Quad**









4 AC outlets, 2 USB, 2 Data	10 %" 3 %	1 3/4"	EE4ISAQ2D120	\$882
Panel Supported				
4 AC outlets, 2 USB, 2 Data	10 1/8" 3 1/8	1 3/4"	EE4PSAQ2D72	\$836
4 AC outlets, 2 USB, 2 Data	10 %" 3 %'	1 3/4"	EE4PSAQ2D120	\$859

#### **Specify Ashley**

- 1. Model #
- 2. Metal trim finish
- 3. Plastic finish
- 4. For Hardwired add **HW** to end of model number and add **\$85** to list price.

#### Ashley 202

#### Specifications

- 2 15A, 120V AC Power Outlets
- 2 Data Inserts for HDMI, RJ45, RJ11, VGA or Blank Insert
- 6' or 10' Cord or Hardwire Option
- Accommodates surfaces 1" to 1 ¾" thick.

#### **Ashley Trio**

#### Specifications

- 3- 15A, 120V AC Power Outlets
- 2- 2.1A/10.5W USB Charging Ports
- 6' or 10' Cord or Hardwire Option
- 1 Data Insert for HDMI, RJ45 or VGA ports
- 1 Data Port Adapter Kit Comes Standard

#### Ashley Quad

#### Specifications

- 4 15A, 120V AC Power Outlets
- 2- 2.1A/10.5W USB Charging Ports
- 2 Data Inserts for HDMI, RJ45, RJ11, VGA or Blank Insert
- 6' or 10' Cord or Hardwire Option

#### Metal Trim Finishes

MBLK ...... Black MWHT ..... White MSIL ..... Silver

#### **Plastic Finishes**

**PBLK**.....Black **PWHT**....White **PSIL** ....Silver

### Worksurfaces

**General Info** 

Step 1 - Model #

					Op	tions		
Worksurface Type	W	D		Wiring			Extended En	ds
EW1 Rectangle	48	24	G	Grommets	\$25	Е	One End	\$21
			G2	Scallop	\$50	EE	Both Ends	\$42
EW1	48	24	G			Е		

Step 2 – Surface Finish

Step 3 – Edge Finish Laminate **Edge Band** PW-STK Studio Teak EB-STK Studio Teak **PW-STK EB-STK** 

#### **FEATURES**

#### **DEPTHS** 20" 24"

30" 36"

#### WIDTHS

24" 30" 36" 42" 48" 54" 60" 66" 72" 78" 84" 90" 96" 102" 108" 114" 120"

#### **THICKNESS**

1 1/8"

#### **WIRING & CABLING**

#### **GROMMET**



When a standard grommet is specified it is in a rear, centered location and is available in black only. Corner worksurfaces provide two edge grommets.

#### **SCALLOP**



Scalloped grommets feature additional half grommets on either end to provide a full grommet when two tops meet. The half grommet also allows for cord management by itself when it is wrapped by panels and not adjacent to other worksurfaces.

#### **CABLE DROP**

3/8" Cable management gap

#### **EDGE DETAIL**

#### **STANDARD**

3mm ABS

#### WOODGRAIN

2mm PVC

#### **SURFACE MATERIALS**

#### STANDARD WORKSURFACE

High pressure laminate

#### **CASCADE WORKSURFACE**

Thermafoil (available on Cascade edge only)


#### **EDGEBAND**

Available matching or contrasting. Upcharge may be applicable.

#### **SUPPORTS**

Under worksurface — black powdercoat Countercap supports — paint

## **WORKSURFACES**



## Worksurface

General Information

Top surface available in standard laminates. For a complete list of color offering consult the Finishes page (page 14) at the beginning of the price list.

Underside of all 24" deep and deeper rectangular worksurfaces are predrilled for mounting of support bracketry.

The front edge of 30" deep cantilevered surfaces should not be loaded in excess of 180 pounds.

Worksurfaces are designed to provide a 3%" cable management gap between the back edge of the worksurface and wall panel.

#### D & P TOPS

Equity "D" and "P" tops are actual depth plus 1½" to cover two posts and may not be panel wrapped. This allows an adjustable bar support to support the flat end without being visually obtrusive. Adjacent worksurfaces should be specified so as not to cover a post where a "D" or "P" top may be used.

#### **WORKSURFACE DIMENSIONS**

Equity is measured from the center of the posts on each end of the panel. A standard worksurface is dimensioned to fit in a fully panel wrapped configuration. It is therefore 1 ½" narrower than the nominal panel dimension. If you would like the worksurface to extend to cover one post you will need to add an "E" to the worksurface item number. This will add 1½" to the width of the surface. If you would like the worksurface to extend to cover both posts then you will need to add "EE", extending the surface by 3" from the standard. Adjustable height work surfaces, page 88, are 2" narrower than a standard surface to meet anti-pinch point requirements around their perimeter.

**E**.... Covers 1 post **EE**... Covers 2 posts


#### 24" DEEP STRAIGHTS & 15" TOWERS



When adding a 15" tower to the end of a worksurface you will need to add a "T" to the end of the model number in order to make the worksurface and tower completely flush. This will only be necessary on 24" deep worksurfaces with a width from 48" – 84".


(T) - Available on

W	Н	W (actual)	
48"	24"	43 1/4"	EW14824T
54"	24"	49 1/4"	EW15424T
60"	24"	55 1/4"	EW16024T
66"	24"	61 1/4"	EW16624T
72"	24"	67 1/4"	EW17224T
78"	24"	73 1/4"	EW17824T
84"	24"	79 1/4"	EW18424T



#### MOUNTING CORNER WORKSURFACES

**USING ALL CANTILEVERS** 



USING 2 CANTILEVERS AND 1 PANEL TO WORKSURFACE BRACKET



## Worksurface Support Information


Worksurf	face Sizes	Cantilev	er-C	Adjustable Bar S	upport-S	Supporting Pedestal	Supporting Pedestal
W	D	EB1C20(	L/R)	EB1SR(S/	L)	24" Deep	30" Deep
24"	20"	200 lbs	2C	200 lbs	25	N/A	N/A
24"	24"	200 lbs	2C	200 lbs	25	+1 Support	N/A
30"	20"	200 lbs	2C	200 lbs	25	N/A	N/A
30"	24"	200 lbs	2C	200 lbs	25	+1 Support	N/A
30"	30"	200 lbs	2C	200 lbs	25	_	+1 Support
36"	20"	200 lbs	2C	200 lbs	25	N/A	N/A
36"	24"	200 lbs	2C	200 lbs	25	+1 Support	N/A
36"	30"	200 lbs	2C	200 lbs	25	_	+1 Support
42"	20"	200 lbs	2C	200 lbs	25	N/A	N/A
42"	24"	200 lbs	2C	200 lbs	25	+1 Support	N/A
42"	30"	200 lbs	2C	200 lbs	25	_	+1 Support
48"	20"	216 lbs	2C	216 lbs	25	N/A	N/A
48"	24"	216 lbs	2C	216 lbs	25	+1 Support	N/A
48"	30"	216 lbs	2C	216 lbs	25	_	+1 Support
54"	20"	243 lbs	3C	243 lbs	2S/1C	N/A	N/A
54"	24"	243 lbs	3C	243 lbs	2S/1C	+2 Support	N/A
54"	30"	243 lbs	3C	243 lbs	2S/1C	_	+2 Support
60"	20"	270 lbs	3C	270 lbs	2S/1C	N/A	N/A
60"	24"	270 lbs	3C	270 lbs	2S/1C	+2 Support	N/A
60"	30"	270 lbs	3C	270 lbs	2S/1C	_	+2 Support
66"	20"	297 lbs	3C	297 lbs	2S/1C	N/A	N/A
66"	24"	297 lbs	3C	297 lbs	2S/1C	+2 Support	N/A
66"	30"	297 lbs	3C	297 lbs	2S/1C	_	+2 Support
72"	20"	324 lbs	3C	324 lbs	2S/1C	N/A	N/A
72"	24"	324 lbs	3C	324 lbs	2S/1C	+2 Support	N/A
72"	30"	324 lbs	3C	324 lbs	2S/1C	_	+2 Support
78"	20"	351 lbs	3C	351 lbs	2S/1C	N/A	N/A
78"	24"	351 lbs	3C	351 lbs	2S/1C	+2 Support	N/A
84"	20"	378 lbs	3C	378 lbs	2S/1C	N/A	N/A
84"	24"	378 lbs	3C	378 lbs	2S/1C	+2 Support	N/A
84"	30"	_		378 lbs	2S/1C	_	+2 Support
90"	20"	405 lbs	3C	405 lbs	2S/1C	N/A	N/A
90"	24"	405 lbs	3C	405 lbs	2S/1C	+2 Support	N/A
96"	20"	432 lbs	3C	432 lbs	2S/1C	N/A	N/A
96"	24"	432 lbs	3C	432 lbs	2S/1C	+2 Support	N/A
96"	30"	_		432 lbs	2S/2C		+2 Support
108"	20"	486 lbs	4C	486 lbs	2S/2C	N/A	N/A
108"	24"	486 lbs	4C	486 lbs	2S/2C	+3 Support	N/A
108"	30"	_		486 lbs	2S/2C	_	+3 Support
120"	20"	540 lbs	4C	540 lbs	2S/2C	N/A	N/A
120"	24"	540 lbs	4C	540 lbs	2S/2C	+3 Support	N/A
120"	30"	_		540 lbs	2S/2C		+3 Support

- Support must be installed for every four feet of width. As indicated, 5' worksurfaces require three supports; two panels are required to install the center support.
- The applications shown in the table emphasize the fundamentals of worksurface loading and support.
   As long as these criteria are met, supports can be interchanged.
- Supporting drawer pedestals can replace only one support.
- Depth of stretchered worksurfaces must be equal to or less than side panel widths.
- Stretchered worksurfaces should be used where heavy loading is anticipated.
- Cantilevers cannot be used as primary support for 36" deep surfaces or 30" deep surfaces wider than 72".
- The front edge of 30" deep surfaces should not be loaded in excess of 180 pounds.


Weights listed are the Business Institutional Furniture Manufacturers Association (BIFMA) functional load requirements for panel hung worksurface loading. If loads larger than these listed are anticipated, approval from Neutral Posture is required.

INSTALLATIONS WHICH VIOLATE THESE REQUIREMENTS WILL NOT BE COVERED BY THE NEUTRAL POSTURE WARRANTY.


## Worksurface



W3	W6	W13
	W7	T3
3		
W4	W11	T4
W5	W12	T5



20"[	Deep			LAMINATE	
W	D	MODEL#	L1	L2	L3
24"	20"	<b>EW</b> 12420	\$356	\$391	\$427
30"	20"	<b>EW</b> 13020	\$385	\$423	\$462
36"	20"	<b>EW</b> 13620	\$419	\$460	\$502
42"	20"	<b>EW</b> 14220	\$448	\$492	\$537
48"	20"	<b>EW</b> 14820	\$483	\$531	\$579
54"	20"	<b>EW</b> 15420	\$511	\$562	\$613
60"	20"	<b>EW</b> 16020	\$546	\$600	\$655
66"	20"	<b>EW</b> 16620	\$575	\$632	\$690
72"	20"	<b>EW</b> 17220	\$586	\$644	\$703
78"	20"	<b>EW</b> 17820	\$609	\$669	\$730
84"	20"	<b>EW</b> 18420	\$644	\$708	\$772
90"	20"	<b>EW</b> 19020	\$672	\$739	\$806
96"	20"	<b>EW</b> 19620	\$707	\$777	\$848
102"	20"	<b>EW</b> 110220	\$736	\$809	\$883
108"	20"	<b>EW</b> 110820	\$770	\$847	\$924
114"	20"	<b>EW</b> 111420	\$799	\$878	\$958
120"	20"	<b>EW</b> 112020	\$833	\$916	\$999



## 24" Deep


	Deck				
24"	24"	EW12424	\$391	\$430	\$469
30"	24"	<b>EW</b> 13024	\$414	\$455	\$496
36"	24"	EW13624	\$437	\$480	\$524
42"	24"	EW14224	\$460	\$506	\$552
48"	24"	EW14824	\$483	\$531	\$579
54"	24"	<b>EW</b> 15424	\$517	\$568	\$620
60"	24"	EW16024	\$580	\$638	\$696
66"	24"	<b>EW</b> 16624	\$638	\$701	\$765
72"	24"	EW17224	\$649	\$713	\$778
78"	24"	<b>EW</b> 17824	\$667	\$733	\$800
84"	24"	EW18424	\$678	\$745	\$813
90"	24"	<b>EW</b> 19024	\$690	\$759	\$828
96"	24"	<b>EW</b> 19624	\$730	\$803	\$876
102"	' 24"	<b>EW</b> 110224	\$770	\$847	\$924
108"	' 24"	EW110824	\$799	\$878	\$958
114"	' 24"	<b>EW</b> 111424	\$833	\$916	\$999
120"	' 24"	EW112024	\$862	\$948	\$1,034

## 24" DEEP STRAIGHTS **& 15" TOWERS**




When adding a 15" tower to the end of a worksurface you will need to add a "T" to the end of the model number in order to make the worksurface and tower completely flush. This will only be necessary on 24" deep worksurfaces with a width from 48" – 84".

				Options					
		W	D		Wiring			Extended En	ds
EW1	Rectangle	48	24	G	Grommet	\$28	Е	One End	\$24
				G2	Scallop	\$57	EE	Both Ends	\$48
FW1	:	40	24				_		
EVVI		48	24	G			Е		



2011				•	
30"[	)eep			LAMINATE	
W	D	MODEL#	L1	L2	L3
24"	30"	<b>EW</b> 12430	\$448	\$492	\$537
30"	30"	<b>EW</b> 13030	\$483	\$531	\$579
36"	30"	<b>EW</b> 13630	\$511	\$562	\$613
42"	30"	<b>EW</b> 14230	\$546	\$600	\$655
48"	30"	<b>EW</b> 14830	\$563	\$619	\$675
54"	30"	<b>EW</b> 15430	\$655	\$720	\$786
60"	30"	<b>EW</b> 16030	\$707	\$777	\$848
66"	30"	<b>EW</b> 16630	\$753	\$828	\$903
72"	30"	<b>EW</b> 17230	\$793	\$872	\$951
78"	30"	<b>EW</b> 17830	\$816	\$897	\$979
84"	30"	<b>EW</b> 18430	\$862	\$948	\$1,034
90"	30"	<b>EW</b> 19030	\$908	\$998	\$1,089
96"	30"	<b>EW</b> 19630	\$937	\$1,030	\$1,124
102"	30"	<b>EW</b> 110230	\$1,035	\$1,138	\$1,242
108"	30"	<b>EW</b> 110830	\$1,086	\$1,194	\$1,303
114"	30"	<b>EW</b> 111430	\$1,127	\$1,239	\$1,352
120"	30"	<b>EW</b> 112030	\$1,173	\$1,290	\$1,407




## 36" Deep

-	ccp				
48"	36"	<b>EW</b> 14836	\$782	\$860	\$938
54"	36"	<b>EW</b> 15436	\$810	\$891	\$972
60"	36"	<b>EW</b> 16036	\$845	\$929	\$1,014
66"	36"	<b>EW</b> 16636	\$891	\$980	\$1,069
72"	36"	<b>EW</b> 17236	\$954	\$1,049	\$1,144
78"	36"	<b>EW</b> 17836	\$1,006	\$1,106	\$1,207
84"	36"	<b>EW</b> 18436	\$1,035	\$1,138	\$1,242
90"	36"	<b>EW</b> 19036	\$1,086	\$1,194	\$1,303
96"	36"	EW19636	\$1,150	\$1,265	\$1,380
102"	36"	<b>EW</b> 110236	\$1,213	\$1,334	\$1,455
108"	36"	<b>EW</b> 110836	\$1,282	\$1,410	\$1,538
114"	36"	<b>EW</b> 111436	\$1,351	\$1,486	\$1,621
120"	36"	EW112036	\$1,408	\$1,548	\$1,689

#### Specify

- 1. Model#
- Options
   Laminate
- 4. Edge band

## **Grain Direction**



## Wiring & Cabling **G2** G

#### Grommet \$28


#### Scallop \$57

#### Support Information


All supports must be ordered separately. See page 84 – 85.

**Worksurface Loading & Support** See page 73.

A center support must be used with a 54" wide or wider worksurface.




Strai	ight	Front		LAMINATE			
Α	L	R	MODEL#	L1	L2	L3	
36"	20"	20"	EW1C3620	\$649	\$713	\$778	
36"	24"	24"	EW1C3624	\$649	\$713	\$778	
36"	30"	30"	EW1C3630	\$730	\$803	\$876	
42"	20"	20"	EW1C4220	\$822	\$904	\$986	
42"	24"	24"	EW1C4224	\$822	\$904	\$986	
42"	30"	30"	EW1C4230	\$891	\$980	\$1,069	
48"	20"	20"	EW1C4820	\$983	\$1,081	\$1,179	
48"	24"	24"	EW1C4824	\$983	\$1,081	\$1,179	
48"	30"	30"	EW1C4830	\$1,000	\$1,100	\$1,200	




## **Curved Front**

	36"	24"	24"	EW1CC3624	\$713	\$784	\$855	
>	42"	24"	24"	EW1CC4224	\$908	\$998	\$1,089	
	48"	24"	24"	EW1CC4824	\$1,081	\$1,189	\$1,297	
	60"	24"	24"	EW1CC6024	\$1,207	\$1,327	\$1,448	




### **Corner with Cutout**

48"	24"	24"	EW1C4824K	\$977	\$1,074	\$1,172



#### **Different Returns**

36"	24"	30"	EW1C362430	\$874	\$961	\$1,048	
36"	30"	24"	EW1C363024	\$874	\$961	\$1,048	
42"	24"	30"	EW1C422430	\$983	\$1,081	\$1,179	
42"	30"	24"	EW1C423024	\$983	\$1,081	\$1,179	
48"	24"	30"	EW1C482430	\$1,086	\$1,194	\$1,303	
48"	30"	24"	EW1C483024	\$1,086	\$1,194	\$1,303	



Split Corner — all hardware included				LAMINATE			PAINT (CANTILEVERS ONLY)	
A	L	R	MODEL#	L1	L2	L3	P2	P3
36"	24"	24"	EW1SC3624	\$2,167	\$2,383	\$2,600	+ \$17	+ \$34
42"	24"	24"	EW1SC4224	\$2,225	\$2,447	\$2,670	+ \$17	+ \$34
42"	30"	30"	EW1SC4230	\$2,259	\$2,484	\$2,710	+ \$17	+ \$34
48"	24"	24"	EW1SC4824	\$2,351	\$2,586	\$2,821	+ \$17	+ \$34
48"	30"	30"	EW1SC4830	\$2,507	\$2,757	\$3,008	+ \$17	+ \$34

Paint option is for cantilevers only. All other hardware is only available in black.

#### Specify

- 1. Model#
- 2. Options
- 3. Laminate
- 4. Edge band
- 5. Grain direction

## Grain Direction



Insert the desired direction after the laminate finish code.

NOTE: Add \$30 to list price for diagonal grain (D).

#### Wiring & Cabling





Grommet \$28 Scallop

#### Scallop \$

#### **Application Notes**


A return panel may not be used next to corner worksurfaces, as they cover both posts for a smooth transition with adjacent rectangular worksurfaces.

#### Support Information


All supports must be ordered separately. See page 84 – 85.

## **Worksurface Loading & Support** See page 73.

A center support must be used with a 54" wide or wider worksurface.



Righ	t Ha	nd			LAMINATE			
L	A	В	R	MODEL#	L1	L2	L3	
24"	36"	60"	24"	EW1BS3660S(X/L/R/B)	\$971	\$1,068	\$1,165	
24"	48"	60"	24"	EW1BS4860S(X/L/R/B)	\$994	\$1,093	\$1,192	
24"	48"	66"	24"	EW1BS4866S(X/L/R/B)	\$1,023	\$1,125	\$1,227	
24"	36"	72"	24"	EW1BS3672S(X/L/R/B)	\$1,023	\$1,125	\$1,227	
24"	48"	72"	24"	EW1BS4872S(X/L/R/B)	\$1,069	\$1,175	\$1,282	
24"	48"	60"	30"	EW1BS4860D(X/L/R/B)	\$1,023	\$1,125	\$1,227	
24"	48"	66"	30"	EW1BS4866D(X/L/R/B)	\$1,046	\$1,150	\$1,255	
24"	48"	72"	30"	EW1BS4872D(X/L/R/B)	\$1,109	\$1,219	\$1,330	
30"	48"	60"	24"	EW1BD4860S(X/L/R/B)	\$1,023	\$1,125	\$1,227	
30"	48"	66"	24"	EW1BD4866S(X/L/R/B)	\$1,029	\$1,131	\$1,234	
30"	48"	72"	24"	EW1BD4872S(X/L/R/B)	\$1,081	\$1,189	\$1,297	



### **Left Hand**

24"	60"	36"	24"	EW1BS6036S(X/L/R/B)	\$971	\$1,068	\$1,165
24"	60"	48"	24"	EW1BS6048S(X/L/R/B)	\$1,000	\$1,100	\$1,200
24"	66"	48"	24"	EW1BS6648S(X/L/R/B)	\$1,023	\$1,125	\$1,227
24"	72"	36"	24"	EW1BS7236S(X/L/R/B)	\$1,029	\$1,131	\$1,234
24"	72"	48"	24"	EW1BS7248S(X/L/R/B)	\$1,069	\$1,175	\$1,282
24"	60"	48"	30"	EW1BS6048D(X/L/R/B)	\$1,000	\$1,100	\$1,200
24"	66"	48"	30"	EW1BS6648D(X/L/R/B)	\$1,023	\$1,125	\$1,227
24"	72"	48"	30"	EW1BS7248D(X/L/R/B)	\$1,081	\$1,189	\$1,297
30"	60"	48"	24"	EW1BD6048S(X/L/R/B)	\$1,000	\$1,100	\$1,200
30"	66"	48"	24"	EW1BD6648S(X/L/R/B)	\$1,046	\$1,150	\$1,255
30"	72"	48"	24"	EW1BD7248S(X/L/R/B)	\$1,109	\$1,219	\$1,330

						Options
	L	Α	В	R	Posts Covered	Wiring
EW1B Blended Worksurface	<b>S 24</b> D 30	36	72	<b>S 24</b> D 30	X No posts covered L Left side post covered R Right side post covered B Both side posts covered	G Grommet \$28 G2 Scallop \$57
EW1B	S	36	72	S	X	G

#### Specify

- 1. Model#
- 2. Options
- 3. Laminate
- 4. Edge band



# Wiring & Cabling G G Grommet \$28 Scallop \$57

#### **Application Notes**


Blended worksurfaces are designed to take the place of two adjacent worksurfaces by blending them into one top. The front of the worksurface is curved to provide a smooth transition to the next attached worksurface.

#### Support Information


All supports must be ordered separately. See page 84.

**Worksurface Loading & Support** See page 73.

A center support must be used with a 54" wide or wider worksurface.



Righ	t Ha	nd		LAMINATE				
Α	В	C	MODEL#	L1	L2	L3		
60"	48"	24"	EW1BP6048SR	\$1,121	\$1,233	\$1,345		
72"	48"	24"	EW1BP7248SR	\$1,144	\$1,258	\$1,372		
72"	48"	30"	EW1BP7248DR	\$1,173	\$1,290	\$1,407		
78"	48"	24"	EW1BP7848SR	\$1,196	\$1,315	\$1,435		
78"	48"	30"	EW1BP7848DR	\$1,196	\$1,315	\$1,435		
84"	48"	24"	EW1BP8448SR	\$1,408	\$1,548	\$1,689		
84"	48"	30"	EW1BP8448DR	\$1,437	\$1,580	\$1,724		



#### Left Hand

LCIC	IIIIII	м				
60"	48"	24"	EW1BP6048SL	\$1,121	\$1,233	\$1,345
72"	48"	24"	EW1BP7248SL	\$1,144	\$1,258	\$1,372
72"	48"	30"	EW1BP7248DL	\$1,173	\$1,290	\$1,407
78"	48"	24"	EW1BP7848SL	\$1,196	\$1,315	\$1,435
78"	48"	30"	EW1BP7848DL	\$1,196	\$1,315	\$1,435
84"	48"	24"	EW1BP8448SL	\$1,408	\$1,548	\$1,689
84"	48"	30"	EW1BP8448DL	\$1,437	\$1,580	\$1,724

	Α	В	С	Posts Covered
EW1BP Blended Peninsula	36	72	S 24" Deep	L Left side post covered
			D 30" Deep	R Right side post covered
EW1BP	36	72	; - ;	L

#### Specify

- 1. Model #
- 2. Options
- 3. Laminate4. Edge band

#### **Grain Direction**



#### Grommet


Blended peninsulas do not come with a grommet. Due to this, if the worksurface adjacent to the "C" side is ordered with scallops there will be a one-half scallop where the return meets the peninsula.

#### Support Information


All supports must be ordered separately. See page 84 – 85.

## **Worksurface Loading & Support** See page 73.

Center support must be used for all surfaces which exceed 48" in length.



D Pe	ninsu	ıla	LAMINATE				
W	D	MODEL#	L1	L2	L3		
60"	30"	EW1D6030	\$632	\$695	\$758		
72"	30"	EW1D7230	\$1,098	\$1,207	\$1,317		
72"	36"	EW1D7236	\$1,282	\$1,410	\$1,538		
84"	30"	EW1D8430	\$1,437	\$1,580	\$1,724		
84"	36"	EW1D8436	\$1,598	\$1,757	\$1,917		



#### 9 & P Peninsula


72"	30"	EW1(9/P)7230	\$1,098	\$1,207	\$1,317
72"	36"	EW1(9/P)7236	\$1,282	\$1,410	\$1,538
84"	30"	EW1(9/P)8430	\$1,437	\$1,580	\$1,724
84"	36"	EW1(9/P)8436	\$1,598	\$1,757	\$1,917

		W	D
EW1D	D Peninsula	72	30
EW19	9 Peninsula	:	
EW1P	P Peninsula		:
	:		
EW1BP	'	72	30

#### Specify

- 1. Model#
- 2. Options
- 3. Laminate

4. Edge band



#### **Application Notes**

Designed for use as primary worksurfaces and for conferencing in small groups.


NOTE: P and D worksurfaces cannot be panel wrapped.

#### **Support Information**

Column bases and adjustable bar supports must be ordered separately. See page 84 – 85.

Worksurface Loading & Support See page 73.

84" wide D, P and 9 worksurfaces include a V support bar mounted on the underside for additional stability.



Half Round without Notch				LAMINATE	
W	D	MODEL#	L1	L2	L3
48"	30"	EW1HR4830	\$856	\$941	\$1,027
60"	36"	EW1HR6036	\$1,074	\$1,181	\$1,288



### **Half Round with Notch**

W	D	MODEL#	L1	L2	L3
48"	30"	EW1HR4830N	\$856	\$941	\$1,027
60"	36"	EW1HR6036N	\$1,074	\$1,181	\$1,288



#### **Corner Round**

D	MODEL#	L1	L2	L3
24"	EW1CR24	\$385	\$423	\$462
30"	EW1CR30	\$419	\$460	\$502

			Options
	W	D	Notch
EW1HR Half Round	36	72	N Round Notch
EW1HR	36	72	N

#### Specify

- 1. Model#
- 2. Options
- 3. Laminate
- 4. Edge band



#### **Half Round Without Notches**

Half rounds without notches attach to panels by means of an adjustable bar support and are supported by column bases, available in standard trim colors. Column is fixed height.

#### **Half Round With Notches**

#### Included

Splice plates


#### Not Included nor Required

Bar support


#### Support Information

All supports must be ordered separately. See page 84 – 85.

**Worksurface Loading & Support** See page 73.




Blended Double Corner			le Corner		LAMINATE	
A	В	C	MODEL#	ព	L2	L3
96"	48"	24"	EW1BC9648	\$1,437	\$1,580	\$1,724



#### 135° Curved Cluster

A	В	MODEL#	LI	L2	L3
36"	24"	<b>EW</b> 11353624	\$1,054	\$1,159	\$1,264
42"	24"	<b>EW</b> 11354224	\$1,316	\$1,447	\$1,579
48"	24"	EW11354824	\$1,514	\$1,665	\$1,816



## 135° Cluster Core

A	MODEL#	L1	L2	L3
36"	<b>EW</b> 1135 <b>C</b> 36	\$673	\$740	\$807
42"	<b>EW</b> 1135 <b>C</b> 42	\$744	\$818	\$892
48"	<b>EW</b> 1135 <b>C</b> 48	\$817	\$898	\$980


#### Specify

- 1. Model#
- 2. Options
- 3. Laminate
- 4. Edge band

# Wiring & Cabling G G2

Grommet \$28 Scallop \$57

## Grain Direction



# Double Corner Double corner worksurface is designed to take the place of two adjacent corners by combining

them into one top.

48" deep sides are designed to cover a post and cannot be panel wrapped.

#### 135° Curved Cluster

Used in 135° planning configurations.

#### Support Information

All supports must be ordered separately. See page 84 – 85.

**Worksurface Loading & Support** See page 73.



Cantilever		PAINT				
DESCRIPTION	D	MODEL#	BLACK	P1	P2	Р3
Left hand	20"	EB1C20L	\$103	\$172	\$189	\$206
Left hand (10 pack)	20"	EB1C20L10	\$805	\$1,150	\$1,265	\$1,380
Right hand	20"	EB1C20R	\$103	\$172	\$189	\$206
Right hand (10 pack)	20"	EB1C20R10	\$805	\$1,150	\$1,265	\$1,380



#### 120 Cantilever

Left hand 60°	18"	EB3C18L60	\$105	\$174	\$191	\$208
Left hand 90°	18"	EB3C18L90	\$105	\$174	\$191	\$208
Right hand 60°	18"	EB3C18R60	\$105	\$174	\$191	\$208
Right hand 90°	18"	EB3C18R90	\$105	\$174	\$191	\$208




## **Splice Plate**

20" Flat bracket (20" & 24" tops)	EB1F24	\$51	N/A	N/A	N/A
26" Flat bracket (30" & 36" tops)	<b>EB</b> 1 <b>F</b> 30	\$59	N/A	N/A	N/A
Alignment plate	EB1APW	\$16	N/A	N/A	N/A



### **Bracket**

Panel to worksurface bracket	EB1PWS(L/R)	\$17	\$57	\$62	\$68
Panel to worksurface bracket (Pair – L/R)	EB1PWSP	\$33	\$103	\$113	\$123



## **V Channel Support**

54"	<b>VS</b> 54	\$143	N/A	N/A	N/A
100"	<b>VS</b> 100	\$276	N/A	N/A	N/A

## **Worksurface Support Rail**

ACTUAL WIDTH	MAX WORKSURFACE WIDT	н				
46"	60"	WSR46	\$92	N/A	N/A	N/A
57"	72"	WSR57	\$109	N/A	N/A	N/A

#### Cantilevers

Worksurface cantilevers lock into panel slotted standards at 1" increments. Cantilevers are handed.

#### Panel to Worksurface Bracket

Can be specified in lieu of cantilever when worksurface is same depth as adjacent panel.

A single bracket can be specified behind a pedestal to secure adjacent panel to worksurface.



Adjustable Bar Support		PAINT			
DESCRIPTION	MODEL#	BLACK	P1	P2	P3
24", 30" and 36"	EB1SRS	\$230	\$287	\$315	\$344
24", 30" and 36" (10 pack)	EB1SRS10	\$2,185	\$2,760	\$3,036	\$3,312
42", 48" and 60"	EB1SRL	\$258	\$316	\$347	\$379
42", 48" and 60" (10 pack)	EB1SRL10	\$2,300	\$2,990	\$3,289	\$3,588



Desk E	nd Panels			LAMINATE	
Н	W	MODEL#	L1	L2	L3
29"	20"	EB1DEP20	\$704	\$774	\$844
29"	24"	EB1DEP24	\$718	\$789	\$861
20"	20"	EP1DED20	\$760	¢026	¢011

#### Specify

1. Model #

2. Paint

#### Adjustable Bar Support

Adjustable bar supports position in the slotted standards at 1" increments. Two sizes of adjustable bar supports are available. Small adjustable bar support fits 24" through 36" wide panels; the larger adjustable bar support fits 42" through 60" wide panels. All have keyhole slots to mount worksurfaces and are non-handed.



Column Bases	Column Bases				
DESCRIPTION	Н	MODEL#	P1	P2	Р3
Fixed height support column	27 ¾"	EB1FCOL	\$368	\$400	\$416



## **Tapered Legs**

Single leg       27 ¾"       TBTL       \$402       \$442       \$482         Single leg w/caster       27 ¾"       TBTLC       \$431       \$471       \$511         Set of 2       27 ¾"       TBTL2       \$690       \$759       \$828         Set of 2 w/casters       27 ¾"       TBTL2C       \$747       \$816       \$885         Set of 4       27 ¾"       TBTL4       \$1,322       \$1,454       \$1,586         Set of 4 w/casters       27 ¾"       TBTL4C       \$1,437       \$1,569       \$1,701         Bar height single leg       40 ½"       TBTLBH       \$908       \$1,023       \$1,138         Bar height set of 2       40 ½"       TBTLBH2       \$1,725       \$2,070       \$2,156         Bar height set of 4       40 ½"       TBTLBH4       \$3,105       \$3,450       \$3,910						
Set of 2       27 ¾"       TBTL2       \$690       \$759       \$828         Set of 2 w/casters       27 ¾"       TBTL2C       \$747       \$816       \$885         Set of 4       27 ¾"       TBTL4       \$1,322       \$1,454       \$1,566         Set of 4 w/casters       27 ¾"       TBTL4C       \$1,437       \$1,569       \$1,701         Bar height single leg       40 ½"       TBTLBH       \$908       \$1,023       \$1,138         Bar height set of 2       40 ½"       TBTLBH2       \$1,725       \$2,070       \$2,156	Single leg	27 ¾"	TBTL	\$402	\$442	\$482
Set of 2 w/casters       27 ¾"       TBTL2C       \$747       \$816       \$885         Set of 4       27 ¾"       TBTL4       \$1,322       \$1,454       \$1,586         Set of 4 w/casters       27 ¾"       TBTL4C       \$1,437       \$1,569       \$1,701         Bar height single leg       40 ½"       TBTLBH       \$908       \$1,023       \$1,138         Bar height set of 2       40 ½"       TBTLBH2       \$1,725       \$2,070       \$2,156	Single leg w/caster	27 ¾"	TBTLC	\$431	\$471	\$511
Set of 4       27 ¾"       TBTL4       \$1,322       \$1,454       \$1,586         Set of 4 w/casters       27 ¾"       TBTL4C       \$1,437       \$1,569       \$1,701         Bar height single leg       40 ½"       TBTLBH       \$908       \$1,023       \$1,138         Bar height set of 2       40 ½"       TBTLBH2       \$1,725       \$2,070       \$2,156	Set of 2	27 ¾"	TBTL2	\$690	\$759	\$828
Set of 4 w/casters     27 ¾"     TBTL4C     \$1,437     \$1,569     \$1,701       Bar height single leg     40 ½"     TBTLBH     \$908     \$1,023     \$1,138       Bar height set of 2     40 ½"     TBTLBH2     \$1,725     \$2,070     \$2,156	Set of 2 w/casters	27 ¾"	TBTL2C	\$747	\$816	\$885
Bar height single leg       40 ½"       TBTLBH       \$908       \$1,023       \$1,138         Bar height set of 2       40 ½"       TBTLBH2       \$1,725       \$2,070       \$2,156	Set of 4	27 ¾"	TBTL4	\$1,322	\$1,454	\$1,586
Bar height set of 2 40 ½" <b>TBTLBH</b> 2 \$1,725 \$2,070 \$2,156	Set of 4 w/casters	27 ¾"	TBTL4C	\$1,437	\$1,569	\$1,701
	Bar height single leg	40 ½"	TBTLBH	\$908	\$1,023	\$1,138
Bar height set of 4 40 ½" <b>TBTLBH</b> 4 \$3,105 \$3,450 \$3,910	Bar height set of 2	40 ½"	TBTLBH2	\$1,725	\$2,070	\$2,156
	Bar height set of 4	40 ½"	TBTLBH4	\$3,105	\$3,450	\$3,910



## Round Legs — (Bar Height)

Single leg	40 ¾"	TBRL	\$4	102 \$442	\$482
Single leg w/caster	40 ¾"	TBRLC	\$4	\$471	\$511
Set of 2	40 ¾"	TBRL2	\$6	\$90 \$759	\$828
Set of 2 w/casters	40 ¾"	TBRL2C	\$7	47 \$816	\$885
Set of 4	40 ¾"	TBRL4	\$1,3	\$1,454	\$1,586
Set of 4 w/casters	40 ¾"	TBRL4C	\$1,4	\$1,569	\$1,701

## Specify

- 1. Model # 2. Paint



O Legs				PAINT	
DESCRIPTION	Н	MODEL#	P1	P2	P3
24" Deep	27 ¾"	TBOLL24	\$686	\$754	\$823
30" Deep	27 ¾"	TBOLL30	\$698	\$767	\$837
24" Deep (set of 2)	27 ¾"	TBOLL242	\$1,353	\$1,488	\$1,623
30" Deep (set of 2)	27 ¾"	TBOLL302	\$1,376	\$1,513	\$1,651



### **T Legs**

9 -					
20" Deep	27 ¾"	TBTLL20	\$387	\$425	\$464
26" Deep	27 ¾"	TBTLL26	\$399	\$438	\$478
36" Deep	27 ¾"	TBTLL36	\$422	\$464	\$506
42" Deep	27 ¾"	TBTLL42	\$514	\$565	\$616
48" Deep	27 ¾"	TBTLL48	\$606	\$666	\$726
20" Deep (set of 2)	27 ¾"	TBTLL202	\$755	\$830	\$906
26" Deep (set of 2)	27 ¾"	TBTLL262	\$778	\$855	\$933
36" Deep (set of 2)	27 ¾"	TBTLL362	\$824	\$906	\$988
42" Deep (set of 2)	27 ¾"	TBTLL422	\$1,008	\$1,108	\$1,209
48" Deep (set of 2)	27 ¾"	TBTLL482	\$1,181	\$1,299	\$1,416



## **C** Legs

20" Deep	27 ¾"	TBCLL20	\$387	\$425	\$464
26" Deep	27 ¾"	TBCLL26	\$399	\$438	\$478
32" Deep	27 ¾"	TBCLL32	\$422	\$464	\$506
20" Deep (set of 2)	27 ¾"	TBCLL202	\$755	\$830	\$906
26" Deep (set of 2)	27 ¾"	TBCLL262	\$778	\$855	\$933
32" Deep (set of 2)	27 ¾"	TBCLL322	\$836	\$919	\$1,002

#### Specify

- 1. Model#
- 2. Paint


#### Levelers

Adjustable height levelers are included at no additional cost on all models.

Shank Length


C & T-Legs — 3%-16 x 3/4" O-Legs — 3%-16 x 2" Leveler extensions can be ordered separately. Please contact Customer Service for information on ordering leveler extensions. Casters can be ordered in place of levelers for an upcharge on most standard height tables.

# **Height Adjustable Worksurfaces** Worksurface for Height Adjustable Supports



#### Worksurface Only 24" For Height Adjustable Supports LAMINATE WOOD VENEER D MODEL# L1 L2 L3 W1 W2 W3 42" 24" EAW14224WS \$506 \$552 \$460 \$920 \$1,012 \$1,104 48" 24" EAW14824WS \$483 \$531 \$579 \$966 \$1,062 \$1,159 54" 24" EAW15424WS \$529 \$581 \$634 \$1,058 \$1,163 \$1,269 60" EAW16024WS \$580 \$638 \$696 \$1,393 24" \$1,161 \$1,277 24" EAW17224WS \$713 \$778 \$1,299 \$1,428 \$1,558

Worksurfaces are sized to fit with the Equity system. For stand-alone height adjustable desks see page 126.



#### Worksurface Only 30"

For Height Adjustable Supports

_									
	42"	30"	EAW14230WS	\$546	\$600	\$655	\$1,092	\$1,201	\$1,310
	48"	30"	EAW14830WS	\$563	\$619	\$675	\$1,127	\$1,239	\$1,352
	54"	30"	EAW15430WS	\$632	\$695	\$758	\$1,265	\$1,391	\$1,518
	60"	30"	EAW16030WS	\$707	\$777	\$848	\$1,414	\$1,555	\$1,696
	72"	30"	EAW17230WS	\$793	\$872	\$951	\$1,587	\$1,745	\$1,904

Worksurfaces are sized to fit with the Equity system. For stand-alone height adjustable desks see page 126.

#### Specify


- 1. Model#
- 2. Laminate
- 3. Edge band
- 4. Support color Black or Silver

#### **Application Notes**

Provides 18" of vertical movement.

#### **Grain Direction**





## **Specification Guidelines**

Order an adjustable height worksurface to match the panel(s) width the worksurface will be attached to. The worksurface cannot be configured to cover a partial panel.

There will be a 1" space around the perimeter of the adjustable height worksurface in order to prevent pinch points.

When used as a solitary worksurface perpendicular panels of 18" minimum width must be specified on both sides for stability.

When used in conjunction with a stationary worksurface there should be a perpendicular panel at the free end of the adjustable worksurface. The free end of the fixed worksurface should be supported with a cantilever or pedestal.

NOTE: Adjustable worksurface meets BIFMA loading requirements for safety. Mechanism is designed to have up to 100 lbs. of load and function smoothly.









## **Electric Height Adjustable Base**

DESCRIPTION	FOOT DEPTH	MODEL#	BLACK OR SILVER
2 legs	23 3/5"	TBAHL224	\$2,296
3 legs	23 3/5"	TBAHL324	\$3,216





#### Specify

- 1. Model#
- 2. Trim color

#### **Application Notes**

**Electric Height Adjustable Base** Adjustable height bases can be used with 24" and 30" deep worksurfaces. Worksurfaces must be between 48" - 84" wide.

Adjustable height bases have a capacity of 264 lbs evenly distributed.

Comes with four position memory controller.

Anti-collision stops and reverses the travel of the table when the table collides with a fixed object during operation.

3-stage legs offer a large height adjustment range of 24" - 50".

## **Worksurfaces**

120° Planning

These worksurfaces are designed specifically for Equity 120° applications. The (L/R) suffix at the end of a model number indicates a defined pedestal location. If the worksurface has no defined pedestal location, the (L/R) represents the curved side of the top. All tops and tables are available with 2mm edge band or a cascading edge.

#### Worksurface: W3

This worksurface, combined with the T3 transition top, works best with the "apartment" layout. This application allows for stations on both sides of the spine, and is ideal for high density layouts. Available in extended versions for placement directly next to another worksurface.

#### Worksurface: W6 (L/R)


In the "big house," "full house" or "open house", this worksurface allows for a pedestal on one side (determined by the L/R).

Applications for this top include a call center with the "open house," technical applications with the "full house," and managerial layouts with the "big house."



#### Worksurface: W4

This top works well in the "open house," "full house," and "big house" layouts for call center, professional and managerial applications.









#### Worksurface: W7 (L/R)


Used in conjunction with a T4 transition top, the W7 worksurface provides a great teaming space when the "townhouse" layout is used. The "open house" layout incorporates the T2 transition top for professional or technical stations with shared space for conferencing. Available in extended versions for placement directly next to another worksurface.












#### Worksurface: W5 (L/R)


With transition top T5 and this worksurface, teaming is made easy using the "townhouse" or "open house" layout. The shared space allows for call center, professional or technical applications.


#### Worksurface: W11 / W1118 (L/R)

This top is a spacious option for a technical station in the "open house" layout. Adding a T2 transition top provides additional teaming space. The W11 surface also fits nicely in a private managerial office or a "full house" professional application.











#### Worksurface: W12 / W1218 (L/R)

This top, with the T5/T518 transition top provides a technical office with shared conferencing space in the "open house" layout. The 18 return allows ample space in the supervisory application of the "full house."




#### Worksurface: W13 / W1318 (L/R)

This surface provides a teaming space with the T2/T218 transition in the "open house" layout. The W13/W1318 creates generous worksurface space in the "full house" as well as the management layout of the "big house."









#### **Transition Tops**

Transition tops require columns (not included — (page 85)) for support. Flat brackets (not included — (page 84)) are required to attach transition tops to adjacent worksurfaces.



Transition top



Transition top



Transition top



Transition top

#### **Peninsula Tops**

Peninsula tops provide additional workspace in a "big house" layout.

Peninsula tops are freestanding and supported by table legs, columns or a combination of both (not included — (page 85)).




Peninsula top



Peninsula top: P2 right hand



Peninsula top: P2 left hand




1	W3			LAMINATE			
	W	L	R	MODEL #	L1	L2	L3
	48"	24"	24"	EW1W34824	\$1,173	\$1,290	\$1,407

**Woodgrain Direction** 








## **W4**

48"	24"	24"	EW1W44824	\$1,184	\$1,302	\$1,420

**Woodgrain Direction** 






#### **W5**

48"	24"	24"	EW1W54824L	\$1,121	\$1,233	\$1,345
48"	24"	24"	EW1W54824R	\$1,121	\$1,233	\$1,345

**Woodgrain Direction** 





#### **W6**

48"	24"	24"	EW1W64824L	\$1,253	\$1,378	\$1,503
48"	24"	24"	EW1W64824R	\$1,253	\$1,378	\$1,503

**Woodgrain Direction** 



#### Specify

- 1. Model#
- 2. Laminate
- 3. Edge band

#### **Support Information**

All supports must be ordered separately. See page 84 – 85.


**Worksurface Loading & Support** See page 73.

#### **Application Notes**

Refer to the worksurface planning page 90 for worksurface drawings and applications.

W3 top may be extended on either the left or right hand side by adding an "EL" or "ER" to the end of the model number and adding \$21 (list).


W3 top may be extended on both ends by adding an "EB" to the end of the model number and adding \$42 (list).



W7			LAMINATE			
W	L	R	MODEL #	L1	L2	L3
48"	24"	24"	EW1W74824L	\$1,247	\$1,371	\$1,496
48"	24"	24"	EW1W74824R	\$1,247	\$1,371	\$1,496

**Woodgrain Direction** 






#### **W11**

48"	24"	18"	EW1W11482418	\$1,47	2 \$1,619	\$1,766
48"	18"	24"	<b>EW</b> 1 <b>W</b> 11481824	\$1,47	2 \$1,619	\$1,766

**Woodgrain Direction** 






#### W12

48"	24"	18"	EW1W12482418	\$1,564	\$1,720	\$1,876
48"	18"	24"	EW1W12481824	\$1,564	\$1,720	\$1,876
48"	24"	24"	EW1W124824L	\$1,564	\$1,720	\$1,876
48"	24"	24"	EW1W124824R	\$1,564	\$1,720	\$1,876

**Woodgrain Direction** 





### W13

48"	24"	18"	EW1W13482418	\$1,506	\$1,656	\$1,807
48"	18"	24"	EW1W13481824	\$1,506	\$1,656	\$1,807
48"	24"	24"	EW1W134824L	\$1,506	\$1,656	\$1,807
48"	24"	24"	EW1W134824R	\$1,506	\$1,656	\$1,807

**Woodgrain Direction** 



#### Specify

- 1. Model #
- 2. Laminate
- 3. Edge band

#### **Support Information**

All supports must be ordered separately. See page 84 – 85.

**Worksurface Loading & Support** See page 73.

#### **Application Notes**

Refer to the worksurface planning page 90 for worksurface drawings and applications.

#### W7

Straight ends are available extended by adding an "E" to the end of the model number and adding \$21 (list).

## **Worksurfaces**

**Transition Tops** 



T2				LAMINATE	
W	RETURN	MODEL#	L1	L2	L3
50"	24"	EW1T224	\$753	\$828	\$903
37 ½"	18"	EW1T218	\$707	\$777	\$848



T3
26" 24" EW1T324 \$718 \$789 \$861



T4
26" 24" EW1T424 \$741 \$815 \$889



<u>T5</u>										
	37 ½"	18"	EW1T518	\$776	\$853	\$931				
	50"	24"	EW1T524	\$759	\$834	\$910				




## **Peninsula Tops**

25"		F144 D4 = 00 = (1 (D)	****	4046	4000
35"	52"	EW1P15235 (L/R)	\$833	\$916	\$999
36"	38"	EW1P23836(L/R)	\$805	\$885	\$966

#### Specify

- 1. Model#
- 2. Laminate
- 3. Edge band



#### **T2 Transition Top**

T2 transition top comes cut to fit against a postless end. If placing against an end with a post, add an "N" to the end of the model number so it is notched for the post.

#### Support Information

Transition and peninsula tops require a column base for support.

All supports must be ordered separately. See page 84 – 85.

**Worksurface Loading & Support** See page 73.

#### **CASCADE EDGE**

## Cascade

Cascade edge worksurfaces are wrapped with a thermafoil sheet that is heated and pressed around a substrate. This substrate can be FSC certified upon request. Thermafoil is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat cascade edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Cascade edge worksurfaces in solid colors utilize a non-PVC construction and are also free of any plasticizers, pthalates and lead content.

#### **AVAILABLE LAMINATES**

#### Solid

114 Folkstone Grey 117 Soft Grey

118 Bright White

119 Pumice

#### Woodgrain


124 Medium Cherry

125 Natural Maple


126 Natural Cherry

127 Walnut

## **Cascade Worksurfaces Straights**



24" I	Deep		LAMINATE		
W	D	MODEL#	SOLID	WOODGRAIN	
24"	24"	ECE1R2424N	\$255	\$293	
30"	24"	ECE1R3024N	\$293	\$336	
36"	24"	ECE1R3624N	\$323	\$372	
42"	24"	ECE1R4224N	\$372	\$428	
48"	24"	ECE1R4824N	\$418	\$481	
54"	24"	ECE1R5424N	\$449	\$516	
60"	24"	ECE1R6024N	\$487	\$561	
66"	24"	ECE1R6624N	\$527	\$604	
72"	24"	ECE1R7224N	\$550	\$633	
78"	24"	ECE1R7824N	\$592	\$679	
84"	24"	ECE1R8424N	\$625	\$718	
90"	24"	ECE1R9024N	\$706	\$809	
96"	24"	ECE1R9624N	\$770	\$885	



## 30" Deep

24"	30"	ECE1R2430N	\$324	\$374
30"	30"	ECE1R3030N	\$364	\$418
36"	30"	ECE1R3630N	\$405	\$466
42"	30"	ECE1R4230N	\$440	\$504
48"	30"	ECE1R4830N	\$487	\$561
54"	30"	ECE1R5430N	\$552	\$634
60"	30"	ECE1R6030N	\$607	\$696
66"	30"	ECE1R6630N	\$677	\$778
72"	30"	ECE1R7230N	\$706	\$809
78"	30"	ECE1R7830N	\$752	\$864
84"	30"	ECE1R8430N	\$800	\$920
90"	30"	ECE1R9030N	\$860	\$989
96"	30"	ECE1R9630N	\$920	\$1,056

## Sample

, uiii	Pic			
12"	12"	ECE1R1212G2	\$157	\$182

#### Specify


- 1. Model#
- 2. Options
- 3. Laminate

#### **Extended Ends**

 ${\bf E}\dots$  Covers 1 post

\$24 **EE** ... Covers 2 posts \$48

#### **Grain Direction**



Edge Profile

#### Wiring & Cabling



Scallop \$57

#### **Available Laminates**

#### Solid

- 114 Folkstone Grey 117 Soft Grey
- 118 Bright White 119 Pumice

## Woodgrain

- 124 Medium Cherry
- 125 Natural Maple 126 Natural Cherry
- 127 Walnut

## Support Information


All supports must be ordered separately. See page 84 – 85.

#### **Worksurface Loading & Support** See page 73.

A center support must be used with a 54" wide or larger worksurface.




Corne	er – Cu	urved Fro	ont	LAMINA	TE
A	В	C	MODEL#	SOLID	WOODGRAIN
36"	24"	24"	ECE1L3636SSN	\$637	\$734
42"	24"	24"	ECE1L4242SSN	\$770	\$885
42"	24"	30"	ECE1L4242SDN	\$915	\$1,049
42"	30"	24"	ECE1L4242DSN	\$915	\$1,049
48"	24"	24"	ECE1L4848SSN	\$864	\$994
48"	24"	30"	ECE1L4848SDN	\$1,036	\$1,191
48"	30"	24"	ECE1L4848DSN	\$1,036	\$1,191
48"	30"	30"	ECE1L4848DDN	\$929	\$1,069



## **Right Hand**

42"	60"	24"	24"	ECE1L4260SS()N	\$1,056	\$1,216
42"	66"	24"	24"	ECE1L4266SS()N	\$1,084	\$1,248
42"	72"	24"	24"	ECE1L4272SS()N	\$1,125	\$1,296
42"	78"	24"	24"	ECE1L4278SS()N	\$1,139	\$1,308
48"	60"	24"	24"	ECE1L4860SS()N	\$1,071	\$1,230
48"	60"	24"	30"	ECE1L4860SD()N	\$1,049	\$1,209
48"	60"	30"	24"	ECE1L4860DS()N	\$1,049	\$1,209
48"	66"	24"	24"	ECE1L4866SS()N	\$1,109	\$1,275
48"	66"	24"	30"	ECE1L4866SD()N	\$1,105	\$1,271
48"	66"	30"	24"	ECE1L4866DS()N	\$1,105	\$1,271
48"	72"	24"	24"	ECE1L4872SS()N	\$1,150	\$1,322
48"	72"	24"	30"	ECE1L4872SD()N	\$1,156	\$1,331
48"	72"	30"	24"	ECE1L4872DS()N	\$1,156	\$1,331
48"	78"	24"	24"	ECE1L4878SS()N	\$1,267	\$1,458
48"	84"	24"	24"	ECE1L4884SS()N	\$1,424	\$1,639



## **Left Hand**

60"	42"	24"	24"	ECE1L6042SS()N	\$1,056	\$1,216
60"	48"	24"	24"	ECE1L6048SS()N	\$1,071	\$1,230
60"	48"	24"	30"	ECE1L6048SD()N	\$1,049	\$1,209
60"	48"	30"	24"	ECE1L6048DS()N	\$1,049	\$1,209
66"	42"	24"	24"	ECE1L6642SS()N	\$1,084	\$1,248
66"	48"	24"	24"	ECE1L6648SS()N	\$1,109	\$1,275
66"	48"	24"	30"	ECE1L6648SD()N	\$1,105	\$1,271
66"	48"	30"	24"	ECE1L6648DS()N	\$1,105	\$1,271
72"	42"	24"	24"	ECE1L7242SS()N	\$1,125	\$1,296
72"	48"	24"	24"	ECE1L7248SS()N	\$1,150	\$1,322
72"	48"	24"	30"	ECE1L7248SD()N	\$1,156	\$1,331
72"	48"	30"	24"	ECE1L7248DS()N	\$1,156	\$1,331
78"	42"	24"	24"	ECE1L7842SS()N	\$1,139	\$1,308
78"	48"	24"	24"	ECE1L7848SS()N	\$1,267	\$1,458
84"	48"	24"	24"	ECE1L8448SS()N	\$1,424	\$1,639

#### **Application Notes**

#### Center-Located Edge Grommet

To specify, replace the "N" suffix from the model number with "G". Add \$48.


Equity "L" worksurfaces are handed and may or may not cover a post on either or both sides. Hand is determined from the seated position. Option suffixes for Equity blended corners are as follows:

 $\mathbf{X}$ .... No posts covered


 $\mathbf{L}\dots$  Left post covered

**R**....Right post covered

**B**.... Both posts covered



Righ	t Ha	nd	LAMINAT	E	
A	C	D	MODEL#	SOLID	WOODGRAIN
24"	66"	48"	ECE1BD6648SR	\$1,032	\$1,186
30"	66"	48"	ECE1BD6648DR	\$1,084	\$1,248
24"	72"	48"	ECE1BD7248SR	\$1,054	\$1,215
30"	72"	48"	ECE1BD7248DR	\$1,124	\$1,293
24"	78"	48"	ECE1BD7848SR	\$1,219	\$1,401
30"	78"	48"	ECE1BD7848DR	\$1,260	\$1,447
24"	84"	48"	ECE1BD8448SR	\$1,252	\$1,439
30"	84"	48"	ECE1BD8448DR	\$1,331	\$1,529



#### Left Hand

Left fland							
24"	48"	66"	ECE1BD6648SL	\$1,032	\$1,186		
30"	48"	66"	ECE1BD6648DL	\$1,084	\$1,248		
24"	48"	72"	ECE1BD7248SL	\$1,054	\$1,215		
30"	48"	72"	ECE1BD7248DL	\$1,124	\$1,293		
24"	48"	78"	ECE1BD7848SL	\$1,219	\$1,401		
30"	48"	78"	ECE1BD7848DL	\$1,260	\$1,447		
24"	48"	84"	ECE1BD8448SL	\$1,252	\$1,439		
30"	48"	84"	ECE1BD8448DL	\$1,331	\$1,529		





2. Options3. Laminate







#### Wiring & Cabling



Scallop \$57

#### Available Laminates

#### Solid

114 Folkstone Grey

117 Soft Grey

118 Bright White

119 Pumice

#### Woodgrain

124 Medium Cherry

125 Natural Maple


126 Natural Cherry

127 Walnut


#### Support Information

All supports must be ordered separately. See page 84 – 85.

Worksurface Loading & Support See page 73.




Right	Hand	l				LAMINATE	
W	L	R	A	В	MODEL#	SOLID	WOODGRAIN
36"	24"	30"	3"	15"	ECE1W362430N	\$685	\$787
42"	24"	30"	9"	15"	ECE1W422430N	\$719	\$829
48"	24"	30"	15"	15"	ECE1W482430N	\$771	\$887
72"	24"	30"	30 ½"	23 ½"	ECE1W722430N	\$982	\$1,127



### **Left Hand**

36"	30"	24"	15"	1 ½"	ECE1W363024N	\$685	\$787
42"	30"	24"	15"	7 ½"	ECE1W423024N	\$719	\$829
48"	30"	24"	15"	15"	ECE1W483024N	\$771	\$887
72"	30"	24"	23 ½"	30 ½"	ECE1W723024N	\$982	\$1,127




### 120° Worksurface

48"	48"	24"	24"	ECE1W34824G	\$1,125	\$1,296

•	ne	ď	tv
	μ¢	•	ıу

- 1. Model#
- 2. Options
- 3. Laminate





### Wiring & Cabling



Scallop \$57

### Available Laminates

### Solid

- 114 Folkstone Grey
- 117 Soft Grey
- 118 Bright White
- 119 Pumice

### Woodgrain

- 124 Medium Cherry
- 125 Natural Maple
- 126 Natural Cherry
- 127 Walnut

### **Support Information**

All supports must be ordered separately. See page 84 – 85.

Worksurface Loading & Support See page 73.

## **Cascade Worksurfaces**



Half	Round		LAMII	
W	D	MODEL#	SOLID	WOODGRAIN
18"	48"	ECE1H4818P	\$550	\$633
48"	18"	ECE1H4818PC	\$550	\$633
48"	18"	ECE1H4818PE	\$550	\$633
60"	24"	ECE1H6024P	\$757	\$874
60"	24"	ECE1H6024PC	\$757	\$874
60"	24"	ECE1H6024PE	\$757	\$874



### **Corner Round**

24"	24"	ECE1CR24L/R	\$293	\$336



## **Corner Round w/Notch**

24"	24"	ECE1CR24N	\$293	\$336

### Specify

- 1. Model#
- 2. Options
- 3. Laminate

### Half Round

- P Notched for post
- **PE** Notched for postless end
- PC Notched for post with cover

## Grain Direction





### Edge Profile



### **Available Laminates**

### Solid

- 114 Folkstone Grey
- 117 Soft Grey
- 118 Bright White
- 119 Pumice

### Woodgrain

- 124 Medium Cherry
- 125 Natural Maple
- 126 Natural Cherry
- 127 Walnut

### Support Information

All supports must be ordered separately. See page 84 – 85.

**Worksurface Loading & Support** See page 73.



### **Cable Sleeve w/Cover**

Н	D	MODEL#	BLACK ONLY
1 3/8"	3 1/4"	EW1CS	\$32



### **Edge Grommet**

Н	W	D	MODEL#	BLACK ONLY
13/8"	2 1/4"	13/8"	EW1WSG	\$32



### **Personal Drawer**

DESCRIPTION	MODEL#	BLACK ONLY
Personal Drawer	SPD18	\$402



Works	urface	Cable B	asket			PAINT	
Н	W	D	MODEL#	BLACK	P1	P2	P3
2"	20"	4"	EW1CB20	\$63	\$115	\$126	\$138
2"	32"	4"	EW1CB32	\$87	\$143	\$157	\$171
2"	42"	4"	FW1CR42	\$94	\$172	\$189	\$206

### Cable Sleeve with Cover

Used to pass cables through a worksurface. Fits 3" diameter hole, field cut, in worksurface. Smooth plastic prevents abrasion of cords and cables.

Cover snaps into sleeve. Cover has slots that allow passage of one or two cables, yet gives appearance of surface continuity.

Available in black only.

### Edge Grommet


Designed to accommodate various styles and quantities of cords/plugs between rear of worksurface and panel for improved cord/plug management. Designed to work with Equity EW1 tops shipped after 2005.

Available in black only.

### Worksurface Cable Basket

Attaches to the underside of worksurface for excess cable management. Slides forward from its position adjacent to the panel face to allow passage of plugs. Constructed of steel wire.





Straight					LAMINATE		PAINT	
W (NOMINAL)	W (ACTUAL)	D	MODEL#	L1	L2	L3	P2	Р3
12"	10 ½"	15 1/4"	EW(3/N)1215	\$368	\$404	\$441	+ \$28	+ \$57
24"	22 ½"	15 1/4"	EW(3/N)2415	\$391	\$430	\$469	+ \$28	+ \$57
30"	28 ½"	15 1/4"	EW(3/N)3015	\$396	\$435	\$475	+ \$28	+ \$57
36"	34 ½"	15 1/4"	EW(3/N)3615	\$402	\$442	\$482	+ \$28	+ \$57
42"	40 1/2"	15 1/4"	EW(3/N)4215	\$419	\$460	\$502	+ \$28	+ \$57
48"	46 1/2"	15 1/4"	EW(3/N)4815	\$448	\$492	\$537	+ \$28	+ \$57
60"	58 ½"	15 1/4"	EW(3/N)6015	\$488	\$536	\$585	+ \$28	+ \$57
72"	70 ½"	15 1/4"	EW(3/N)7215	\$552	\$607	\$662	+ \$28	+ \$57
84"	82 1/2"	15 1/4"	EW(3/N)8415	\$609	\$669	\$730	+ \$28	+ \$57
96"	94 1/2"	15 1/4"	EW(3/N)9615	\$655	\$720	\$786	+ \$28	+ \$57
108"	106 ½"	15 1/4"	EW(3/N)10815	\$713	\$784	\$855	+ \$28	+ \$57
120"	118 ½"	15 1/4"	EW(3/N)12015	\$776	\$853	\$931	+ \$28	+ \$57



### **Extended One End**

	extellue	u viie Ei	IU						
Ī	12"	12"	15 1/4"	EW(3/N)1215E	\$379	\$416	\$454	+ \$28	+ \$57
	24"	24"	15 1/4"	EW(3/N)2415E	\$402	\$442	\$482	+ \$28	+ \$57
	30"	30"	15 1/4"	EW(3/N)3015E	\$408	\$448	\$489	+ \$28	+ \$57
	36"	36"	15 1/4"	EW(3/N)3615E	\$414	\$455	\$496	+ \$28	+ \$57
	42"	42"	15 1/4"	EW(3/N)4215E	\$431	\$474	\$517	+ \$28	+ \$57
	48"	48"	15 1/4"	EW(3/N)4815E	\$460	\$506	\$552	+ \$28	+ \$57
	60"	60"	15 1/4"	EW(3/N)6015E	\$500	\$550	\$600	+ \$28	+ \$57
	72"	72"	15 1/4"	EW(3/N)7215E	\$563	\$619	\$675	+ \$28	+ \$57
	84"	84"	15 1/4"	EW(3/N)8415E	\$621	\$683	\$745	+ \$28	+ \$57
	96"	96"	15 1/4"	EW(3/N)9615E	\$667	\$733	\$800	+ \$28	+ \$57
	108"	108"	15 1/4"	EW(3/N)10815E	\$724	\$796	\$868	+ \$28	+ \$57



### **Extended Both End**

LACCIIAC	.u Dotti L	IIU						
12"	13 ½"	15 ¼"	EW(3/N)1215EE	\$391	\$430	\$469	+ \$28	+ \$57
24"	25 ½"	15 1/4"	EW(3/N)2415EE	\$414	\$455	\$496	+ \$28	+ \$57
30"	31 ½"	15 1/4"	EW(3/N)3015EE	\$419	\$460	\$502	+ \$28	+ \$57
36"	37 ½"	15 1/4"	EW(3/N)3615EE	\$425	\$467	\$510	+ \$28	+ \$57
42"	43 ½"	15 1/4"	EW(3/N)4215EE	\$442	\$486	\$530	+ \$28	+ \$57
48"	49 ½"	15 1/4"	EW(3/N)4815EE	\$471	\$518	\$565	+ \$28	+ \$57
60"	61 ½"	15 1/4"	EW(3/N)6015EE	\$511	\$562	\$613	+ \$28	+ \$57
72"	73 ½"	15 1/4"	EW(3/N)7215EE	\$575	\$632	\$690	+ \$28	+ \$57
84"	85 ½"	15 1/4"	EW(3/N)8415EE	\$632	\$695	\$758	+ \$28	+ \$57
96"	97 ½"	15 1/4"	EW(3/N)9615EE	\$678	\$745	\$813	+ \$28	+ \$57
108"	109 ½"	15 1/4"	EW(3/N)10815EE	\$736	\$809	\$883	+ \$28	+ \$57

### Specify

- 1. Model#
- 2. Laminate
- 3. Edge band
- 4. Cantilever color

### **Extended Ends**

 $\mathbf{E}$ ....Covers 1 post

**EE** . . Covers 2 posts

### **Application Notes**

Counter caps are designed for mounting on top of panels.

Counter caps fit between posts, appropriate to fit between two taller panels and a dual/triple height connectors.

### **Support Information**

Steel cantilevers are supplied.


### Top Cap Compatibility

3 - Beveled


N – Flat









C	orner				LAMINATE		PAINT	ſ
	W	D	MODEL#	L1	L2	L3	P2	P3
	24"	15 1/4"	EW(3/N)CC2415	\$483	\$531	\$579	+ \$28	+ \$57
	30"	15 1/4"	EW(3/N)CC3015	\$500	\$550	\$600	+ \$28	+ \$57
	36"	15 1/4"	EW(3/N)CC3615	\$517	\$568	\$620	+ \$28	+ \$57



E	xtend	ed Left						
	24"	15 ¼"	EW(3/N)CC2415LHE	\$494	\$543	\$592	+ \$28	+ \$57
	30"	15 1/4"	EW(3/N)CC3015LHE	\$511	\$562	\$613	+ \$28	+ \$57
	36"	15 1/4"	EW(3/N)CC3615LHE	\$529	\$581	\$634	+ \$28	+ \$57



E	xtende	ed Right						
	24"	15 1/4"	EW(3/N)CC2415RHE	\$494	\$543	\$592	+ \$28	+ \$57
	30"	15 1⁄4"	EW(3/N)CC3015RHE	\$511	\$562	\$613	+ \$28	+ \$57
	36"	15 1/4"	EW(3/N)CC3615RHE	\$529	\$581	\$634	+ \$28	+ \$57



### **Extended Both** 24" 15 1/4" EW(3/N)CC2415EE \$607 \$506 \$556 + \$28 + \$57 30" 15 1/4" EW(3/N)CC3015EE \$523 \$575 \$627 + \$28 + \$57 36" EW(3/N)CC3615EE 15 1/4" \$540 \$594 \$648 + \$28 + \$57

٥	p	e	C	11	y
-					

- 1. Model#
- 2. Laminate
- 3. Edge band
- 4. Cantilever color

### **Extended Ends**

**E**....Covers 1 post

**EE** . . Covers 2 posts

### **Application Notes**

Counter caps are designed for mounting on top of panels.

Counter caps fit between posts, appropriate to fit between two taller panels and a dual/triple height connectors.

### **Support Information**

Steel cantilevers are supplied.


### Top Cap Compatibility

3 - Beveled


N – Flat



## **Open Shelves**



Full He	ight				PAINT	
W	D	Н	MODEL#	P1	P2	Р3
24"	12 %"	10 1/4"	ES2OS24	\$266	\$281	\$291
30"	12 3/8"	10 1/4"	ES2OS30	\$292	\$307	\$317
36"	12 ¾"	10 1/4"	ES2OS36	\$292	\$307	\$317
42"	12 ¾"	10 1/4"	ES2OS42	\$305	\$320	\$330
48"	12 ¾"	10 1/4"	ES2OS48	\$319	\$334	\$344
60"	12 ¾"	10 1/4"	ES2OS60	\$342	\$357	\$367
72"	12 %"	10 1/4"	ES2OS72	\$370	\$385	\$395



## **Half Height**

24"	12 %"	7 1/4"	ES3OS24	\$322	\$337	\$347
30"	12 %"	7 1/4"	ES3OS30	\$356	\$371	\$381
36"	12 %"	7 1/4"	ES3OS36	\$356	\$371	\$381
42"	12 %"	7 1/4"	ES3OS42	\$370	\$385	\$395
48"	12 %"	7 1/4"	ES3OS48	\$389	\$404	\$414
60"	12 %"	7 1/4"	ES3OS60	\$418	\$433	\$443
72"	12 3/8"	7 1/4"	ES3OS72	\$450	\$465	\$475



## **Shelf Back**

24"	EC2SB24	\$219	\$229	\$238
30"	EC2SB30	\$241	\$251	\$261
36"	EC2SB36	\$241	\$251	\$261
42"	EC2SB42	\$253	\$263	\$272
48"	EC2SB48	\$264	\$272	\$280
60"	EC2SB60	\$297	\$307	\$317
72"	EC2SB72	\$339	\$349	\$359



## **Shelf Divider**

Sileli Divider				BLACK ONLY				
_	2"	9"	6"	EC2SD	\$152 N/A	N/A		

Specify		

1. Model # 2. Paint Application Notes

Open shelf consists of two steel end panels


and one steel shelf.

NOTE: Cannot be converted to an enclosed cabinet.

	Shelf Type	W
ES2OS	Open Shelf	36
ES3OS	Open Shelf – Half Height	
:	•	
ES2OS		36
<b>:</b>	<b>:</b>	<b>:</b>

Shelf Divider

Available in black only.




				:	···········	•••••••••••••••••••••••••••••••••••••••	······	•••••••••••••••••••••••••••••••••••••••	······································	
Full L	.aminate					LAMINATE		W	OOD VENEER	
w	D	Н	MODEL#		P1	P2	P3	W1	W2	W3
24"	12 %"	10 1/4"	ES2OSL24		\$408	\$448	\$489	\$816	\$896	\$978
30"	12 %"	10 1/4"	ES2OSL30		\$416	\$457	\$499	\$832	\$914	\$998
36"	12 3/8"	10 1/4"	ES2OSL36		\$424	\$466	\$508	\$848	\$932	\$1,016
42"	12 3/8"	10 1/4"	ES2OSL42		\$437	\$480	\$524	\$874	\$960	\$1,048
48"	12 %"	10 1/4"	ES2OSL48		\$449	\$493	\$538	\$898	\$986	\$1,076
60"	12 3/8"	10 1/4"	ES2OSL60		\$635	\$698	\$762	\$1,270	\$1,396	\$1,524
72"	12 3/8"	10 1/4"	ES2OSL72		\$818	\$899	\$981	\$1,636	\$1,798	\$1,962

Sp	Specify							
1.	Model #							
2.	Laminate/Veneer							

Application Notes

Can not be converted into an enclosed cabinet.


	Shelf Type	w
ES2OSL	Open Shelf Full Laminate	36
ES2OSL		36



Lamina	aminate Front — Side Hinge Door					LAMINATE			PAINT	
W	D	Н	# DOORS	MODEL#	L1	L2	L3	P2	P3	
24"	12 ½"	14 1/4"	2	EC2OL24	\$778	\$855	\$933	+ \$28	+ \$57	
30"	12 ½"	14 1/4"	2	EC2OL30	\$836	\$919	\$1,002	+ \$28	+ \$57	
36"	12 ½"	14 1/4"	2	EC2OL36	\$893	\$982	\$1,071	+ \$28	+ \$57	
42"	12 ½"	14 1/4"	2	EC2OL42	\$951	\$1,046	\$1,140	+ \$28	+ \$57	
48"	12 ½"	14 1/4"	2	EC2OL48	\$1,008	\$1,108	\$1,209	+ \$28	+ \$57	
60"	12 ½"	14 1/4"	4	EC2OL60	\$1,411	\$1,552	\$1,692	+ \$28	+ \$57	
72"	12 ½"	14 1/4"	4	EC2OL72	\$1,526	\$1,678	\$1,830	+ \$28	+ \$57	



Painte	d Steel –	PAINT					
W	D	Н	# DOORS	MODEL#	P1	P2	P3
24"	12 ½"	14 1/4"	1	EC2OP24	\$692	\$717	\$742
30"	12 ½"	14 1/4"	1	EC2OP30	\$783	\$808	\$833
36"	12 ½"	14 1/4"	1	EC2OP36	\$783	\$808	\$833
42"	12 ½"	14 1/4"	1	EC2OP42	\$872	\$897	\$922
48"	12 ½"	14 1/4"	1	EC2OP48	\$921	\$946	\$971
60"	12 ½"	14 1/4"	1	EC2OP60	\$1,049	\$1,074	\$1,099
72"	12 ½"	14 1/4"	1	EC2OP72	\$1,154	\$1,179	\$1,204
72"	12 ½"	14 1/4"	2	EC2OP272	\$1,401	\$1,426	\$1,451



## 0pen

24"	12 ½"	14 1/4"	EC20024	\$525	\$577	\$630
30"	12 ½"	14 1/4"	EC20030	\$640	\$704	\$768
36"	12 ½"	14 1/4"	EC20036	\$663	\$729	\$795
42"	12 ½"	14 1/4"	EC20042	\$698	\$767	\$837
48"	12 ½"	14 1/4"	EC20048	\$813	\$894	\$975
60"	12 ½"	14 1/4"	EC2OO60	\$928	\$1,020	\$1,113
72"	12 ½"	14 1/4"	EC20072	\$1,043	\$1,147	\$1,251



### **Overhead Back**

24"	5/8"	14"	EC2CB24	\$219	\$229	\$238
30"	5/8"	14"	EC2CB30	\$241	\$251	\$261
36"	5/8"	14"	EC2CB36	\$241	\$251	\$261
42"	5/8"	14"	EC2CB42	\$253	\$263	\$272
48"	5/8"	14"	EC2CB48	\$264	\$272	\$280
60"	5/8"	14"	EC2CB60	\$297	\$307	\$317
72"	5/8"	14"	EC2CB72	\$339	\$349	\$359

2	pe	city	

- 1. Model#
- 2. Paint
- 3. Optional Laminate


### Overhead – Side Hinge

Includes matching ABS edge band.


### Overhead – Flipper Door

Door uses heavy-duty ball bearing hinges to allow door to flip forward and up and over top of cabinet. Can be opened at an angle. Door rolls on glides for smooth, friction-free operation.

	Overhead Type						
EC2OL	Side Hinge	36					
EC2OP	Flipper Door						
EC200	Open						
:							
ES2OL		36					



F	Full Laminate — Side Hinge Door						LAMINATE			WOOD VENEER		
	W	D	Н	# DOORS	MODEL#	L1	L2	L3	W1	W2	W3	
	24"	12 ½"	14 1/4"	2	EC2OCL24D	\$1,596	\$1,755	\$1,915	\$3,192	\$3,510	\$3,830	
	30"	12 ½"	14 1/4"	2	EC2OCL30D	\$1,623	\$1,785	\$1,947	\$3,246	\$3,570	\$3,894	
	36"	12 ½"	14 1/4"	2	EC2OCL36D	\$1,651	\$1,816	\$1,981	\$3,302	\$3,632	\$3,962	
	42"	12 ½"	14 1/4"	2	EC2OCL42D	\$1,692	\$1,861	\$2,030	\$3,384	\$3,722	\$4,060	
	48"	12 ½"	14 1/4"	2	EC2OCL48D	\$1,734	\$1,907	\$2,080	\$3,468	\$3,814	\$4,160	
	60"	12 ½"	14 1/4"	4	EC2OCL60D	\$2,355	\$2,590	\$2,826	\$4,710	\$5,180	\$5,652	
	72"	12 ½"	14 1/4"	4	EC2OCL72D	\$2,976	\$3,273	\$3,571	\$5,952	\$6,546	\$7,142	



ABS edge band.

## **Full Laminate Open**

24"	12 ½"	14 1/4"	EC2OCL24	\$1,361	\$1,497	\$1,633	\$2,722	\$2,994	\$3,266
30"	12 ½"	14 1/4"	EC2OCL30	\$1,389	\$1,527	\$1,666	\$2,778	\$3,054	\$3,332
36"	12 ½"	14 1/4"	EC2OCL36	\$1,416	\$1,557	\$1,699	\$2,832	\$3,114	\$3,398
42"	12 ½"	14 1/4"	EC2OCL42	\$1,458	\$1,603	\$1,749	\$2,916	\$3,206	\$3,498
48"	12 ½"	14 1/4"	EC2OCL48	\$1,499	\$1,648	\$1,798	\$2,998	\$3,296	\$3,596
60"	12 ½"	14 1/4"	EC2OCL60	\$2,120	\$2,332	\$2,544	\$4,240	\$4,664	\$5,088
72"	12 ½"	14 1/4"	EC2OCL72	\$2,727	\$2,999	\$3,272	\$5,454	\$5,998	\$6,544


### **SHARED STORAGE DIMENSIONS**

Equity is measured from the center of the posts on each end of the panel. A standard full laminate overhead is dimensioned to fit in a fully panel wrapped configuration. It is therefore 1-½" narrower than the nominal panel dimension. If you would like the full laminate overhead to extend to cover the center of one post you will need to add an "E" to the full laminate overhead item number. This will add ¾" to the width of the shared storage. If you would like the full laminate overhead to cover the center of both posts then you will need to add "EE", extending the full laminate overhead by 1 ½" from the standard.

**E**....Covers center of 1 post

**EE** . . Covers center of 2 posts









						Options
Specify			W	D	Door	Extended Ends
1. Model #	ES20 Equity Overhea	d CL Full Laminate Over	head 36	14	No Door	E One End \$24
2. Laminate/Veneer					D Door	EE Both Ends \$48
Overhead Includes matching	ES2O	CL	36	14	D	Е

## **Shared Storage**



				:	•••••••••••••••••••••••••••••••••••••••	
12" H					LAMINATE	
W	D	Н	MODEL#	L1	L2	L3
24"	14"	12"	EC2OY2412	\$1,123	\$1,235	\$1,347
30"	14"	12"	EC2OY3012	\$1,146	\$1,260	\$1,375
36"	14"	12"	EC2OY3612	\$1,169	\$1,285	\$1,402
42"	14"	12"	EC2OY4212	\$1,204	\$1,324	\$1,444
48"	14"	12"	EC2OY4812	\$1,238	\$1,361	\$1,485
60"	14"	12"	EC2OY6012	\$1,721	\$1,893	\$2,065
72"	14"	12"	EC2OY7212	\$2,227	\$2,449	\$2,672
84"	14"	12"	EC2OY8412	\$2,710	\$2,981	\$3,252



## 14" H


24"	14"	14 ¼"	EC20Y2414	\$1,135	\$1,248	\$1,361
30"	14"	14 1/4"	EC2OY3014	\$1,158	\$1,273	\$1,389
36"	14"	14 ¼"	EC2OY3614	\$1,181	\$1,299	\$1,416
42"	14"	14 ¼"	EC2OY4214	\$1,215	\$1,336	\$1,458
48"	14"	14 1/4"	EC20Y4814	\$1,250	\$1,375	\$1,499
60"	14"	14 ¼"	EC2OY6014	\$1,767	\$1,943	\$2,120
72"	14"	14 ¼"	EC20Y7214	\$2,273	\$2,500	\$2,727
84"	14"	14 1/4"	EC20Y8414	\$2,768	\$3,044	\$3,321

### **SHARED STORAGE DIMENSIONS**

Equity is measured from the center of the posts on each end of the panel. A standard shared storage is dimensioned to fit in a fully panel wrapped configuration. It is therefore 1-½" narrower than the nominal panel dimension. If you would like the shared storage to extend to cover the center of one post you will need to add an "E" to the shared storage item number. This will add ¾" to the width of the shared storage. If you would like the shared storage to extend to cover the center of both posts then you will need to add "EE", extending the shared storage by 1 ½" from the standard.


**E**....Covers center of 1 post **EE**...Covers center of 2 posts








				Options				
		W	D		Door		Extended Ends	
ES20 Equity Overhead	Y Shared Storage	36	14		No Door	Е	One End	\$24
-	_	:	:	D	Door	EE	Both Ends	\$48
		:		MD	Markerboard Door			
		:	:					
		:	:					
ES2O	v	36	14	D		E		
	i	30						



12" H	w/Doors	<b>S</b> — Includes 2	locks	LAMINATE				
W	D	Н	MODEL#	L1	L2	L3		
24"	14"	12"	EC2OY2412(D/MD)	\$1,284	\$1,412	\$1,540		
30"	14"	12"	EC2OY3012(D/MD)	\$1,319	\$1,450	\$1,582		
36"	14"	12"	EC2OY3612(D/MD)	\$1,353	\$1,488	\$1,623		
42"	14"	12"	EC2OY4212(D/MD)	\$1,388	\$1,526	\$1,665		
48"	14"	12"	EC2OY4812(D/MD)	\$1,422	\$1,564	\$1,706		
60"	14"	12"	EC2OY6012(D/MD)	\$1,940	\$2,134	\$2,327		
72"	14"	12"	EC2OY7212(D/MD)	\$2,446	\$2,690	\$2,934		
84"	14"	12"	EC2OY8412(D/MD)	\$2,883	\$3,171	\$3,459		



## 14" H w/Doors — Includes 2 locks


24"	14"	14 1/4"	EC2OY2414(D/MD)	\$1,330	\$1,463	\$1,596
30"	14"	14 1/4"	EC2OY3014(D/MD)	\$1,353	\$1,488	\$1,623
36"	14"	14 1/4"	EC2OY3614(D/MD)	\$1,376	\$1,513	\$1,651
42"	14"	14 1/4"	EC2OY4214(D/MD)	\$1,411	\$1,552	\$1,692
48"	14"	14 1/4"	EC2OY4814(D/MD)	\$1,445	\$1,589	\$1,734
60"	14"	14 1/4"	EC2OY6014(D/MD)	\$1,963	\$2,159	\$2,355
72"	14"	14 1/4"	EC2OY7214(D/MD)	\$2,480	\$2,728	\$2,976
84"	14"	14 1/4"	EC2OY8414(D/MD)	\$3,021	\$3,323	\$3,624

## Specify

- 1. Model#
- Options
   Laminate

### Shared Storage


Includes matching ABS edge band.



12" H			FABRIC								
W	MODEL#	A	В	C	D	E	F	G	Н		
24"	EP1TB2412	\$230	\$255	\$280	\$330	\$430	\$530	\$630	\$730		
30"	EP1TB3012	\$287	\$312	\$337	\$387	\$487	\$587	\$687	\$787		
36"	EP1TB3612	\$345	\$370	\$395	\$445	\$545	\$645	\$745	\$845		
42"	EP1TB4212	\$373	\$398	\$423	\$473	\$573	\$673	\$773	\$873		
48"	EP1TB4812	\$402	\$427	\$452	\$502	\$602	\$702	\$802	\$902		
60"	EP1TB6012	\$460	\$485	\$510	\$560	\$660	\$760	\$860	\$960		

# 20" H

24"	EP1TB2420	\$345	\$370	\$395	\$445	\$545	\$645	\$745	\$845
30"	EP1TB3020	\$373	\$398	\$423	\$473	\$573	\$673	\$773	\$873
36"	EP1TB3620	\$402	\$427	\$452	\$502	\$602	\$702	\$802	\$902
42"	EP1TB4220	\$431	\$456	\$481	\$531	\$631	\$731	\$831	\$931
48"	EP1TB4820	\$460	\$485	\$510	\$560	\$660	\$760	\$860	\$960
60"	EP1TB6020	\$517	\$542	\$567	\$617	\$717	\$817	\$917	\$1,017



### 25" H 24" EP1TB2425 \$902 \$402 \$427 \$452 \$502 \$602 \$702 \$802 30" EP1TB3025 \$431 \$456 \$481 \$531 \$631 \$731 \$931 36" EP1TB3625 \$460 \$485 \$510 \$560 \$660 \$760 \$860 \$960 42" EP1TB4225 \$488 \$513 \$538 \$588 \$688 \$788 \$888 \$988 48" EP1TB4825 \$517 \$542 \$567 \$617 \$717 \$817 \$917 \$1,017

\$575

## 36" H

60"

30 П									
24"	EP1TB2436	\$460	\$485	\$510	\$560	\$660	\$760	\$860	\$960
30"	EP1TB3036	\$517	\$542	\$567	\$617	\$717	\$817	\$917	\$1,017
36"	EP1TB3636	\$546	\$571	\$596	\$646	\$746	\$846	\$946	\$1,046
42"	EP1TB4236	\$575	\$600	\$625	\$675	\$775	\$875	\$975	\$1,075
48"	EP1TB4836	\$603	\$628	\$653	\$703	\$803	\$903	\$1,003	\$1,103
60"	EP1TB6036	\$661	\$686	\$711	\$761	\$861	\$961	\$1,061	\$1,161

\$600

\$625

\$675

\$775

\$875

\$975

Options

\$1,075

Specify	Application Notes		w
1. Model # 2. Fabric	Specify in areas where heavy tacking application is required.	EW1 Tackboard	48
	Solid core construction will	EP1TB	36

**EP1TB**6025

pins and thumbtacks. Clips attach unit to slotted standards.

easily accept T-pins, push

	W	Н	Ex	tended Ends	
EW1 Tackboard	48	20	Е	One End	\$24
			EE	Both Ends	\$48
EP1TB	36	20	Е		

## **Wall Mounted Channel**

W- II M-	41	<u> </u>			
Wall Mo	untea	Cnanne	<u> </u>		PAINT
W	D	Н	<b>H</b> (Actual)	MODEL#	P1 P2 P3
2 1/8"	3/4"	29"	23"	EP3WMC29	\$128 \$133 \$140
2 %"	3/4"	41"	35"	EP3WMC41	\$128 \$133 \$140
2 1/8"	3/4"	49"	43"	EP3WMC49	\$131 \$138 \$146
2 %"	3/4"	54"	49"	EP3WMC54	\$133 \$140 \$148
2 1/8"	3/4"	61"	55"	EP3WMC61	\$149 \$155 \$166
2 %"	3/4"	66"	60"	EP3WMC66	\$152 \$165 \$170
2 1/8"	3/4"	81"	75"	EP3WMC81	\$186 \$193 \$204
2 %"	3/4"	120"	120"	EP3WMC120	\$286 \$301 \$317

### Specify – Wall Mounted Channel

- 1. Model #
- 2. Paint

### **Wall Mounted Channel Application Notes**

Allows hanging of all components and accessories on reinforced building walls.

Painted extruded aluminum with a plastic insert which snaps in place, covering mounting screws.

NOTE: Neutral Posture, Inc. assumes no responsibility for wall construction or performance of fasteners used.

### Assembly – Wall Mounted Channel

### Included


- Extruded aluminum channel
- Insert which snaps into place


### LIGHTING

Just as the design of a work environment is important, a company's investment in workplace lighting is equally such. Light empowers a person's work, influences their mood and helps them focus. Workers need well-lit spaces to be productive

and feel their best. Developing a work environment that supports worker well being and performance through the use of lighting will reduce employee stress, absenteeism and accidents while increasing work performance.


# **LIGHTING**






### REED Premier — Stand alone w/18-watt power supply

DESCRIPTION	Н	W	D	WATTAGE	MODEL#	LIST
Suggested shelf size 24" – 36"	1/2"	16 ½"	2"	8.0	LRPSO-17-SA	\$456
Suggested shelf size 30" – 42"	1/2"	23 1/4"	2"	12.4	LRPSO-24-SA	\$594



## REED Premier = Stand alone or starter w/60-watt power supply

Suggested shelf size 24" – 36"	1/2"	16 ½"	2"	8.0	LRPSO-17-ST	\$548
Suggested shelf size 30" – 42"	1/2"	23 1/4"	2"	12.4	LRPSO-24-ST	\$686
Suggested shelf size 42" – 48"	1/2"	30"	2"	16.4	LRPSO-31-ST	\$721
Suggested shelf size 54" – 60"	1/2"	43 ¾"	2"	24.2	LRPSO-44-ST	\$893
Suggested shelf size >=72"	1/2"	57 ½"	2"	31.2	LRPSO-58-ST	\$1,100



### **REED Premier** — Extension

Suggested shelf size 24" – 36"	1/2"	16 ½"	2"	8.0	LRPSO-17-EX	\$410
Suggested shelf size 30" - 42"	1/2"	23 1/4"	2"	12.4	LRPSO-24-EX	\$571
Suggested shelf size 42" - 48"	1/2"	30"	2"	16.4	LRPSO-31-EX	\$606
Suggested shelf size 54" – 60"	1/2"	43 ¾"	2"	24.2	LRPSO-44-EX	\$801



## REED Premier — Accessories

Occupancy sensor kit	3/4"	2"	2"	LRP-OS	\$353
----------------------	------	----	----	--------	-------

Specify

1. Model#

### **REED Premier**

Properly diffused light provides a softly blended light pattern that reduces eye strain.

A single-touch on/ off and touch and hold continuous dimming pad with last state memory.

The automatic turn off feature comes standard and will turn the fixture off after 10 hours of continuous use (±15 mins).

### Specify Notes

60-watt power supply is required when interlinking.


Total interlinked system wattage cannot exceed 54 watts. See the interlinking combination chart for reference.

Extension fixtures come standard with 8" and 30" interlinking cords.

One occupancy sensor needed per string of interlinked fixtures.

### **Interlinking Combination Chart**

4711	2.411	2411	4.411	FOII	4711	2411	2411	4.411	FOU
17"	24"	31"	44"	58"	17"	24"	31"	44"	58"
6	0	0	0	0	1	3	0	0	0
5	1	0	0	0	1	2	1	0	0
5	0	0	0	0	1	1	2	0	0
4	1	0	0	0	1	0	2	0	0
4	0	1	0	0	1	0	1	1	0
4	0	0	0	0	1	0	0	1	0
3	2	0	0	0	1	0	0	0	1
3	1	1	0	0	0	4	0	0	0
3	0	1	0	0	0	3	1	0	0
3	0	0	1	0	0	2	1	0	0
3	0	0	0	0	0	1	1	1	0
2	3	0	0	0	0	1	0	0	1
2	2	0	0	0	0	0	3	0	0
2	0	2	0	0	0	0	2	0	0
2	0	1	0	0	0	0	1	1	0
2	0	0	1	0	0	0	1	0	1
2	0	0	0	1	0	0	0	2	0
2	0	0	0	0					



### Tazetta — Black

DESCRIPTION	Н	W	D	MODEL#	LIST
Use with 24" wide overhead	1.3"	13"	4.38"	LTAZ13BLK	\$348
Use with 30" – 36" wide overhead	1.3"	23.3"	4.38"	LTAZ24BLK	\$391
Use with 42" – 48" wide overhead	1.3"	35.1"	4.38"	LTAZ36BLK	\$440
Use with 54" – 60" wide overhead	1.3"	46.9"	4.38"	LTAZ48BLK	\$471
Use with 70" or wider overhead	1.3"	58.7"	4.38"	LTAZ60BLK	\$591



### Tazetta — White

DESCRIPTION	Н	W	D	MODEL#	LIST
Use with 24" wide overhead	1.3"	13"	4.38"	LTAZ13WHT	\$358
Use with 30" – 36" wide overhead	1.3"	23.3"	4.38"	LTAZ24WHT	\$403
Use with 42" – 48" wide overhead	1.3"	35.1"	4.38"	LTAZ36WHT	\$453
Use with 54" – 60" wide overhead	1.3"	46.9"	4.38"	LTAZ48WHT	\$485
Use with 70" or wider overhead	1.3"	58.7"	4.38"	LTAZ60WHT	\$609



## Tazetta = Gray

DESCRIPTION	Н	W	D	MODEL#	LIST
Use with 24" wide overhead	1.3"	13"	4.38"	LTAZ13GRY	\$358
Use with 30" – 36" wide overhead	1.3"	23.3"	4.38"	LTAZ24GRY	\$403
Use with 42" – 48" wide overhead	1.3"	35.1"	4.38"	LTAZ36GRY	\$453
Use with 54" – 60" wide overhead	1.3"	46.9"	4.38"	LTAZ48GRY	\$485
Use with 70" or wider overhead	1.3"	58.7"	4.38"	LTAZ60GRY	\$609

Specify	
---------	--

1. Model#

**Application Notes** 

Lamp

T5 fluorescent

**Color Temperature** 3500K

Certifications

ETL listed: compliant to UL 153 & CSA C22.2 No.

250.4; UL 1598; TAA

**Power Consumption** 

14W 21W 28W 35W

# **Lighting**Freestanding



## $\ \ \, \textbf{Voyage} - \textbf{Single arm}$

DESCRIPTION	MODEL#	LIST
Freestanding	LVOY-S-FS-(B,W,S)	\$916
Freestanding w/occupancy sensor	LVOY-S-FS-(B,W,S)-OS	\$1,123
Freestanding USB	LVOY-S-FSUSB-(B,W,S)	\$985
Freestanding USB w/occupancy sensor	LVOY-S-FSUSB-(B,W,S)-OS	\$1,215
Surface mount	LVOY-S-SM-(B,W,S)	\$916
Surface mount w/occupancy sensor	LVOY-S-SM-(B,W,S)-OS	\$1,123
Clamp mount	LVOY-S-CM-(B,W,S)	\$916
Clamp mount w/occupancy sensor	LVOY-S-CM-(B,W,S)-OS	\$1,123



## Voyage — Double arm

DESCRIPTION	MODEL#	LIST
Freestanding	LVOY-D-FS-(B,W,S)	\$1,008
Freestanding w/occupancy sensor	LVOY-D-FS-(B,W,S)-OS	\$1,215
Freestanding USB	LVOY-D-FSUSB-(B,W,S)	\$1,123
Freestanding USB w/occupancy sensor	LVOY-D-FSUSB-(B,W,S)-OS	\$1,296
Surface mount	LVOY-D-SM-(B,W,S)	\$1,008
Surface mount w/occupancy sensor	LVOY-D-SM-(B,W,S)-OS	\$1,215
Clamp mount	LVOY-D-CM-(B,W,S)	\$1,123
Clamp mount w/occupancy sensor	LVOY-D-CM-(B,W,S)-OS	\$1,215

Specify	Voyage		
1. Model #	Properly diffused light provides a softly blended light pattern that reduces eye strain.	The automatic turn off feature comes standard and will turn the fixture off after 10 hours of continuous use.	Color Options B – Black W – White S – Silver
	A single-touch on/ off and touch and hold continuous dimming pad with last state memory.	The optional occupancy sensor will turn the fixture off after 30 minutes of inactivity and back on as the user re-enters the workspace. If occupant is present, the light will remain on.	

# **Lighting** Freestanding



## ${\color{red}Revo} \, \underline{\hspace{1cm}} \, - \, {\color{blue} Single \, arm}$

MODEL#	LIST
LREV-S-FS-(B,W,S)	\$916
LREV-S-FS-(B,W,S)-OS	\$1,123
LREV-S-FSUSB-(B,W,S)	\$1,008
LREV-S-FSUSB-(B,W,S)-OS	\$1,158
LREV-S-SM-(B,W,S)	\$916
LREV-S-SM-(B,W,S)-OS	\$1,123
LREV-S-CM-(B,W,S)	\$916
LREV-S-CM-(B,W,S)-OS	\$1,123
	LREV-S-FS-(B,W,S)  LREV-S-FS-(B,W,S)-OS  LREV-S-FSUSB-(B,W,S)  LREV-S-FSUSB-(B,W,S)-OS  LREV-S-SM-(B,W,S)-OS  LREV-S-CM-(B,W,S)-OS



## Revo — Double Arm

DESCRIPTION	MODEL#	LIST
Freestanding	LREV-D-FS-(B,W,S)	\$1,008
Freestanding w/occupancy sensor	LREV-D-FS-(B,W,S)-OS	\$1,215
Freestanding USB	LREV-D-FSUSB-(B,W,S)	\$1,123
Freestanding USB w/occupancy sensor	LREV-D-FSUSB-(B,W,S)-OS	\$1,296
Surface mount	LREV-D-SM-(B,W,S)	\$1,008
Surface mount w/occupancy sensor	LREV-D-SM-(B,W,S)-OS	\$1,123
Clamp mount	LREV-D-CM-(B,W,S)	\$1,008
Clamp mount w/occupancy sensor	LREV-D-CM-(B,W,S)-OS	\$1,123

Specify	Application Notes		
I. Model #	Properly diffused light source under the round head provides a softly blended light pattern that reduces eye strain.  Single-touch on/off and touch and hold continuous dimming pad with last state memory.	The automatic turn off feature comes standard and will turn the fixture off after 10 hours of continuous use.  The optional occupancy sensor will turn the fixture off after 30 minutes of inactivity and back on as the user re-enters the workspace. If occupant is present, the light will remain on.	Color Options B – Black W – White S – Silver

## Tables

### Step 1 - Model #

	Shape	D	W
TB Tab	e R Round	34	69
	S Square		:
	RCT Rectangle		:
	OT Oval		:
	•		:
ТВ	RCT	34	69

### Step 2 - Surface Finish

Lar	Laminate						
PW-STK	Studio Teak						
	:						
PW-STK							

Step 3 – Edge Finish

Edg		
EB-STK	Studio Teak	30
EB-STK	<b>:</b>	3
ED-31K	<b>!</b>	

### **Step 4** – Trim Finish

	Paints							
301	Champagne							
	:							
301								

### **FEATURES**

### **BASE TYPES**

- X Base
- Y Base w/ or w/o adjustable bar support
- Tapered Leg

### **BASE OPTIONS**

- Bar height
- Flip top
- Casters

### NOTE: Not all options are available on all bases.

### **WORKSURFACE TYPES**

- Round
- Square
- Rectangular
- Oval

### **LEVELERS**

Adjustable height levelers are included at no additional cost on all models.

### **Shank Length**

X & Y bases — 3%-16 x 34" Tapered legs — 3%-16 x 1 34"

Leveler extensions can be ordered separately. Please contact Customer Service for information on ordering leveler extensions. Casters can be ordered in place of levelers for an upcharge on most standard height tables.

### SAFETY

For safety and stability purposes, the caster and flip top options cannot be added to bar height tables or the following table models: TBR60, TBS48, TBS60, TBOT54120, TBOT60144.

### **CUSTOM TABLES**

Custom size tables and custom height bases are available upon request, pending Engineering approval. Customization charges may apply. Contact Customer Service for additional information and pricing.

### **CONSTRUCTION**

### **X BASE**

X bases are made from cast aluminum with 2 ¼" tubing OD x 13 gauge.

### Y BASE

Y base is made from cast aluminum with 2 ¼" steel tube.

### **X BASE MOUNTING PLATES**

X base mounting plates are made of steel 4 gauge x 12" x 12" or 8" x 8".

### Y BASE MOUNTING PLATES

Y base mounting plates are made from 0.187" x 6" x 8" fabricated steel.

### WORKSURFACES

All worksurfaces are made with a core, high pressure laminate and edge band. All non-woodgrain edge bands are made of ABS material. All woodgrain edge bands are made of PVC material. The overall thickness is 1 1/8".

### **WORKSURFACE HEIGHTS**

Standard	27 ¾"
Bar Height	40 ¾"

### **SURFACE MATERIALS**

### WORKSURFACE

- Laminate
- Edge band

### **X BASES**

Paint

### **Y BASE**

**Paint** 

### **TAPERED LEGS**

Paint

### **HEIGHT ADJUSTABLE BASE**

Black or silver

# **TABLES**



Round — w/X b	ase					LAMINATE		PAINT	
DESCRIPTION	Н	W	D	MODEL#	L1	L2	L3	P2	P3
X base	29"	23 ¾"	23 ¾"	TBR24X	\$1,235	\$1,358	\$1,482	+ \$115	+ \$230
X base	29"	29 ¾"	29 ¾"	TBR30X	\$1,293	\$1,422	\$1,551	+ \$115	+ \$230
X base	29"	35 ¾"	35 ¾"	TBR36X	\$1,322	\$1,454	\$1,586	+ \$115	+ \$230
X base	29"	41 ¾"	41 ¾"	TBR42X	\$1,408	\$1,548	\$1,689	+ \$115	+ \$230
X base	29"	47 ¾"	47 ¾"	TBR48X	\$1,736	\$1,909	\$2,083	+ \$115	+ \$230
X base	29"	53 ¾"	53 ¾"	TBR54X	\$2,817	\$3,098	\$3,380	+ \$115	+ \$230



## $\textbf{Round} = \textbf{w}/\underline{\textbf{Tapered legs}}$

DESCRIPTION	Н	W	D	MODEL#	L1	L2	L3	P2	P3
4 Tapered legs	29"	29 ¾"	29 ¾"	TBR30T	\$1,840	\$2,024	\$2,208	+ \$115	+ \$230
4 Tapered legs	29"	35 ¾"	35 ¾"	TBR36T	\$1,868	\$2,054	\$2,241	+ \$115	+ \$230
4 Tapered legs	29"	41 ¾"	41 ¾"	TBR42T	\$1,897	\$2,086	\$2,276	+ \$115	+ \$230
4 Tapered legs	29"	47 ¾"	47 ¾"	TBR48T	\$1,926	\$2,118	\$2,311	+ \$115	+ \$230



## Round = w/Disc base

DESCRIPTION	Н	W	D	MODEL#	L1	L2	L3	P2	P3
Disc base	29"	29 ¾"	29 ¾"	TBR30D	\$2,446	\$2,690	\$2,934	+ \$115	+ \$230
Disc base	29"	35 ¾"	35 ¾"	TBR36D	\$2,561	\$2,817	\$3,072	+ \$115	+ \$230



### Round — w/TT base

DESCRIPTION	Н	W	D	MODEL#	L1	L2	L3	P2	P3
TT base	29"	59 ¾"	59 ¾"	TBR60TT	\$2,932	\$3,225	\$3,518	+ \$115	+ \$230
TT base	29"	65 ¾"	65 ¾"	TBR66TT	\$2,990	\$3,289	\$3,588	+ \$115	+ \$230
TT base	29"	71 ¾"	71 ¾"	TBR72TT	\$3,047	\$3,351	\$3,656	+ \$115	+ \$230

### **Options for Round Tables**

DESCRIPTION	OPTION CODE	X BASE	TAPERED LEGS	DISC BASE	TT BASE	UPCHARGE
Bar height	ВН	•		•		+ \$115
Casters (set of 4)	С	•	•		•	+ \$115
Flip top	FT	•		•		+ \$230

JP.	cary
1.	Model #
2.	Options
3.	Laminate
1	Edgo hand

<b>~</b>	<b>&gt;</b>

**Grain Direction** 

2. Options	
3. Laminate	<b>——</b>
4. Edge band	( -
5. Base paint	

				Shape			Duse
:	ТВ	Table	R	Round	30	Х	X base
:			S	Square		Т	Tapered legs
:			RCT	Rectangle		D	Disc base
:			OT	Oval		TT	TT base
:			:		:	:	
:	TB		R		30	X	
:		. <u>i</u>	<u>.</u>	. :		<u>.</u>	



Square — w/z	Square — w/X base						LAMINATE	PAINT		
DESCRIPTION	Н	W	D	MODEL#		L1	L2	L3	P2	Р3
X base	29"	23 ¾"	23 ¾"	TBS24X		\$1,236	\$1,359	\$1,483	+ \$115	+ \$230
X base	29"	29 ¾"	29 ¾"	TBS30X	:	\$1,293	\$1,422	\$1,551	+ \$115	+ \$230
X base	29"	35 ¾"	35 ¾"	TBS36X	•	\$1,380	\$1,518	\$1,656	+ \$115	+ \$230
X base	29"	41 ¾"	41 ¾"	TBS42X		\$1,437	\$1,580	\$1,724	+ \$115	+ \$230
X base	29"	53 ¾"	53 ¾"	TBS54X		\$2,817	\$3,098	\$3,380	+ \$115	+ \$230



## Square — w/Tapered legs

DESCRIPTION	Н	W	D	MODEL#	L1	L2	L3	P2	P3
4 Tapered Legs	29"	29 ¾"	29 ¾"	TBS30T	\$1,840	\$2,024	\$2,208	+ \$115	+ \$230
4 Tapered Legs	29"	35 ¾"	35 ¾"	TBS36T	\$1,868	\$2,054	\$2,241	+ \$115	+ \$230
4 Tapered Legs	29"	41 ¾"	41 ¾"	TBS42T	\$1,880	\$2,068	\$2,256	+ \$115	+ \$230
4 Tapered Legs	29"	47 ¾"	47 ¾"	TBS48T	\$1,897	\$2,086	\$2,276	+ \$115	+ \$230



## Square — w/TT base

≥	DESCRIPTION	Н	W	D	MODEL#	L1	L2	L3	P2	Р3
	TT base	29"	59 ¾"	59 ¾"	TBS60TT	\$2,932	\$3,225	\$3,518	+ \$115	+ \$230
	TT base	29"	65 ¾"	65 ¾"	TBS66TT	\$2,990	\$3,289	\$3,588	+ \$115	+ \$230
	TT base	29"	71 ¾"	71 ¾"	TBS72TT	\$3,047	\$3,351	\$3,656	+ \$115	+ \$230

### **Options for Square Tables**

DESCRIPTION	OPTION CODE	X BASE	TAPERED LEGS	TT BASE	UPCHARGE
Bar height	ВН	•			+ \$115
Casters (set of 4)	c	•	•	•	+ \$115
Flip top	FT	•			+ \$230

				Shape	D		Base
	ТВ	Table	R	Round	30	Х	X base
	:		S	Square		Т	Tapered legs
$\leftarrow$	:		RCT	Rectangle		TT	TT Base
	:		OT	Oval			
	<u>:</u>						
	TB		S		30	Х	
	<b>←</b>	← → TB	тв	TB S	S Square RCT Rectangle OT Oval	S Square RCT Rectangle OT Oval  TB S 30	TB S Square TTT  TT  TT  TT  TT  TT  TT  TT  TT  T



Oval — w/Y base						LAMINATE		PAINT		
DESCRIPTION	Н	W	D	MODEL#	L1	L2	L3	P2	P3	
w/stretcher	29"	71 ¾"	35 ¾"	TBOT3672Y	\$3,668	\$4,034	\$4,401	+ \$230	+ \$345	
w/stretcher	29"	95 ¾"	47"	TBOT4896Y	\$6,008	\$6,608	\$7,209	+ \$230	+ \$345	
w/stretcher	29"	119 ¾"	47"	TBOT48120Y	\$7,354	\$8,089	\$8,824	+ \$230	+ \$345	



## **Oval** — w/Tapered legs

DESCRIPTION	Н	W	D	MODEL#	ព	L2	L3	P2	P3
6 Tapered legs	29"	71 ¾"	35 ¾"	TBOT3672T	\$3,680	\$4,048	\$4,416	+ \$287	+ \$402
6 Tapered legs	29"	95 ¾"	47"	TBOT4896T	\$4,025	\$4,427	\$4,830	+ \$287	+ \$402
6 Tapered legs*	29"	119 ¾"	47"	TBOT48120T	\$4,427	\$4,869	\$5,312	+ \$287	+ \$402
6 Tapered legs*	29"	119 ¾"	53 ¾"	TBOT54120T	\$7,935	\$8,728	\$9,522	+ \$287	+ \$402
6 Tapered legs*	29"	143 ¾"	59 ¾"	TBOT60144T	\$8,625	\$9,487	\$10,350	+ \$287	+ \$402
* Includes a support ra	il								

### **Options for Oval Tables**

DESCRIPTION	OPTION CODE	Y BASE	TAPERED LEGS	UPCHARGE
Bar height	вн	•		+ \$345
Casters (set of 4)	C	•	•	+ \$115
Flip top	FT	•		+ \$345

Specify	Grain Direction				Shape	D	w	Base	
1. Model #		ТВ	Table	R	Round	34	69	Υ	Y base
2. Options	← →			S	Square	:	1	. T	Tapered legs
3. Laminate				RCT	Rectangle				
4. Edge band				ОТ	Oval				
5. Base paint		;		:		; .	<u>:</u> .	•	
		TB		ОТ		34	69	Υ	•



Rectangle _	- w/Y base					LAMINATE		PAINT		
DESCRIPTION	Н	w	D	MODEL#	L1	L2	L3	P2	P3	
w/o stretcher	29"	47 ¾"	29 ¾"	TBRCT3048Y	\$1,627	\$1,789	\$1,952	+ \$230	+ \$345	
w/stretcher	29"	53 ¾"	23 ¾"	TBRCT2454Y	\$1,581	\$1,739	\$1,897	+ \$230	+ \$345	
w/stretcher	29"	59 ¾"	23 ¾"	TBRCT2460Y	\$1,926	\$2,118	\$2,311	+ \$230	+ \$345	
w/stretcher	29"	58 ½"	35 ½"	TBRCT3660Y	\$2,340	\$2,574	\$2,808	+ \$230	+ \$345	
w/stretcher	29"	59 ¾"	29 ¾"	TBRCT3060Y	\$1,983	\$2,181	\$2,379	+ \$230	+ \$345	
w/stretcher	29"	65 ¾"	23 ¾"	TBRCT2466Y	\$2,185	\$2,403	\$2,622	+ \$230	+ \$345	
w/stretcher*	29"	69 1/4"	34"	TBRCT3469Y	\$3,524	\$3,876	\$4,228	+ \$230	+ \$345	
w/stretcher*	29"	71 ¾"	23 ¾"	TBRCT2472Y	\$2,242	\$2,466	\$2,690	+ \$230	+ \$345	
w/stretcher*	29"	71 ¾"	29 ¾"	TBRCT3072Y	\$2,340	\$2,574	\$2,808	+ \$230	+ \$345	
w/stretcher*	29"	71 ¾"	35 ¾"	TBRCT3672Y	\$2,777	\$3,054	\$3,332	+ \$230	+ \$345	
w/stretcher*	29"	79 ¼"	34"	TBRCT3479Y	\$3,524	\$3,876	\$4,228	+ \$230	+ \$345	
w/stretcher*	29"	83 ¾"	41 ¾"	TBRCT4284Y	\$3,766	\$4,142	\$4,519	+ \$230	+ \$345	
w/stretcher*	29"	95 ¾"	47 ¾"	TBRCT4896Y	\$4,789	\$5,267	\$5,746	+ \$230	+ \$345	



## Rectangle — w/Tapered legs

н				•					
	W	D	MODEL#	L1	L2	L3	P2	P3	
29"	47 ¾"	29 ¾"	TBRCT3048T	\$2,185	\$2,403	\$2,622	+ \$287	+ \$402	
29"	58 ½"	35 ½"	TBRCT3660T	\$2,530	\$2,783	\$3,036	+ \$287	+ \$402	
29"	59 ¾"	29 ¾"	TBRCT3060T	\$2,415	\$2,656	\$2,898	+ \$287	+ \$402	
29"	69 1/4"	34"	TBRCT3469T	\$2,645	\$2,909	\$3,174	+ \$287	+ \$402	
29"	71 ¾"	29 ¾"	TBRCT3072T	\$2,415	\$2,656	\$2,898	+ \$287	+ \$402	
29"	71 ¾"	35 ¾"	TBRCT3672T	\$2,645	\$2,909	\$3,174	+ \$287	+ \$402	
29"	79 1/4"	34"	TBRCT3479T	\$2,875	\$3,162	\$3,450	+ \$287	+ \$402	
29"	83 ¾"	41 ¾"	TBRCT4284T	\$3,162	\$3,478	\$3,794	+ \$287	+ \$402	
29"	95 ¾"	47 ¾"	TBRCT4896T	\$3,277	\$3,604	\$3,932	+ \$287	+ \$402	
* Includes a support rail									
	29" 29" 29" 29" 29" 29" 29" 29"	29" 47 ¾" 29" 58 ½" 29" 59 ¾" 29" 69 ¼" 29" 71 ¾" 29" 71 ¾" 29" 79 ¼" 29" 83 ¾"	29" 47 ¾" 29 ¾" 29" 58 ½" 35 ½" 29" 59 ¾" 29 ¾" 29" 69 ¼" 34" 29" 71 ¾" 29 ¾" 29" 71 ¾" 35 ¾" 29" 79 ¼" 34" 29" 79 ¼" 41 ¾"	29" 47 ¾" 29 ¾" TBRCT3048T 29" 58 ½" 35 ½" TBRCT3660T 29" 59 ¾" 29 ¾" TBRCT3060T 29" 69 ¼" 34" TBRCT3469T 29" 71 ¾" 29 ¾" TBRCT3072T 29" 71 ¾" 35 ¾" TBRCT3672T 29" 79 ¼" 34" TBRCT3479T 29" 83 ¾" 41 ¾" TBRCT4284T	29"         47 ¾"         29 ¾"         TBRCT3048T         \$2,185           29"         58 ½"         35 ½"         TBRCT3660T         \$2,530           29"         59 ¾"         29 ¾"         TBRCT3060T         \$2,415           29"         69 ¼"         34"         TBRCT3469T         \$2,645           29"         71 ¾"         29 ¾"         TBRCT3072T         \$2,415           29"         71 ¾"         35 ¾"         TBRCT3672T         \$2,645           29"         79 ¼"         34"         TBRCT3479T         \$2,875           29"         83 ¾"         41 ¾"         TBRCT4284T         \$3,162	29"         47 ¾"         29 ¾"         TBRCT3048T         \$2,185         \$2,403           29"         58 ½"         35 ½"         TBRCT3660T         \$2,530         \$2,783           29"         59 ¾"         29 ¾"         TBRCT3060T         \$2,415         \$2,656           29"         69 ¼"         34"         TBRCT3469T         \$2,645         \$2,909           29"         71 ¾"         29 ¾"         TBRCT3072T         \$2,415         \$2,656           29"         71 ¾"         35 ¾"         TBRCT3672T         \$2,645         \$2,909           29"         79 ¼"         34"         TBRCT3479T         \$2,875         \$3,162           29"         83 ¾"         41 ¾"         TBRCT4284T         \$3,162         \$3,478	29"         47 ¾"         29 ¾"         TBRCT3048T         \$2,185         \$2,403         \$2,622           29"         58 ½"         35 ½"         TBRCT3660T         \$2,530         \$2,783         \$3,036           29"         59 ¾"         29 ¾"         TBRCT3060T         \$2,415         \$2,656         \$2,898           29"         69 ¼"         34"         TBRCT3469T         \$2,645         \$2,909         \$3,174           29"         71 ¾"         29 ¾"         TBRCT3072T         \$2,415         \$2,656         \$2,898           29"         71 ¾"         35 ¾"         TBRCT3672T         \$2,645         \$2,909         \$3,174           29"         79 ¼"         34"         TBRCT3479T         \$2,875         \$3,162         \$3,450           29"         83 ¾"         41 ¾"         TBRCT4284T         \$3,162         \$3,478         \$3,794	29"         47 ¾"         29 ¾"         TBRCT3048T         \$2,185         \$2,403         \$2,622         + \$287           29"         58 ½"         35 ½"         TBRCT3660T         \$2,530         \$2,783         \$3,036         + \$287           29"         59 ¾"         29 ¾"         TBRCT3060T         \$2,415         \$2,656         \$2,898         + \$287           29"         69 ¼"         34"         TBRCT3469T         \$2,645         \$2,909         \$3,174         + \$287           29"         71 ¾"         29 ¾"         TBRCT3072T         \$2,415         \$2,656         \$2,898         + \$287           29"         71 ¾"         35 ¾"         TBRCT3672T         \$2,645         \$2,909         \$3,174         + \$287           29"         79 ¼"         34"         TBRCT3479T         \$2,875         \$3,162         \$3,450         + \$287           29"         83 ¾"         41 ¾"         TBRCT4284T         \$3,162         \$3,478         \$3,794         + \$287	

### **Options for Rectangle Tables**

DESCRIPTION	OPTION CODE	Y BASE	TAPERED LEGS	UPCHARGE
Bar height	ВН	•		+ \$345
Casters (set of 4)	C	•	•	+ \$115
Flip top	FT	•		+ \$345

Specify	Grain Direction				Shape	D	w	Base	
1. Model #		ТВ	Table	R	Round	34	69	Υ	Y base
2. Options	<b>←</b>			S	Square			Т	Tapered legs
3. Laminate		:		RCT	Rectangle	:			
4. Edge band		:		OT	Oval	:			
5. Base paint		;							
·		ТВ		RCT		34	69	Υ	



C	-Legs	– 24" D				LAMINATE			PAINT	
	Н	W	D	MODEL#	SUPPORT RAIL	L1	L2	L3	P2	Р3
	29"	42"	24"	TBRCT2442C		\$1,262	\$1,308	\$1,354	+ \$80	+ \$155
	29"	48"	24"	TBRCT2448C		\$1,261	\$1,333	\$1,381	+ \$80	+ \$155
	29"	54"	24"	TBRCT2454C	•	\$1,405	\$1,480	\$1,532	+ \$80	+ \$155
	29"	60"	24"	TBRCT2460C	•	\$1,468	\$1,550	\$1,608	+ \$80	+ \$155
	29"	66"	24"	TBRCT2466C	•	\$1,526	\$1,613	\$1,677	+ \$80	+ \$155
	29"	72"	24"	TBRCT2472C	•	\$1,537	\$1,625	\$1,690	+ \$80	+ \$155



-Legs	– 30" D				LAMINATE			PAINT	
Н	W	D	MODEL#	SUPPORT RAIL	L1	L2	L3	P2	P3
29"	42"	30"	TBRCT3042C		\$1,406	\$1,460	\$1,515	+ \$85	+ \$170
29"	48"	30"	TBRCT3048C		\$1,423	\$1,479	\$1,535	+ \$85	+ \$170
29"	54"	30"	TBRCT3054C	•	\$1,625	\$1,690	\$1,756	+ \$85	+ \$170
29"	60"	30"	TBRCT3060C	•	\$1,677	\$1,747	\$1,818	+ \$85	+ \$170
29"	66"	30"	TBRCT3066C	•	\$1,723	\$1,798	\$1,873	+ \$85	+ \$170
29"	72"	30"	TBRCT3072C	•	\$1,763	\$1,842	\$1,921	+ \$85	+ \$170



0-Legs	– 24" D	)			LAMINATE			PAINT	
Н	W	D	MODEL#	SUPPORT RAIL	L1	L2	L3	P2	P3
29"	42"	24"	TBRCT2442O		\$1,837	\$1,883	\$1,929	+ \$135	+ \$270
29"	48"	24"	TBRCT2448O		\$1,860	\$1,908	\$1,956	+ \$135	+ \$270
29"	54"	24"	TBRCT2454O	•	\$2,004	\$2,055	\$2,107	+ \$135	+ \$270
29"	60"	24"	TBRCT2460O	•	\$2,067	\$2,125	\$2,183	+ \$135	+ \$270
29"	66"	24"	TBRCT2466O	•	\$2,125	\$2,188	\$2,252	+ \$135	+ \$270
29"	72"	24"	TBRCT2472O	•	\$2,136	\$2,200	\$2,265	+ \$135	+ \$270



0-Legs	– 30" D	1			LAMINATE			PAINT	
Н	W	D	MODEL#	SUPPORT RAIL	L1	L2	L3	P2	Р3
29"	42"	30"	TBRCT3042O		\$1,946	\$2,000	\$2,055	+ \$140	+ \$275
29"	48"	30"	TBRCT3048O		\$1,939	\$2,019	\$2,075	+ \$140	+ \$275
29"	54"	30"	TBRCT3054O	•	\$2,141	\$2,230	\$2,296	+ \$140	+ \$275
29"	60"	30"	TBRCT3060O	•	\$2,193	\$2,287	\$2,358	+ \$140	+ \$275
29"	66"	30"	TBRCT3066O	•	\$2,239	\$2,338	\$2,413	+ \$140	+ \$275
29"	72"	30"	TBRCT3072O	•	\$2,279	\$2,382	\$2,461	+ \$140	+ \$275

Specify	Grain Direction		Shape	D	w	Base
<ol> <li>Model #</li> <li>Options</li> <li>Laminate</li> </ol>	<b>←</b>	TB Table	RCT Rectangle	24	60	C C-Leg O O-Leg
4. Edge band 5. Base paint		;	:			
		ТВ	RCT	24	60	C



T-Legs -	- 24" D				LAMINATE			PAINT	
Н	W	D	MODEL#	SUPPORT RAIL	L1	L2	L3	P2	P3
29"	42"	24"	TBRCT2442TL		\$1,262	\$1,308	\$1,354	+ \$80	+ \$155
29"	48"	24"	TBRCT2448TL		\$1,285	\$1,333	\$1,381	+ \$80	+ \$155
29"	54"	24"	TBRCT2454TL	•	\$1,429	\$1,480	\$1,532	+ \$80	+ \$155
29"	60"	24"	TBRCT2460TL	•	\$1,492	\$1,550	\$1,608	+ \$80	+ \$155
29"	66"	24"	TBRCT2466TL	•	\$1,550	\$1,613	\$1,677	+ \$80	+ \$155
29"	72"	24"	TBRCT2472TL	•	\$1,561	\$1,625	\$1,690	+ \$80	+ \$155



T-Legs -	– 30" D					LAMINATE		PAIN	ІТ
Н	W	D	MODEL#	SUPPORT RAIL	L1	L2	L3	P2	Р3
29"	42"	30"	TBRCT3042TL		\$1,394	\$1,448	\$1,503	+ \$85	+ \$165
29"	48"	30"	TBRCT3048TL		\$1,411	\$1,467	\$1,523	+ \$85	+ \$165
29"	54"	30"	TBRCT3054TL	•	\$1,613	\$1,678	\$1,744	+ \$85	+ \$165
29"	60"	30"	TBRCT3060TL	•	\$1,665	\$1,735	\$1,806	+ \$85	+ \$165
29"	66"	30"	TBRCT3066TL	•	\$1,711	\$1,786	\$1,861	+ \$85	+ \$165
29"	72"	30"	TBRCT3072TL	•	\$1,751	\$1,830	\$1,909	+ \$85	+ \$165

Specify	Grain Direction				Shape	D	w	Base
1. Model #		ТВ	Table	RCT	Rectangle	24	60	TL T-Leg
2. Options	← →			:				•
3. Laminate		į		:				•
4. Edge band				:			:	:
5. Base paint		į	:	•	:	;	:	,
		ТВ		RCT	•	24	:	TL

## **Sit/Stand Desks**

**Electric Height Adjustable** 



24" D					LAMINATE		V	VOOD VENEER	
Н	W	D	MODEL#	L1	L2	L3	W1	W2	W3
24" – 50"	48"	24"	TBRCT2448H	\$2,503	\$2,753	\$3,003	\$2,986	\$3,284	\$3,582
24" – 50"	54"	24"	TBRCT2454H	\$2,561	\$2,817	\$3,072	\$3,078	\$3,385	\$3,692
24" – 50"	60"	24"	TBRCT2460H	\$2,618	\$2,879	\$3,141	\$3,198	\$3,517	\$3,837
24" – 50"	66"	24"	TBRCT2466H	\$2,676	\$2,943	\$3,210	\$3,314	\$3,644	\$3,975
24" – 50"	72"	24"	TBRCT2472H	\$2,733	\$3,006	\$3,279	\$3,382	\$3,719	\$4,057
24" – 50"	78"	24"	TBRCT2478H	\$2,791	\$3,070	\$3,348	\$3,458	\$3,803	\$4,148
24" – 50"	84"	24"	TBRCT2484H	\$2,848	\$3,132	\$3,417	\$3,526	\$3,877	\$4,230



30" D					LAMINATE		V	VOOD VENEER	
Н	W	D	MODEL#	L1	L2	L3	W1	W2	W3
24" - 50"	48"	30"	TBRCT3048H	\$2,561	\$2,817	\$3,072	\$3,124	\$3,437	\$3,748
24" – 50"	54"	30"	TBRCT3054H	\$2,618	\$2,879	\$3,141	\$3,274	\$3,600	\$3,928
24" - 50"	60"	30"	TBRCT3060H	\$2,676	\$2,943	\$3,210	\$3,383	\$3,720	\$4,058
24" – 50"	66"	30"	TBRCT3066H	\$2,733	\$3,006	\$3,279	\$3,486	\$3,834	\$4,182
24" - 50"	72"	30"	TBRCT3072H	\$2,791	\$3,070	\$3,348	\$3,584	\$3,943	\$4,300
24" – 50"	78"	30"	TBRCT3078H	\$2,848	\$3,132	\$3,417	\$3,665	\$4,030	\$4,397
24" – 50"	84"	30"	TBRCT3084H	\$2,906	\$3,196	\$3,486	\$3,768	\$4,145	\$4,521

Specify	Grain Direction
1. Model #	
2. Laminate	$\longleftrightarrow$
3. Edge band	
4. Support color	

Black or Silver

Application Notes
Electric Height

Adjustable Base
Adjustable height bases
can be used with 24" &
30" deep worksurfaces.
Worksurfaces must be
between 48" – 84" wide.

Adjustable height bases have a capacity of 264 lbs evenly distributed.

Comes with four position memory controller.

Anti-collision stops and reverses the travel of the table when the table collides with a fixed object during operation.

3-stage legs offer a large height adjustment range of 24" – 50".



24" D						LAMINATE		PAIN	
Н	W	D	MODEL#	SUPPORT RAIL	L1	L2	L3	P2	P3
37"	42"	24"	TBRCT2428SB		\$1,806	\$1,852	\$1,898	+ \$135	+ \$270
37"	48"	24"	TBRCT2448SB		\$1,829	\$1,877	\$1,925	+ \$135	+ \$270
37"	54"	24"	TBRCT2454SB	•	\$1,973	\$2,024	\$2,076	+ \$135	+ \$270
37"	60"	24"	TBRCT2460SB	•	\$2,036	\$2,094	\$2,152	+ \$135	+ \$270
37"	66"	24"	TBRCT2466SB	•	\$2,094	\$2,157	\$2,221	+ \$135	+ \$270
37"	72"	24"	TBRCT2472BS	•	\$2,105	\$2,169	\$2,234	+ \$135	+ \$270



30" D						LAMINATE		PAIN	IT
Н	W	D	MODEL#	SUPPORT RAIL	L1	L2	L3	P2	P3
37"	42"	30"	TBRCT3042SB		\$1,892	\$1,946	\$2,001	+ \$135	+ \$270
37"	48"	30"	TBRCT3048SB		\$1,909	\$1,965	\$2,021	+ \$135	+ \$270
37"	54"	30"	TBRCT3054SB	•	\$2,111	\$2,176	\$2,242	+ \$135	+ \$270
37"	60"	30"	TBRCT3060SB	•	\$2,163	\$2,233	\$2,304	+ \$135	+ \$270
37"	66"	30"	TBRCT3066SB	•	\$2,209	\$2,284	\$2,359	+ \$135	+ \$270
37"	72"	30"	TBRCT3072SB	•	\$2,249	\$2,328	\$2,407	+ \$135	+ \$270

Specify	Grain Direction				Shape	D	W	Base	
1. Model #		ТВ	Table	RCT	Rectangle	24	60	SB	Stand-biased
2. Options	← →						:		
3. Laminate		į		:		<u>:</u>			
4. Edge band				:			:		
5. Base paint		į	:	•		;	;		:
		ТВ		RCT	•	24	:	SB	•



Height Adjustable	FINI		
MODEL#	CHAIR	DESK	LIST
SSWSP1500-MTL-HAT-MPL	Cloud 9 – Metal	Maple w/silver legs	\$5,546
SSWSP1500-INK-HAT-MPL	Cloud 9 – Ink	Maple w/silver legs	\$5,546
SSWSP1500-EBY-HAT-MPL	Cloud 9 – Ebony	Maple w/silver legs	\$5,546
SSWSP1500-MTL-HAT-CHR	Cloud 9 – Metal	Cherry w/black legs	\$5,813
SSWSP1500-INK-HAT-CHR	Cloud 9 – Ink	Cherry w/black legs	\$5,813
SSWSP1500-EBY-HAT-CHR	Cloud 9 – Ebony	Cherry w/black legs	\$5,813



Height Adjustable w/Screens	FINI		
MODEL#	CHAIR	DESK	LIST
SSWSP1500-MTL-HATWS-MPL	Cloud 9 – Metal	Maple w/silver legs	\$7,434
SSWSP1500-INK-HATWS-MPL	Cloud 9 – Ink	Maple w/silver legs	\$7,434
SSWSP1500-EBY-HATWS-MPL	Cloud 9 – Ebony	Maple w/silver legs	\$7,434
SSWSP1500-MTL-HATWS-CHR	Cloud 9 – Metal	Cherry w/black legs	\$7,617
SSWSP1500-INK-HATWS-CHR	Cloud 9 – Ink	Cherry w/black legs	\$7,617
SSWSP1500-EBY-HATWS-CHR	Cloud 9 – Ebony	Cherry w/black legs	\$7,617



Stand-biased	F	FINISHES		
MODEL#	CHAIR	DESK	LIST	
SSWSP1500-MTL-STB-MPL	Cloud 9 – Metal	Maple w/silver legs	\$5,865	
SSWSP1500-INK-STB-MPL	Cloud 9 – Ink	Maple w/silver legs	\$5,865	
SSWSP1500-EBY-STB-MPL	Cloud 9 – Ebony	Maple w/silver legs	\$5,865	
SSWSP1500-MTL-STB-CHR	Cloud 9 – Metal	Cherry w/black legs	\$5,800	
SSWSP1500-INK-STB-CHR	Cloud 9 – Ink	Cherry w/black legs	\$5,800	
SSWSP1500-EBY-STB-CHR	Cloud 9 – Ebony	Cherry w/black legs	\$5,800	

For sit/stand package discount information contact your Customer Service Representative at customerservice@neutralposture.com or 979.778.0502 ext. 301

Specify	Height Adjustable	Stand-biased	Application Notes	
1. Model #	Induded  • 1000 Series Chair  • 60 x 30 Desk  • Dual Monitor Arms  • Keyboard Arm & Tray	Induded  • 1000 Series Chair  • 60 x 30 Desk  • Dual Monitor Arms  • Keyboard Arm & Tray  • N-Position	Electric Height Adjustable Base Adjustable height bases have a capacity of 264 lbs evenly distributed.	Anti-collision stops and reverses the travel of the table when the table collides with a fixed object during operation.
			Comes with four position memory controller.	3-stage legs offer a large height adjustment range of 24" – 50".



Height Adjustable	FINISHES		
MODEL#	CHAIR	DESK	LIST
SSWSP8500-MTL-HAT-MPL	Cloud 9 – Metal	Maple w/silver legs	\$5,747
SSWSP8500-INK-HAT-MPL	Cloud 9 – Ink	Maple w/silver legs	\$5,747
SSWSP8500-EBY-HAT-MPL	Cloud 9 – Ebony	Maple w/silver legs	\$5,747
SSWSP8500-MTL-HAT-CHR	Cloud 9 – Metal	Cherry w/black legs	\$6,014
SSWSP8500-INK-HAT-CHR	Cloud 9 – Ink	Cherry w/black legs	\$6,014
SSWSP8500-EBY-HAT-CHR	Cloud 9 – Ebony	Cherry w/black legs	\$6,014




Height Adjustable w/Screens	F	FINISHES		
MODEL#	CHAIR	DESK	LIST	
SSWSP8500-MTL-HATWS-MPL	Cloud 9 – Metal	Maple w/silver legs	\$7,635	
SSWSP8500-INK-HATWS-MPL	Cloud 9 – Ink	Maple w/silver legs	\$7,635	
SSWSP8500-EBY-HATWS-MPL	Cloud 9 – Ebony	Maple w/silver legs	\$7,635	
SSWSP8500-MTL-HATWS-CHR	Cloud 9 – Metal	Cherry w/black legs	\$7,818	
SSWSP8500-INK-HATWS-CHR	Cloud 9 – Ink	Cloud 9 – Ink Cherry w/black legs		
SSWSP8500-EBY-HATWS-CHR	Cloud 9 – Ebony	Cherry w/black legs	\$7,818	




Stand-biased		FINISHES	
MODEL#	CHAIR	DESK	LIST
SSWSP8500-MTL-STB-MPL	Cloud 9 – Metal	Maple w/silver legs	\$6,066
SSWSP8500-INK-STB-MPL	Cloud 9 – Ink	Maple w/silver legs	\$6,066
SSWSP8500-EBY-STB-MPL	Cloud 9 – Ebony	Maple w/silver legs	\$6,066
SSWSP8500-MTL-STB-CHR	Cloud 9 – Metal	Cherry w/black legs	\$6,001
SSWSP8500-INK-STB-CHR	Cloud 9 – Ink	Cherry w/black legs	\$6,001
SSWSP8500-EBY-STB-CHR	Cloud 9 – Ebony	Cherry w/black legs	\$6,001

For sit/stand package discount information contact your Customer Service Representative at customerservice@neutralposture.com or 979.778.0502 ext. 301

Specify	Height Adjustable	Stand-biased	Application Notes	
1. Model #	Included  • 8000 Series Chair  • 60 x 30 Desk  • Dual Monitor Arms  • Keyboard Arm & Tray	Included  • 8000 Series Chair  • 60 x 30 Desk  • Dual Monitor Arms  • Keyboard Arm & Tray  • N·Position	Electric Height Adjustable Base Adjustable height bases have a capacity of 264 lbs evenly distributed.	Anti-collision stops and reverses the travel of the table when the table collides with a fixed object during operation.
			Comes with four position memory controller.	3-stage legs offer a large height adjustment range of 24" – 50".




Privacy & Modesty Panels				SCREEN TYPE		
W	Н	BRACKETS	MODEL#	PG	CR	TC
12"	12"	2	PRVMOD(CR/PG/TC)12	\$338	\$384	\$820
18"	12"	2	PRVMOD(CR/PG/TC)18	\$384	\$476	\$1,120
24"	12"	2	PRVMOD(CR/PG/TC)24	\$452	\$568	\$1,418
30"	12"	2	PRVMOD(CR/PG/TC)30	\$522	\$660	\$1,718
36"	12"	2	PRVMOD(CR/PG/TC)36	\$590	\$752	\$2,040
42"	12"	2	PRVMOD(CR/PG/TC)42	\$660	\$844	\$2,338
48"	12"	2	PRVMOD(CR/PG/TC)48	\$728	\$936	\$2,638
60"	12"	3	PRVMOD(CR/PG/TC)60	\$866	\$1,166	\$3,258



## **Privacy Panels**

12"	12"	2	PRV(CR/PG/TC)12	\$169 \$1	92 \$410
18"	12"	2	PRV(CR/PG/TC)18	\$192 \$2	38 \$560
24"	12"	2	PRV(CR/PG/TC)24	\$226 \$2	\$709
30"	12"	2	PRV(CR/PG/TC)30	\$261 \$3.	30 \$859
36"	12"	2	PRV(CR/PG/TC)36	\$295 \$3	76 \$1,020
42"	12"	2	PRV(CR/PG/TC)42	\$330 \$4.	22 \$1,169
48"	12"	2	PRV(CR/PG/TC)48	\$364 \$4	68 \$1,319
60"	12"	3	PRV(CR/PG/TC)60	\$433 \$5	83 \$1,629



## **Modesty Panels**

		-				
12"	12"	2	MOD(CR/PG/TC)12	\$169	\$192	\$410
18"	12"	2	MOD(CR/PG/TC)18	\$192	\$238	\$560
24"	12"	2	MOD(CR/PG/TC)24	\$226	\$284	\$709
30"	12"	2	MOD(CR/PG/TC)30	\$261	\$330	\$859
36"	12"	2	MOD(CR/PG/TC)36	\$295	\$376	\$1,020
42"	12"	2	MOD(CR/PG/TC)42	\$330	\$422	\$1,169
48"	12"	2	MOD(CR/PG/TC)48	\$364	\$468	\$1,319
60"	12"	3	MOD(CR/PG/TC)60	\$433	\$583	\$1,629

Specify
<ol> <li>Model #</li> <li>Insert type</li> <li>Insert color</li> </ol>
Trim - Brushed nickel only

Screen Type
CR Corian
PG Plexiglass
TC Textured Corian

Corian Finishes	
Glacier White	CR001
Pearl Grey	CR002
Corian Clay	CR003
Silver Grey	CR004
Corian Grey	CR005


lextured Corian Finishes
Glacier White <b>CR001T</b>
Pearl Grey CR002T
Corian Clay CR003T
Silver Grey CR004T
Corian Grey <b>CR005T</b>

Plexiglass Finishes	
IC Ice	
SMSmoked	
TR Translucent	
<b>LF</b> Frost	

## Application Notes

Screens are  $\frac{1}{4}$ " thick.

Widths are 1" less than nominal to allow for ½" set-back on each side.



Privacy & Modesty Panels — fabric FABRIC											
W	Н	BRACKETS	MODEL#	A	В	C	D	E	F	G	Н
24"	27"	2	PRVMODFA24	\$410	\$460	\$490	\$510	\$620	\$740	\$850	\$950
30"	27"	2	PRVMODFA30	\$433	\$503	\$533	\$553	\$663	\$783	\$883	\$993
36"	27"	2	PRVMODFA36	\$456	\$546	\$576	\$596	\$706	\$826	\$926	\$1,036
42"	27"	2	PRVMODFA42	\$479	\$579	\$619	\$639	\$749	\$859	\$969	\$1,079
48"	27"	2	PRVMODFA48	\$560	\$680	\$720	\$730	\$850	\$970	\$1,060	\$1,180
60"	27"	3	PRVMODFA60	\$709	\$839	\$889	\$899	\$999	\$1,129	\$1,229	\$1,339

Specify						
<ol> <li>Model #</li> <li>Insert type</li> <li>Insert color</li> </ol>						
Trim - Brushed nickel only						

Screen Type						
CR Corian						
PG Plexiglass						
TC Textured Cori	an					

Corian Finishes	
Glacier White	CR001
Pearl Grey	CR002
Corian Clay	CR003
Silver Grey	CR004
Corian Grey	CR005

Corian Finishes	Textured Corian Finishes
Glacier White CR001 Pearl Grey CR002 Corian Clay CR003 Silver Grey CR004 Corian Grey CR005	Glacier White CR001T Pearl Grey CR002T Corian Clay CR003T Silver Grey CR004T Corian Grey CR005T

Plexi	glass Finishes
IC	. Ice
SM.	. Smoked
TR .	. Translucent
LF	. Frost
Annli	cation Notes

## Application Notes

Screens are ¼" thick.

Widths are 1" less than nominal to allow for ½" set-back on each side.



18" H		INSERT	PAII	
w	MODEL#	PG	P2	P3
12"	EDTS()1218()	\$410	+ \$28	+ \$57
18"	EDTS()1818()	\$433	+ \$28	+ \$57
24"	EDTS()2418()	\$456	+ \$28	+ \$57
30"	EDTS()3018()	\$479	+ \$28	+ \$57
36"	EDTS()3618()	\$502	+ \$28	+ \$57
42"	EDTS()4218()	\$525	+ \$28	+ \$57
48"	EDTS()4818()	\$548	+ \$28	+ \$57



24" H				
12"	EDTS()1224()	\$433	+ \$28	+ \$57
18"	EDTS()1824()	\$456	+ \$28	+ \$57
24"	EDTS()2424()	\$479	+ \$28	+ \$57
30"	EDTS()3024()	\$502	+ \$28	+ \$57
36"	EDTS()3624()	\$525	+ \$28	+ \$57
42"	EDTS()4224()	\$548	+ \$28	+ \$57
48"	EDTS()4824()	\$571	+ \$28	+ \$57
60"	FDTS()6024()	\$629	± \$28	± \$57



30" H				
12"	EDTS()1230()	\$502	+ \$28	+ \$57
18"	EDTS()1830()	\$525	+ \$28	+ \$57
24"	EDTS()2430()	\$548	+ \$28	+ \$57
30"	EDTS()3030()	\$571	+ \$28	+ \$57
36"	EDTS()3630()	\$594	+ \$28	+ \$57
42"	EDTS()4230()	\$617	+ \$28	+ \$57
48"	EDTS()4830()	\$640	+ \$28	+ \$57



36" H				
12"	EDTS()1236()	\$594	+ \$28	+ \$57
18"	EDTS()1836()	\$617	+ \$28	+ \$57
24"	EDTS()2436()	\$640	+ \$28	+ \$57
30"	EDTS()3036()	\$663	+ \$28	+ \$57
36"	EDTS()3636()	\$686	+ \$28	+ \$57
42"	EDTS()4236()	\$709	+ \$28	+ \$57
48"	EDTS()4836()	\$732	+ \$28	+ \$57

Specif	y		
			_

- 1. Model # 2. Insert type 3. Insert color 4. Paint

1			W	Н	Mounting
-	EDTS Equity Desktop Screen	PG Plexiglass Insert	36	18	C Clamp \$57
:		:	:	:	F Freestanding \$0
		:	:	:	S Screw down \$0
:		:	:	:	<u> </u>
:	_	_			_
i	EDTS	PG	36	18	F
		; ;			:

+ \$57



61" H		INSERT	PAIN	
W	MODEL#	PG	P2	P3
24"	EMS()2461	\$1,963	+ \$28	+ \$57
30"	EMS()3061	\$2,250	+ \$28	+ \$57
36"	EMS()3661	\$2,595	+ \$28	+ \$57
42"	EMS()4261	\$2,940	+ \$28	+ \$57
48"	EMS()4861	\$3,170	+ \$28	+ \$57



### 64" H 24" EMS()2464 \$2,078 + \$28 + \$57 30" EMS()3064 \$2,423 + \$28 + \$57 36" EMS()3664 \$2,768 + \$28 + \$57 42" EMS()4264 \$3,113 + \$28 + \$57

\$3,400

+ \$28

EMS()4864

## 81" H

48"



01 11				
24"	EMS()2481	\$2,653	+ \$28	+ \$57
30"	EMS()3081	\$3,228	+ \$28	+ \$57
36"	EMS()3681	\$3,688	+ \$28	+ \$57
42"	EMS()4281	\$4,148	+ \$28	+ \$57
48"	EMS()4881	\$4,493	+ \$28	+ \$57

Sp	ecify	'							

- 1. Model#
- 2. Insert type
- 3. Insert color
- 4. Paint

				Options		
		W	Н			
EMS Equity Mobile Screen	PG Plexiglass Insert	36	81	C Casters	\$115	
EMS	PG		81			

### **STORAGE**

Neutral Posture is not only dedicated to good posture, we are also dedicated to making offices more efficient and more enjoyable to work in. Neutral Posture knows that to increase efficiency in the office things must be organized well and be easily accessible. Neutral Posture offers the most space efficient and easily accessible products on the market.


Neutral Posture offers many diverse storage units making sure you can always find the exact unit of storage for your office's needs. From small pedestals that can double as seating to large towers with wardrobe capability, Neutral Posture can fit your needs in any situation. Along with our wide range of storage options, Neutral Posture also lets you truly personalize your office equipment, making your office a welcoming place for not only your customers, but, your employees as well.


Neutral Posture provides storage units that work together—meaning that they will work better for you and your workspace. Neutral Posture allows customization by offering several different color options, fabric patterns and even several different pulls and lock options to make sure your office space looks exactly how you want. Storage units that are cohesive have numerous benefits, such as taking up less space, being easier to access and making your office look more unified.

### **TRUE DIMENSIONS**

**Disclaimer:** While Equity panels and worksurfaces are based on centerline to centerline dimensions, all storage dimensions are true dimensions.

# **STORAGE**













MODEL #	LIST
SPTRY	\$19
4000	***
	\$19
SFDD	\$42
SMLB	\$77
SPFF	\$75
SMDDB	\$111
SMSD	\$88
SLFCB	\$88
	SPTRY  SBDD SFDD  SMLB  SPFF  SMDDB  SMSD



### PED ACCESSORY PACKAGE - FF

2 – 12" Drawer dividers	SFFA	\$77



### PED ACCESSORY PACKAGE - BBF

2 – 6" Drawer dividers	SBBFA	\$88
1 – 12" Drawer dividers		
1 – Pencil tray		



### PED ACCESSORY PACKAGE – BF

1 – 6" Drawer divider	SBFA	\$77

1 – 12" Drawer divider 1 – Pencil tray

Step 1 - Model #

	Pedestal		Drawers	D		Pull
SPED	Freestanding Pedestal	FF	File File	19	J	J Pull
SMPED	Mobile Pedestal	BBF	<b>Box Box File</b>	:	В	Bar Pull
SCMPED	Mobile Pedestal w/Cushion	BF	Box File		R	Radiused Pull
SSPED	Suspended Pedestal			:	:	
SWSPED	Worksurface Supporting Pedestal			:	:	
SWSLKR	Worksurface Supporting Locker	:		:	:	
SFC	File Center			:	:	
	_		_			
SPED		BBF		19	В	
	· <b>:</b>	<b>:</b>			<b>:</b>	:

Step 2 - Case Finish

	Do in t
301	Paint Champagne
	<b>---</b>
301 <b>301</b>	
	:
301	

Step 3 – Front Finish

Not Available w/J Pull					
	Laminate				
PW-STK	Studio Teak				
PW-STK					

### **FEATURES**

### **COUNTER WEIGHTS**

- Freestanding, mobile and cushion pedestals include factory installed counterweights.
- Counterweights are not necessary for worksurface supporting or suspended pedestals.

### LOCK

- Lock core is removable.
- Keyed alike available upon request.
- Master and change key available upon request. See (page 9).
- Individual locking drawers available upon request. Upcharge may apply.

### **DRAWERS**

- $\bullet \ \ Include \ full \ suspension \ steel \ ball-bearing \ slides.$
- Drawer fronts include rubber bumpers for quiet operation.

### **LEVELING GLIDES**

• 4 Leveling glides allow for 1 %" adjustment.

### **CASTERS - MOBILE PEDS**

• 4 Black casters, 2 of which are locking.

### **CONSTRUCTION**

### **OUTER SHELL & DRAWER CONSTRUCTION**

Welded steel frame construction & formed channels ensure strength in key areas.

Top channels	18 – 21 Gauge
Side channels	18 – 21 Gauge
Outer panels	22 Gauge
Drawer fronts	20 Gauge
Drawer bins	22 Gauge

### DRAWER LOAD CAPACITY

6" Box drawers	50 lbs
12" File drawers	70 lbs

### **DRAWER INNER DIMENSIONS**

Height


Box drawer

File drawer

Width	
All drawers	12 1/8"
Depth	
18" Deep pedestal	15 1/5"
22" Deep pedestal	18 1/4"
30" Deep pedestal	24 1/4"

### **PULL STYLES**







### **SURFACE MATERIALS**

### **PEDESTAL**

Paint

4 1/2"

9 1/2"

### **FRONTS**

w/Bar pull (B) Paint or Laminate w/Radiused pull (R) Paint or Laminate w/J pull (J) Paint

### **DRAWER PULL**

Bar (B) Satin nickel Radiused (R) Satin nickel J (J) Paint

### **MOBILE PED HANDLE**

Satin nickel


### LOCK

Satin nickel

### **CUSHION TOP**

Upholstery

# **PEDESTALS**







Freest	eestanding			PAINT			E FRONT (UPCHAI		
Н	W	D	MODEL #	P1	P2	P3	L1	L2	L3
27 ¾"	15 1/4"	21 %"	SPEDFF22(J/B/R)	\$686	\$754	\$823	+ \$299	+ \$328	+ \$358
27 ¾"	15 1/4"	21 %"	SPEDBBF22(J/B/R)	\$732	\$805	\$878	+ \$322	+ \$354	+ \$386
27 ¾"	15 1/4"	27 %"	SPEDFF30(J/B/R)	\$778	\$855	\$933	+ \$311	+ \$419	+ \$528
27 ¾"	15 1/4"	27 %"	SPEDBBF30(J/B/R)	\$801	\$881	\$961	+ \$320	+ \$432	+ \$544



### Mobile


26 %"	15 ¼"	18 %"	SMPEDFF19(J/B/R)	\$686	\$754	\$823	+ \$299	+ \$328	+ \$359
26 %"	15 1/4"	18 %"	SMPEDBBF19(J/B/R)	\$744	\$818	\$892	+ \$327	+ \$359	+ \$392
21 1/8"	15 1/4"	18 %"	SMPEDBF19(J/B/R)	\$663	\$729	\$795	+ \$287	+ \$315	+ \$344
26 %"	15 1/4"	21 %"	SMPEDFF22(J/B/R)	\$732	\$805	\$878	+ \$322	+ \$354	+ \$386
26 %"	15 1/4"	21 %"	SMPEDBBF22(J/B/R)	\$778	\$855	\$933	+ \$345	+ \$379	+ \$414
21 1/8"	15 1/4"	21 %"	SMPEDBF22(J/B/R)	\$675	\$742	\$809	+ \$287	+ \$315	+ \$344
26 %"	15 1/4"	27 %"	SMPEDFF30(J/B/R)	\$755	\$830	\$906	+ \$302	+ \$407	+ \$513
26 %"	15 1/4"	27 %"	SMPEDBBF30(J/B/R)	\$790	\$869	\$948	+ \$316	+ \$426	+ \$537
21 1/8"	15 1/4"	27 %"	SMPEDBF30(J/B/R)	\$698	\$767	\$837	+ \$279	+ \$376	+ \$474



Mobil	e Cushi	on		•••••		•••••••••••••••••••••••••••••••••••••••	FABR		•••••••••	•••••••••••••••••••••••••••••••••••••••	
Н	W	D	MODEL#	1	2	3	4	5	6	7	8
1"	15 ¼"	18 %"	PC19	\$207	\$237	\$267	\$297	\$367	\$427	\$487	\$577
1"	15 1/4"	21 %"	PC22	\$207	\$237	\$267	\$297	\$367	\$427	\$487	\$577
1"	15 1/4"	27.76"	BC30	\$207	\$227	\$267	\$207	\$367	\$427	\$497	\$577

### Specify

- 1. Model#
- 2. Case finish
- 3. Front finish Laminate not available on J pull



R – Radiused

### **Ordered Separately**

• Pencil tray

### Freestanding Peds

- Counterweight for stability
- Leveling glides allow for 1 5/8" adjustment

### Mobile Peds

### Included

- $\bullet \ Counterweight \ for \ stability$
- Black 37mm plastic casters (2 locking & 2 non-locking)

# **Pedestals**



Susper	nded			PAINT			LAMINATE FRONT (UPCHARGE)		
Н	w	D	MODEL#	P1	P2	P3	L1	L2	L3
25"	15 1/4"	21 %"	SSPEDFF22(J/B/R)	\$686	\$754	\$823	+ \$299	+ \$328	+ \$359
25"	15 1/4"	21 %"	SSPEDBBF22(J/B/R)	\$732	\$805	\$878	+ \$322	+ \$354	+ \$386
19 3/8"	15 1/4"	21 %"	SSPEDBF22(J/B/R)	\$571	\$628	\$685	+ \$247	+ \$271	+ \$296



# **Worksurface Supporting**

27 ¾"	15 1/4"	17 %"	SWSPEDFF18(J/B/R)	\$663	\$729	\$795	+ \$293	+ \$322	+ \$352
27 ¾"	15 1/4"	17 %"	SWSPEDBBF18(J/B/R)	\$709	\$779	\$850	+ \$310	+ \$341	+ \$372
27 ¾"	15 1/4"	21 %"	SWSPEDFF22(J/B/R)	\$663	\$729	\$795	+ \$293	+ \$322	+ \$352
27 ¾"	15 1/4"	21 %"	SWSPEDBBF22(J/B/R)	\$709	\$779	\$850	+ \$310	+ \$341	+ \$372
27 ¾"	15 1/4"	27 %"	SWSPEDFF30(J/B/R)	\$686	\$754	\$823	+ \$274	+ \$369	+ \$465
27 ¾"	15 1/4"	27 %"	SWSPEDBBF30(J/B/R)	\$755	\$830	\$906	+ \$302	+ \$407	+ \$513



Mobile	Slim				PAINT			LAMINATE FRONT (UPCHARGE)		
DRAWER ACCESS	Н	w	D	MODEL#	P1	P2	P3	L1	L2	L3
L	20"	12"	18 %"	SMPEDSLM19L(J/B/R)	\$1,261	\$1,387	\$1,513	+ \$322	+ \$354	+ \$386
R	20"	12"	18 %"	SMPEDSLM19R(J/B/R)	\$1,261	\$1,387	\$1,513	+ \$322	+ \$354	+ \$386
Both	20"	12"	18 %"	SMPEDSLM19B(J/B/R)	\$1,319	\$1,450	\$1,582	+ \$322	+ \$354	+ \$386



Mobile	Slim	Cushio	n	•••••••••••••••••••••••••••••••••••••••	•••••••••••••	•••••••••••••	FABR		•••••••••••••••••••••••••••••••••••••••	•••••••••••	
Н	W	D	MODEL#	1	2	3	4	5	6	7	8
1"	12"	18 %"	PCS19	\$207	\$237	\$267	\$297	\$367	\$427	\$487	\$577

Specify					
1. Model #					
2. Case finish					
3. Front finish					
Laminate not					
available on J Pull					

					Options
	Lateral		W	Pull	
SPED SMPED SCMPED SSPED SWSPED SWSLKR SFC	Freestanding Pedestal Mobile Pedestal Mobile Pedestal w/Cushion Suspended Pedestal Worksurface Supporting Pedestal Worksurface Supporting Locker File Center	FF File File <b>BBF Box Box File</b> BF Box File	19	J J Pull <b>B Bar Pull</b> R Radiused Pull	DL Digital Lock \$410
SPED		BBF	19	В	DL

	File Center		Drawers	D	Pull	
SFC	File Center	FF	File File	19	J J Pull	
SCMFC	Mobile File Center w/Cushion	BBF	Box Box File	:	B Bar Pull	
		BF	Box File	:	R Radiused P	ull
				:		
SFC		BBF	:	19	В	
	<b>i</b>				ii	

Step	2 –	Case	Finish
------	-----	------	--------

	Paints
301	Champagne
:	
301	
301	<b>.</b>

Step 3 – Front Finish

Not	Not Available w/J Pull				
	Laminate				
PW-STK	Studio Teak				
:					
•					
PW-STK					

### **FEATURES**

### **COUNTER WEIGHTS**

- Freestanding file centers include factory installed counterweights.
- Counterweights are not necessary for worksurface supporting file centers.

### LOCK

- Lock core is removable.
- Keyed alike available upon request.
- Master and change key available upon request. See (page 9).
- Individual locking drawers available upon request. Upcharge may apply.

### **DRAWERS**

- Include full suspension steel ball-bearing slides.
- Drawer fronts include rubber bumpers for quiet operation.

### **LEVELING GLIDES**

• 4 Leveling glides allow for 1 %" adjustment.

### **CASTERS – MOBILE PEDS**

• 4 Black casters, 2 of which are locking

### **CONSTRUCTION**

### **OUTER SHELL & DRAWER CONSTRUCTION**

Welded steel frame construction & formed channels ensure strength in key areas.

Top channels	18 – 21 Gauge
Side channels	18 – 21 Gauge
Outer panels	22 Gauge
Drawer fronts	20 Gauge
Drawer bins	22 Gauge

### DRAWER LOAD CAPACITY

Height

6" Box drawers	50 lbs
12" File drawers	70 lbs

### **DRAWER INNER DIMENSIONS**

Box drawer	4 ½"
File drawer	9 ½"
Width	
All drawers	12 1/8"
Depth	
18" Deep pedestal	15 1/5"
30" Deep pedestal	26 1/4"

### **PULL STYLES**

### **Available with Laminate Front**







### **SURFACE MATERIALS**

### **PEDESTAL**

Paint

### **FRONTS**

w/Bar pull (B) Paint or Laminate w/Radiused pull (R) Paint or Laminate w/J pull (J) **Paint** 

### **DRAWER PULL**

Bar <b>(B)</b>	Satin nickel
Radiused (R)	Satin nickel
J ( <b>J</b> )	Paint


### **LOCK**

Satin nickel

### **CUSHION TOP**

Upholstery

# **FILE CENTERS**





Worksu	Worksurface Supporting File Center				PAINT		LAMINATE FRONT (UPCHARGE)			
Н	W	D	MODEL#	P1	P2	Р3	L1	L2	L3	
27 ¾"	30 ½"	18 1/4"	SFCFFLAT(J/B/R)	\$1,353	\$1,488	\$1,623	+ \$598	+ \$657	+ \$717	
27 ¾"	30 ½"	18 1/4"	SFCBBFLAT(J/B/R)	\$1,365	\$1,501	\$1,637	+ \$621	+ \$683	+ \$745	
27 ¾"	30 1/2"	18 1/4"	SFCFBBLAT(J/B/R)	\$1,365	\$1,501	\$1,637	+ \$621	+ \$683	+ \$745	



### **Mobile File Center w/Cushion**


24 1/8"	30 ½"	18 ¾"	SCMFCBBLAT(J/B/R)		\$2,308	\$2,538	\$2,769	+ \$805	+ \$1,116	+ \$1,427
				:	, ,	, ,	. ,		. ,	. ,

### **Mobile Cushion Fabric Upcharges**

mobile casilloli rabile opellarges							
SEATING GRADES	UPCHARGE						
1	+ \$225						
2	+ \$300						
3	+ \$400						
4	+ \$500						
5	+ \$600						
6	+ \$700						
7	+ \$800						
8	+ \$900						

### Specify

- 1. Model#
- 2. Case finish
- 3. Front finish
  Laminate not
  available on J pull



### R – Radiused

### **Ordered Separately**

• Pencil tray

### Freestanding File Center

### Included

- Counterweight for stability
- Leveling glides allow for 1 %" adjustment

### Mobile File Center

### Included

- Counterweight for stability
- Black 37mm plastic casters (2 locking & 2 non-locking)
- 1" cushion in black Other fabrics available for an upcharge.

# **File Centers**



Mobile File Center w/Cupboard Door					PAINT		LAMINAT	E FRONT (UPCH	ARGE)	
HINGE	Н	W	D	MODEL#	P1	P2	P3	L1	L2	L3
L	22 3/8"	30 ½"	18 1/4"	SMFCFBCUBL(J/B/R)	\$1,434	\$1,548	\$1,663	+ \$621	+ \$683	+ \$745
R	22 3/8"	30 ½"	18 1/4"	SMFCFBCUBR(J/B/R)	\$1,434	\$1,548	\$1,663	+ \$621	+ \$683	+ \$745



# Mobile File Center w/Open Shelf

L	22 ¾"	30 ½"	18 1/4"	SMFCFBSHFL(J/B/R)	\$1,319	\$1,548	\$1,663	+ \$609	+ \$669	+ \$730
R	22 ¾"	30 ½"	18 1/4"	SMFCFBSHFR(J/B/R)	\$1,319	\$1,548	\$1,663	+ \$609	+ \$669	+ \$730



Mobile File Center Cushion							FABR	IC			
Н	W	D	MODEL#	A/1	B/2	C/3	D/4	E/5	F/6	G/7	H/8
1"	30 ½"	18 ¼"	MFCC30	\$376	\$476	\$526	\$576	\$626	\$676	\$726	\$796

Specify						
1. Model#						
2. Case finish						
3. Front finish						

Laminate not available on J Pull

					Options
	Lateral		W	Pull	
SFC	File Center	FF File File	19	J J Pull	DL Digital Lock \$410
SCMFC	Mobile File Center w/Cushion	BBF Box Box File		B Bar Pull	
		BF Box File		R Radiused Pull	
:					
		•			
:				,	
SFC		BBF	19	В	DL
	:	<b></b>	<b>::</b>		

### Step 1 – Model #

Lateral	# of Drawers	W	Pull
SLAT Lateral SWSLAT Worksurface Supporting	3	36	J JPull <b>B Bar Pull</b>
SLAT	3	36	В

### Step 2 - Case Finish

	Paint
301	Champagne
301 301	
201	:
301	

Step 3 - Front Finish

		Not Available w/J Pull	
		Laminate	
PW	-STK	Studio Teak	
PV	V-STK		

### **FEATURES**

### **COUNTER WEIGHTS**

- Counterweights are not included with laterals.
- Counterweights are not necessary for worksurface supporting laterals.

### **LOCK**

- Lock core is removable.
- Keyed alike available upon request.
- Master and change key available upon request. See (page 9).
- Individual locking drawers available upon request. Upcharge may apply.

### **DRAWERS**

- All drawers include full extension steel ball-bearing slides with anti-rebound features to ensure smooth operation.
- Drawer fronts include rubber bumpers for quiet operation.
- The top opening of 5-high laterals features an over-the-top flipper door with 13 ¼" inside clear height for binder storage.
- Drawer includes full-height side panels.
- 2 file bars are included in each drawer, for side-to-side filing.
- Conversion bars for front to back filing are sold separately.
- All lateral drawer bins will accommodate A4, letter and legal size filing.

### **LEVELING GLIDES**

4 leveling glides allow for 1 1/4" adjustment.

### **COUNTERWEIGHTS**

 Counterweights are required for all lateral files that are not ganged together or otherwise anchored.

### **CONSTRUCTION**

### **OUTER SHELL & DRAWER CONSTRUCTION**

Welded steel frame construction & formed channels ensure strength in key areas. Standard depth is 18 ¼".

Inner frame	20 Gauge
Outer panels	22 Gauge
Drawer fronts	20 Gauge
Drawer bins	20 Gauge

### **DRAWER LOAD CAPACITY**

30" Wide lateral	140 lbs
36" Wide lateral	168 lbs
42" Wide lateral	192 lbs

### **DRAWER INNER DIMENSIONS**

Height	
Top flipper door	13 ¼"
Drawer immediately below lock strip	9
All other drawers	10 ¾"
Width	
30" Wide lateral	26 1/10"
36" Wide lateral	32 1/10"
42" Wide lateral	38 1/10"
Depth	
18 ¼" Deep lateral	16"

### **PULL STYLES**



B - Bar Pull



### **SURFACE MATERIALS**

### LATERAL

Paint

### **FRONTS**

w/Bar pull (B) Paint or Laminate w/J pull (J) Paint

### **DRAWER PULL**

Bar (B) Satin nickel J (J) Paint


### **LOCK**

Satin nickel

### **TOP**

Paint or Laminate

# **LATERALS**







2 Draw	er				PAINT		LAMINATE FRONT (UPCHARGE)		
Н	W	D	MODEL#	P1	P2	Р3	L1	L2	L3
28 %"	30"	18 1/4"	SLAT230(J/B)	\$1,031	\$1,134	\$1,237	+ \$460	+ \$506	+ \$607
28 3/8"	36"	18 1/4"	SLAT236(J/B)	\$1,261	\$1,387	\$1,513	+ \$506	+ \$556	+ \$667
28 ¾"	42"	18 1/4"	SLAT242(J/B)	\$1,319	\$1,450	\$1,582	+ \$552	+ \$607	+ \$728

Counterweights are required for all lateral files that are not ganged together or otherwise anchored.



### 3 Drawer

39 %"	30"	18 1/4"	SLAT330(J/B)	\$1,434	\$1,577	\$1,720	+ \$632	+ \$695	+ \$834
39 %"	36"	18 1/4"	SLAT336(J/B)	\$1,606	\$1,766	\$1,927	+ \$678	+ \$745	+ \$894
39 %"	42"	18 1/4"	SLAT342(J/B)	\$1,721	\$1,893	\$2,065	+ \$724	+ \$796	+ \$955

Counterweights are required for all lateral files that are not ganged together or otherwise anchored.



### 4 Drawer

51 3/8"	30"	18 1/4"	SLAT430(J/B)	\$1,779	\$1,956	\$2,134	+ \$770	+ \$847	+ \$1,016
51 3/8"	36"	18 1/4"	SLAT436(J/B)	\$1,951	\$2,146	\$2,341	+ \$805	+ \$885	+ \$1,062
51 3/8"	42"	18 1/4"	SLAT442(J/B)	\$2,066	\$2,272	\$2,479	+ \$839	+ \$922	+ \$1,107

 $\label{lem:counterweights} \textbf{Counterweights are required for all lateral files that are not ganged together or otherwise anchored.}$ 



### 5 Drawer — fixed top shelf

Ī	65 %"	30"	18 1/4"	SLAT530(J/B)	\$2,124	\$2,336	\$2,548	+ \$851	+ \$936	+ \$1,123
	65 %"	36"	18 1/4"	SLAT536(J/B)	\$2,296	\$2,525	\$2,755	+ \$874	+ \$961	+ \$1,153
	65 %"	42"	18 1/4"	SLAT542(J/B)	\$2,526	\$2,778	\$3,031	+ \$897	+ \$986	+ \$1,184

 $\label{lem:counterweights} \textbf{Counterweights are required for all lateral files that are not ganged together or otherwise anchored.}$ 



### 5 Drawer — w/roll-out shelf

65 %"	30"	18 1/4"	SLAT5R30(J/B)	\$3,193	\$3,512	\$3,831	+ \$2,300	+ \$2,530	+ \$2,760
65 1/8"	36"	18 1/4"	SLAT5R36(J/B)	\$3,653	\$4,018	\$4,383	+ \$2,300	+ \$2,530	+ \$2,760
65 %"	42"	18 1/4"	SLAT5R42(J/B)	\$3,883	\$4,271	\$4,659	+ \$2,300	+ \$2,530	+ \$2,760

Counterweights are required for all lateral files that are not ganged together or otherwise anchored.

### Specify

- 1. Model#
- 2. Case finish
- 3. Front finish
  Laminate not
  available on J pull

# Pulls B – Bar Pull J – J Pull

Lateral	# Drawers	w	Pull		
SLAT Lateral	2	36	J J Pull	CW Counterweights	\$192
SWSLAT Worksurface Supporting	3	:	B Bar Pull	DL Digital Lock	\$410
	4	:	:		
	5		:		
		:			
	•	:			
SLAT	3	36	ا ر	CW	
:	ii		ii		

Options

### **Application Notes**

### Included

• Leveling glides for 1 1 1 adjustment





BF					PAINT		LAMINATE FRONT (UPCHARGE)		
Н	W	D	MODEL#	P1	P2	P3	L1	L2	L3
22 5/8"	30"	18 1/4"	SLAT130(J/B)	\$1,158	\$1,273	\$1,389	+ \$402	+ \$558	+ \$713
22 %"	36"	18 1/4"	SLAT136(J/B)	\$1,273	\$1,400	\$1,527	+ \$402	+ \$569	+ \$736
22 5/8"	42"	18 1/4"	SLAT142(J/B)	\$1,388	\$1,526	\$1,665	+ \$402	+ \$581	+ \$759

Counterweights are required for all lateral files that are not ganged together or otherwise anchored.



### **BF Shelf**

·	22 %"	30"	18 1/4"	SLATS130	\$928	\$1,020	\$1,113	N/A	N/A	N/A
	22 %"	36"	18 1/4"	SLATS136	\$1,043	\$1,147	\$1,251	N/A	N/A	N/A
	22 %"	42"	18 1/4"	SLATS142	\$1,158	\$1,273	\$1,389	N/A	N/A	N/A

Counterweights are required for all lateral files that are not ganged together or otherwise anchored.



### **Worksurface Supporting**

27 ¾"	30"	18 1/4"	SWSLAT230(J/B)	\$1,031	\$1,134	\$1,237	+ \$460	+ \$506	+ \$607
27 ¾"	36"	18 1/4"	SWSLAT236(J/B)	\$1,146	\$1,260	\$1,375	+ \$506	+ \$556	+ \$667
27 3/4"	42"	18 1/4"	SWSLAT242(J/B)	\$1,261	\$1,387	\$1,513	+ \$552	+ \$607	+ \$728

Counterweights are required for all lateral files that are not ganged together or otherwise anchored.



### 2 Drawer/2 Open Shelves

51 %"	30"	18 1/4"	SLAT2S2F30(J/B)	\$2,538	\$2,791	\$3,045	+ \$2,300	+ \$2,530	+ \$2,760
52 %"	36"	18 1/4"	SLAT2S2F36(J/B)	\$2,883	\$3,171	\$3,459	+ \$2,300	+ \$2,530	+ \$2,760
53 %"	42"	18 1/4"	SLAT2S2F42(J/B)	\$3,400	\$3,740	\$4,080	+ \$2,300	+ \$2,530	+ \$2,760

 $\label{lem:counterweights} \textbf{Counterweights are required for all lateral files that are not ganged together or otherwise anchored.}$ 



### 2 Drawer/3 Open Shelves

65 %"	30"	18 1/4"	SLAT3S2F30(J/B)	\$2,653	\$2,918	\$3,183	+ \$2,300	+ \$2,530	+ \$2,760
65 %"	36"	18 1/4"	SLAT3S2F36(J/B)	\$2,998	\$3,297	\$3,597	+ \$2,300	+ \$2,530	+ \$2,760
65 %"	42"	18 1/4"	SLAT3S2F42(J/B)	\$3,515	\$3,866	\$4,218	+ \$2,300	+ \$2,530	+ \$2,760


 $\label{lem:counterweights} \textbf{Counterweights are required for all lateral files that are not ganged together or otherwise anchored.}$ 

### **Lateral** – **Accessories**

DESCRIPTION	MODEL#	BLACK ONLY
Lateral Ganging Kit	SLATGK	\$169

Specify
1. Model#
2. Case finish
3. Front finish
Laminate not
available on I null

						Options	
	Lateral	W		Pull			
SLAT1	BF Lateral w/Metal Top	36	В	<b>J Pull</b> Bar Pull	<b>CW</b> DL	3	<b>92</b>
SLAT1		36	J		CW		



6B	Drav	wer		PAINT				
	Н	W	D	MODEL #	P1	P2	P3	
3	9 %"	30"	18 ¼"	S6BLAT30(J/B)	\$2,158	\$2,373	\$2,589	
3	9 1/8"	36"	18 1/4"	S6BLAT36(J/B)	\$2,273	\$2,500	\$2,727	
3	9 %"	42"	18 1/4"	S6BLAT42(J/B)	\$2,480	\$2,728	\$2,976	

 $Counterweights are \ required \ for \ all \ lateral \ files \ that \ are \ not \ ganged \ together \ or \ otherwise \ anchored.$ 

6B Drawer, No Top

				•		
39 %"	30"	18 1/4"	S6BLAT30NT(J/B)	\$2,078	\$2,285	\$2,493
39 %"	36"	18 1/4"	S6BLAT36NT(J/B)	\$2,193	\$2,412	\$2,631
39 %"	42"	18 1/4"	S6BLAT42NT(J/B)	\$2,423	\$2,665	\$2,907

 $\label{lem:counterweights} \textbf{Counterweights are required for all lateral files that are not ganged together or otherwise anchored.}$ 



### **BBF Drawer**


28 %"	30"	18 1/4"	S2BFLAT30(J/B)	\$1,388	\$1,526	\$1,665
28 %"	36"	18 1⁄4"	S2BFLAT36(J/B)	\$1,503	\$1,653	\$1,803
28 %"	42"	18 1⁄4"	S2BFLAT42(J/B)	\$1,618	\$1,779	\$1,941

 $Counterweights\ are\ required\ for\ all\ lateral\ files\ that\ are\ not\ ganged\ together\ or\ otherwise\ anchored.$ 

**BBF Drawer, No Top** 

28 ¾"	30"	18 1/4"	S2BFLAT30NT(J/B)	\$1,388	\$1,526	\$1,665
28 ¾"	36"	18 1/4"	S2BFLAT36NT(J/B)	\$1,503	\$1,653	\$1,803
28 %"	42"	18 1/4"	S2BFLAT42NT(J/B)	\$1,618	\$1,779	\$1,941

 $\label{lem:counterweights} \textbf{Counterweights are required for all lateral files that are not ganged together or otherwise anchored.}$ 



### **BBFF Drawer**

39 %"	30"	18 ¼"	S2B2FLAT30(J/B)	\$1,848	\$2,032	\$2,217
39 %"	36"	18 1/4"	S2B2FLAT36(J/B)	\$1,963	\$2,159	\$2,355
39 %"	42"	18 1/4"	S2B2FLAT42(J/B)	\$2,078	\$2,285	\$2,493

 $\label{lem:counterweights} \textbf{Counterweights are required for all lateral files that are not ganged together or otherwise anchored.}$ 


### **BBFF Drawer, No Top**

39 %	30	18 1/4	S2B2FLAT30NT(J/B)	\$1,848	\$2,032	\$2,217
39 %	36	18 1/4	S2B2FLAT36NT(J/B)	\$1,963	\$2,159	\$2,355
39 %	42	18 1/4	S2B2FLAT42NT(J/B)	\$2,078	\$2,285	\$2,493

 $\label{lem:counterweights} \textbf{Counterweights are required for all lateral files that are not ganged together or otherwise anchored.}$ 

Specify						
1. Model #						
2. Case finish						

					Options	
	Lateral	W	Pull			
S6BLAT	6B Drawer Lat	36	J J Pull	CW	Counterweights	\$192
S2BFLAT	BBF Drawer Lat		B Bar Pull	DL	Digital Lock	\$410
S2B2FLAT	BBFF Drawer Lat	:				
<u>:</u>						
į		<u>:</u> .	:		1	
S6BLA1	г	36	J	CW	'	
i	•	<b>.</b>	ii			




Comn	non To		LAMINATE			
Н	W	D	MODEL#	L1	L2	L3
5/8"	30"	18 ¼"	<b>LT</b> 30	\$402	\$442	\$482
5/8"	36"	18 1/4"	<b>LT</b> 36	\$437	\$480	\$524
5/8"	42"	18 1/4"	LT42	\$448	\$492	\$537
5/8"	60"	18 1/4"	<b>LT</b> 60	\$471	\$518	\$565
5/8"	66"	18 1/4"	<b>LT</b> 66	\$534	\$587	\$640
5/8"	72"	18 1/4"	<b>LT</b> 72	\$557	\$612	\$668
5/8"	84"	18 ¼"	<b>LT</b> 84	\$563	\$619	\$675
5/8"	90"	18 1/4"	LT90	\$569	\$625	\$682
5/8"	108"	18 ¼"	<b>LT</b> 108	\$609	\$669	\$730
5/8"	126"	18 1/4"	<b>LT</b> 126	\$810	\$891	\$972

### Common Top – 36" Deep

### Specify Lateral Common Top

- 1. Model # 2. Laminate
- 3. Edge band

5/8	" 30"	36 ½"	<b>LT</b> 3037	\$575	\$632	\$690
5/8	36"	36 ½"	<b>LT</b> 3637	\$632	\$695	\$758
5/8	" 42"	36 ½"	<b>LT</b> 4237	\$718	\$789	\$861
5/8	" 60"	36 ½"	<b>LT</b> 6037	\$833	\$916	\$999
5/8	" 66"	36 ½"	LT6637	\$920	\$1,012	\$1,104
5/8	" 72"	36 ½"	<b>LT</b> 7237	\$977	\$1,074	\$1,172
5/8	" 84"	36 ½"	<b>LT</b> 8437	\$1,035	\$1,138	\$1,242
5/8	" 90"	36 ½"	<b>LT</b> 9037	\$1,092	\$1,201	\$1,310
5/8	" 108"	36 ½"	<b>LT</b> 10837	\$1,322	\$1,454	\$1,586
5/8	" 126"	36 ½"	<b>LT</b> 12637	\$1,437	\$1,580	\$1,724



				,								
Cushi	on – 1	18" Dee	ep	FABRIC								
Н	W	D	MODEL#	A/1	B/2	C/3	D/4	E/5	F/6	G/7	H/8	
1"	30"	18 1/4"	LC30	\$376	\$476	\$526	\$576	\$626	\$676	\$726	\$796	
1"	36"	18 1/4"	<b>LC</b> 36	\$404	\$504	\$559	\$609	\$669	\$734	\$799	\$889	
1"	42"	18 1/4"	LC42	\$433	\$533	\$593	\$643	\$713	\$793	\$873	\$983	
1"	60"	18 1/4"	LC60	\$502	\$602	\$672	\$732	\$822	\$922	\$1,022	\$1,172	
1"	66"	18 1/4"	LC66	\$531	\$631	\$706	\$766	\$871	\$981	\$1,096	\$1,256	
1"	72"	18 1/4"	LC72	\$560	\$660	\$740	\$800	\$920	\$1,040	\$1,170	\$1,340	
1"	84"	18 1/4"	LC84	\$606	\$706	\$796	\$866	\$1,006	\$1,146	\$1,316	\$1,466	
1"	90"	18 1/4"	LC90	\$640	\$740	\$830	\$900	\$1,060	\$1,210	\$1,400	\$1,550	
1"	108"	18 1/4"	LC108	\$709	\$809	\$909	\$989	\$1,169	\$1,344	\$1,539	\$1,719	
1"	126"	18 1/4"	<b>LC</b> 126	\$778	\$878	\$988	\$1,078	\$1,278	\$1,478	\$1,678	\$1,888	

### Cushion – 36" Deep

### Specify Lateral Cushion

- 1. Model#
- 2. Fabric

1"	30"	36 ½"	LC3037	\$548	\$608	\$668	\$768	\$868	\$968	\$1,068	\$1,168
1"	36"	36 ½"	LC3637	\$583	\$653	\$718	\$833	\$948	\$1,068	\$1,188	\$1,333
1"	42"	36 ½"	LC4237	\$617	\$697	\$767	\$897	\$1,027	\$1,167	\$1,307	\$1,497
1"	60"	36 ½"	LC6037	\$698	\$798	\$888	\$1,028	\$1,198	\$1,388	\$1,588	\$1,898
1"	66"	36 ½"	LC6637	\$732	\$832	\$932	\$1,082	\$1,272	\$1,477	\$1,702	\$2,042
1"	72"	36 ½"	LC7237	\$767	\$867	\$977	\$1,137	\$1,347	\$1,567	\$1,817	\$2,187
1"	84"	36 ½"	LC8437	\$836	\$936	\$1,066	\$1,236	\$1,476	\$1,726	\$2,006	\$2,406
1"	90"	36 ½"	LC9037	\$870	\$970	\$1,110	\$1,290	\$1,550	\$1,830	\$2,130	\$2,550
1"	108"	36 ½"	LC10837	\$962	\$1,067	\$1,222	\$1,412	\$1,692	\$2,032	\$2,382	\$2,842
1"	126"	36 ½"	LC12637	\$1,054	\$1,164	\$1,334	\$1,534	\$1,834	\$2,234	\$2,634	\$3,134

### Step 1 - Model #

	н	w	Drawers	Coat Door	Pull
STWR Tower	56	22	<b>FF</b> BBF	<b>L Left</b> R Right	J J Pull <b>B Bar Pull</b> R Radiused Pull
STWR	56	22	FF	L	В

### Step 2 - Case Finish

	Paint
301	Champagne
•	
į	
301	:
301	

Step 3 – Front Finish

Not Available w/J Pull							
Laminate							
PW-STK	Studio Teak						
PW-STK							

### **FEATURES**

### **LOCK**

- Lock core is removable.
- 24" Side access tower includes 2 locks. All others include 1 lock.
- Keyed alike available upon request.
- Master and change key available upon request. See (page 9).
- Individual locking drawers available upon request. Upcharge may apply.

### **DRAWERS**

- Include full suspension steel ball-bearing slides.
- Drawer fronts include rubber bumpers for quiet operation.
- Slides include anti-rebound and quick disconnect features.
- File drawer dividers which allow sideto-side filing are sold separately.

### **SHELVES**

- Shelves are adjustable in 1  $\frac{1}{2}\text{"}$  increments.

### **LEVELING GLIDES – TOWER**

 $\bullet$  Leveling glides allow for % " adjustment.

### **LEVELING GLIDES – SIDE ACCESS TOWER**

• Leveling glides allow for 1 %" adjustment.

### **DOORS**

• Cupboard and coat doors include concealed hinges that allow for 110° degree opening.

### **CONSTRUCTION**

### **OUTER SHELL & DRAWER CONSTRUCTION**

Welded steel frame construction & formed channels ensure strength in key areas.

Inner top channel	18 Gauge
Bottom channel	18 Gauge
Side channels	18 Gauge
Outer top	21 Gauge
Outer back	21 Gauge
Outer sides	21 Gauge
Outer center	21 Gauge
Drawer & door fronts	21 Gauge
Shelves	18 Gauge
Drawer bins	22 Gauge
Drawer fronts	20 Gauge

### **DRAWER LOAD CAPACITY**

6" Box drawers	50 lbs
12" File drawers	70 lbs


### SHELF LOAD CAPACITY

Shelf 61 lbs

### DRAWER INNER DIMENSIONS

Height	
Box drawer	4 1/2"
File drawer	9 1/2"
Width	
All drawers	12 ½"
Depth	
All drawers	18 ¼"

### **PULL STYLES**



### **SURFACE MATERIALS**

### **CASE**

Paint

### **FRONTS**

w/Bar Pull (B)	Paint or Laminate
w/Radiused Pull (R)	Paint or Laminate
w/J Pull <b>(J)</b>	Paint

NOTE: Laminate is not available on 24" side access towers, 15" towers or 15" side access towers.

### **DRAWER PULL**

Bar (B)	Satin nickel
Radiused (R)	Satin nickel
J <b>(J)</b>	Paint


### LOCK

Satin nickel

# **TOWERS**







40111	1				•••••••••••••••••	••••••••••		······································	•••••••••••••	•••••
40" f	ign.	— does	not inclu	ıde an adj. shelf	PAINT			LAMINATE FRONT (UPCHARGE)		
COAT DOOR	Н	w	D	MODEL#	P1	P2	P3	L1	L2	L3
L	39 %"	23 ½"	23 ½"	STWR4024FFL(J/B/R)	\$2,239	\$2,462	\$2,686	+ \$1,035	+ \$1,138	+ \$1,242
R	39 %"	23 ½"	23 ½"	STWR4024FFR(J/B/R)	\$2,239	\$2,462	\$2,686	+ \$1,035	+ \$1,138	+ \$1,242
L	39 %"	23 ½"	23 ½"	STWR4024BBFL(J/B/R)	\$2,296	\$2,525	\$2,755	+ \$1,069	+ \$1,175	+ \$1,282
R	39 %"	23 ½"	23 ½"	STWR4024BBFR(J/B/R)	\$2,296	\$2,525	\$2,755	+ \$1,069	+ \$1,175	+ \$1,282
46" ł	High.	— does	not inclu	ıde an adj. shelf						
L	46"	23 ½"	23 ½"	STWR4624FFL(J/B/R)	\$2,411	\$2,652	\$2,893	+ \$1,058	+ \$1,163	+ \$1,269
R	46"	23 ½"	23 ½"	STWR4624FFR(J/B/R)	\$2,411	\$2,652	\$2,893	+ \$1,058	+ \$1,163	+ \$1,269
L	46"	23 ½"	23 ½"	STWR4624BBFL(J/B/R)	\$2,469	\$2,715	\$2,962	+ \$1,092	+ \$1,201	+ \$1,310
R	46"	23 ½"	23 ½"	STWR4624BBFR(J/B/R)	\$2,469	\$2,715	\$2,962	+ \$1,092	+ \$1,201	+ \$1,310
			des 1 adj							
L	51 ¾"	23 ½"	23 ½"	STWR5124FFL(J/B/R)	\$2,469	\$2,715	\$2,962	+ \$1,092	+ \$1,201	+ \$1,310
R	51 ¾"	23 ½"		STWR5124FFR(J/B/R)	\$2,469	\$2,715	\$2,962	+ \$1,092	+ \$1,201	+ \$1,310
L	51 %"	23 ½"		STWR5124BBFL(J/B/R)	\$2,526	\$2,778	\$3,031	+ \$1,115	+ \$1,226	+ \$1,338
R	51 ¾"	23 ½"	23 1/2"	STWR5124BBFR(J/B/R)	\$2,526	\$2,778	\$3,031	+ \$1,115	+ \$1,226	+ \$1,338
56" ŀ	High.	— inclu	des 1 adj	. shelf						
L	56"	23 ½"	23 ½"	STWR5624FFL(J/B/R)	\$2,526	\$2,778	\$3,031	+ \$1,115	+ \$1,226	+ \$1,338
R	56"	23 ½"	23 ½"	STWR5624FFR(J/B/R)	\$2,526	\$2,778	\$3,031	+ \$1,115	+ \$1,226	+ \$1,338
L	56"	23 ½"	23 ½"	STWR5624BBFL(J/B/R)	\$2,641	\$2,905	\$3,169	+ \$1,150	+ \$1,265	+ \$1,380
R	56"	23 ½"	23 ½"	STWR5624BBFR(J/B/R)	\$2,641	\$2,905	\$3,169	+ \$1,150	+ \$1,265	+ \$1,380
66" H	High	— inclu	des 2 adj	. shelves						
L	65 %"	23 ½"	23 ½"	STWR6624FFL(J/B/R)	\$2,756	\$3,031	\$3,307	+ \$1,380	+ \$1,518	+ \$1,656
R	65 %"	23 ½"	23 ½"	STWR6624FFR(J/B/R)	\$2,756	\$3,031	\$3,307	+ \$1,380	+ \$1,518	+ \$1,656
L	65 %"	23 ½"	23 ½"	STWR6624BBFL(J/B/R)	\$2,814	\$3,095	\$3,376	+ \$1,495	+ \$1,644	+ \$1,794
R	65 %"	23 ½"	23 ½"	STWR6624BBFR(J/B/R)	\$2,814	\$3,095	\$3,376	+ \$1,495	+ \$1,644	+ \$1,794

							Options	
	н	W	Drawers	<b>Coat Door</b>	Pull			
STWR Tower	56	22	FF	L Left	J J Pull	DL	Digital Lock	\$410
<u>:</u>			BBF	R Right	B Bar Pull			
<u>:</u>					R Radiused Pull			
STWR	56	22	FF		J	DL		

### Specify

- 1. Model#
- 2. Case finish3. Front finish
  - Laminate not available on J pull

# Pulls B – Bar Pull J – J Pull R – Radiused

### **Application Notes**

- Single lock for all doors & drawers
- Coat closet includes side-to-side coat rod
- Leveling glides allow for %" adjustment

\$2,715

\$2,715

\$2,778

\$2,778

\$2,817

\$2,817

\$2,943

\$2,943

\$2,962

\$2,962

\$3,031

\$3,031

\$3,072

\$3,072

\$3,210

\$3,210





46" H	16" High — does not include an adj. shelf			dj. shelf	PAINT				
COAT DOOR	Н	W	D	MODEL#	P1	P2	P3		
L	46"	23 ½"	23 ½"	SSAT4624FFL(J/B/R)	\$2,388	\$2,626	\$2,865		
R	46"	23 ½"	23 ½"	SSAT4624FFR(J/B/R)	\$2,388	\$2,626	\$2,865		
L	46"	23 ½"	23 ½"	SSAT4624BBFL(J/B/R)	\$2,446	\$2,690	\$2,934		
R	46"	23 ½"	23 ½"	SSAT4624BBFR(J/B/R)	\$2,446	\$2,690	\$2,934		

R	46"	23 ½"	23 ½"	SSAT4624FFR(J/B/R)	\$2,388
L	46"	23 ½"	23 ½"	SSAT4624BBFL(J/B/R)	\$2,446
R	46"	23 ½"	23 ½"	SSAT4624BBFR(J/B/R)	\$2,446
51" H	ligh_i	includes 1	adj. shelf		
L	51 ¾"	23 ½"	23 ½"	SSAT5124FFL(J/B/R)	\$2,469
R	51 ¾"	23 ½"	23 ½"	SSAT5124FFR(J/B/R)	\$2,469
L	51 %"	23 ½"	23 ½"	SSAT5124BBFL(J/B/R)	\$2,526
R	51 %"	23 ½"	23 ½"	SSAT5124BBFR(J/B/R)	\$2,526
56" H	ligh_i	includes 1	adj. shelf		
L	56"	23 ½"	23 ½"	SSAT5624FFL(J/B/R)	\$2,561
R	56"	23 ½"	23 ½"	SSAT5624FFR(J/B/R)	\$2,561
L	56"	23 ½"	23 ½"	SSAT5624BBFL(J/B/R)	\$2,676
R	56"	23 ½"	23 ½"	SSAT5624BBFR(J/B/R)	\$2,676

66"	High_	includes 2	adj. shelve	<b>i</b>			
L	65 %"	23 ½"	23 ½"	SSAT6524FFL(J/B/R)	\$2,699	\$2,968	\$3,238
R	65 %"	23 ½"	23 ½"	SSAT6524FFR(J/B/R)	\$2,699	\$2,968	\$3,238
L	65 %"	23 ½"	23 ½"	SSAT6524BBFL(J/B/R)	\$2,756	\$3,031	\$3,307
R	65 %"	23 ½"	23 ½"	SSAT6524BBFR(J/B/R)	\$2,756	\$3,031	\$3,307



### Worksurface Supporting Bracket — factory installed

BLACK ONLY

Add at the end of tower model number

SWSSB

\$111

							Options	
		Н	W	Drawers	<b>Coat Door</b>	Pull		
SSAT	Side Access Tower	56	22	FF	L Left	J J Pull	SWSSB	\$112
				BBF	R Right	B Bar Pull R Radiused Pull	DL Digital Lock	\$411
SSAT		56	22	FF	L	J	SWSSB	

# Specify 1. Model # 2. Case finish B - Bar Pull J - J Pull

R – Radiused

### Application Notes

- Includes 2 locks, keyed alike
- Coat closet includes two-pronged coat hook
- Leveling glides allow for 1 <sup>5</sup>/<sub>8</sub>" adjustment

### **Worksurface Supporting Bracket**

Must be ordered with a Side Access Tower. Factory installed.



L

65 %" 15 ¼" 23 ½"

R 65 1/8" 15 1/4" 23 1/2"

					<b>,</b>	· · · · · · · · · · · · · · · · · · ·	
46" H	ligh_	does not i	nclude an a	dj. shelf		PAINT	
HINGE	Н	W	D	MODEL#	P1	P2	P3
L	46"	15 1/4"	23 ½"	STWR4615FFL(J/B/R)	\$1,549	\$1,703	\$1,858
R	46"	15 1/4"	23 ½"	STWR4615FFR(J/B/R)	\$1,549	\$1,703	\$1,858
L	46"	15 1/4"	23 ½"	STWR4615BBFL(J/B/R)	\$1,698	\$1,867	\$2,037
R	46"	15 1/4"	23 ½"	STWR4615BBFR(J/B/R)	\$1,698	\$1,867	\$2,037
51" H	ligh	includes 1	adj. shelf				
L	51 ¾"	15 1/4"	23 ½"	STWR5115FFL(J/B/R)	\$1,698	\$1,867	\$2,037
R	51 ¾"	15 1/4"	23 ½"	STWR5115FFR(J/B/R)	\$1,698	\$1,867	\$2,037
L	51 3/8"	15 1/4"	23 ½"	STWR5115BBFL(J/B/R)	\$1,779	\$1,956	\$2,134
R	51 %"	15 1/4"	23 ½"	STWR5115BBFR(J/B/R)	\$1,779	\$1,956	\$2,134
56" H	ligh	includes 1	adj. shelf				
L	56"	15 1/4"	23 ½"	STWR5615FFL(J/B/R)	\$1,779	\$1,956	\$2,134
R	56"	15 1/4"	23 ½"	STWR5615FFR(J/B/R)	\$1,779	\$1,956	\$2,134
L	56"	15 1/4"	23 ½"	STWR5615BBFL(J/B/R)	\$1,836	\$2,019	\$2,203
R	56"	15 1/4"	23 ½"	STWR5615BBFR(J/B/R)	\$1,836	\$2,019	\$2,203
66" H	ligh_	includes 2	adj. shelve	es			
L	65 %"	15 1/4"	23 ½"	STWR6615FFL(J/B/R)	\$1,836	\$2,019	\$2,203
R	65 %"	15 1/4"	23 ½"	STWR6615FFR(J/B/R)	\$1,836	\$2,019	\$2,203
					•		

							Options	
	Н	W	Drawers	<b>Coat Door</b>	Pull			
STWR Tower	56	15	<b>FF</b> BBF	<b>L Left</b> R Right	J J Pull B Bar Pull R Radiused Pull	DL	Digital Lock	\$410
STWR	56	15	FF	L	J	DL		

STWR6615BBFL(J/B/R)

STWR6615BBFR(J/B/R)

### Specify Pulls 1. Model# 2. Case finish B – Bar Pull J – J Pull R – Radiused

### **Application Notes**

• Single lock for cupboard & drawers
• Leveling glides allow

\$1,951

\$1,951

\$2,146


\$2,146

\$2,341

\$2,341

- for %" adjustment
- Will not accommodate worksurface support bracket





					!	······	•••••
46" H	igh_	does not i	nclude an adj. sh	elf		PAINT	
OPEN	Н	W	D	MODEL#	P1	P2	P3
L	46"	15 1/4"	23 ½"	SSAT4615FFL(J/B/R)	\$1,491	\$1,640	\$1,789
R	46"	15 1/4"	23 ½"	SSAT4615FFR(J/B/R)	\$1,491	\$1,640	\$1,789
L	46"	15 1/4"	23 ½"	SSAT4615BBFL(J/B/R)	\$1,606	\$1,766	\$1,927
R	46"	15 1/4"	23 ½"	SSAT4615BBFR(J/B/R)	\$1,606	\$1,766	\$1,927
51" H	igh	includes 1	adj. shelf				
L	51 %"	15 1/4"	23 ½"	SSAT5115FFL(J/B/R)	\$1,606	\$1,766	\$1,927
R	51 3/8"	15 1/4"	23 ½"	SSAT5115FFR(J/B/R)	\$1,606	\$1,766	\$1,927
L	51 3/8"	15 1/4"	23 ½"	SSAT5115BBFL(J/B/R)	\$1,721	\$1,893	\$2,065
R	51 3/8"	15 1/4"	23 ½"	SSAT5115BBFR(J/B/R)	\$1,721	\$1,893	\$2,065
					•		
56" H	$igh_{-}$	includes 1	adj. shelf				
L	56"	15 ¼"	23 ½"	SSAT5615FFL(J/B/R)	\$1,721	\$1,893	\$2,065
R	56"	15 1/4"	23 ½"	SSAT5615FFR(J/B/R)	\$1,721	\$1,893	\$2,065
L	56"	15 1/4"	23 ½"	SSAT5615BBFL(J/B/R)	\$1,836	\$2,019	\$2,203
R	56"	15 1/4"	23 ½"	SSAT5615BBFR(J/B/R)	\$1,836	\$2,019	\$2,203
					•		
56" H	igh_	includes 2	adj. shelves				
L	65 %"	15 1/4"	23 ½"	SSAT6515FFL(J/B/R)	\$1,779	\$1,956	\$2,134
R	65 %"	15 1/4"	23 ½"	SSAT6515FFR(J/B/R)	\$1,779	\$1,956	\$2,134



### Worksurface Supporting Bracket—factory installed

BLACK ONLY

Add at the end of tower model number

65 %" 15 ¼" 23 ½"

SWSSB

SSAT6515BBFR(J/B/R)

\$111

\$2,272

# WORKSURFACES & 15" SIDE ACCESSS TOWERS




When adding a 15" tower to the end of a worksurface you will need to add a "T" to the end of the model number in order to make the worksurface and tower completely flush. This will only be neccessary on 24" deep worksurfaces with a width from 48" – 84".

							Options	
		Н	W	Drawers	<b>Coat Door</b>	Pull		
SSAT	Side Access Tower	56	15	FF	L Left	J J Pull	SWSSB	\$111
				BBF	R Right	B Bar Pull R Radiused Pull	DL Digital Lock	\$410
SSAT		56	15	FF	L	J	SWSSB	

# Specify 1. Model #

Nodel #
 Case finish



### **Application Notes**

• Single lock for all drawers

\$1,894

\$2,083

 Leveling glides allow for 1 %" adjustment

### **Worksurface Supporting Bracket**

Must be ordered with a Side Access Tower. Factory installed.

### Step 1 - Model #

	Drawer W	/idth She	lf Width	Тор	Pull
SCR Credenza	30 D	Drawer 20	S Shelf	MT Metal Top NT No Top	J J Pull <b>B Bar Pull</b>
SCR	30 D	20		МТ	В

Step 2 – Case Finish

	Paint
301	Champagne
201	1
301	

Step 3 – Front Finish

le w/J Pull
nate
ıdio Teak

### **FEATURES**

### COUNTERWEIGHT

- Two drawer cabinets include factory installed counterweights
- Low storage cabinets that do not include shelves do not need counterweight

### LOCK

- Available on credenza products which feature drawers
- Lock core is removable
- Keyed alike available upon request
- Master and change key available upon request. See (page 9).

### **DRAWERS**

- Include full suspension steel ball-bearing slides
- Drawer fronts include rubber bumpers for quiet operation

### **SHELF**

• ¾" High adjustable shelf

### **LEVELING GLIDES**

• 4 Leveling glides allow for ½" adjustment

### **TOP**

• Available in metal, cushion and laminate

### **CONSTRUCTION**

### **OUTER SHELL & DRAWER CONSTRUCTION**

Welded steel frame construction & formed channels ensure strength in key areas.

Bottom channels	16 Gauge
Top channels	18 Gauge
Shelves	18 Gauge
Side channels	20 Gauge
Side panels	20 Gauge
Тор	20 Gauge
Fronts	20 Gauge
Drawer bins	22 Gauge

### **DRAWER INNER DIMENSIONS**


Height

6" Drawer	4 ½"				
12" Drawer	10 3/5"				
Width					
30" Wide drawer	26 1/10"				
36" Wide drawer	32 1/10"				
42" Wide drawer	38 1/10"				
Depth					
All drawers	15 %o"				

### **SHELF INNER DIMENSIONS**

Height	
All shelves	16 %"
Width	
30" Wide drawer	28 ½"
36" Wide drawer	34 ½"
42" Wide drawer	40 ½"
Depth	
All drawers	19"

### **PULL STYLES**







### **SURFACE MATERIALS**

### CASE

Paint

### **FRONTS**

w/Bar pull **(B)** Paint or Laminate w/J pull **(J)** Paint

### **DRAWER PULL**

Bar (B) Satin nickel J (J) Paint


### **LOCK**

Satin nickel

### **CUSHION TOP**

Upholstery

# **CREDENZAS**





Credenzas						PAINT		LAMINAT	E FRONT (UPCH	IARGE)
DESCRIPTION	Н	W	D	MODEL#	P1	P2	P3	L1	L2	L3
30" Drawers, 30" open shelf	22 1/4"	60"	20"	SCR30D30S(J/B)	\$3,200	\$3,520	\$3,840	+ \$609	+ \$669	+ \$730
30" Drawers, 36" open shelf	22 1/4"	66"	20"	SCR30D36S(J/B)	\$3,298	\$3,627	\$3,957	+ \$609	+ \$669	+ \$730
36" Drawers, 36" open shelf	22 1/4"	72"	20"	SCR36D36S(J/B)	\$3,367	\$3,703	\$4,040	+ \$632	+ \$695	+ \$758



### Credenza – Drawers

30" Drawers, metal top	22 1/4"	30"	20"	SCRD3020MT(J/B)	\$1,319	\$1,450	\$1,582	+ \$609	+ \$669	+ \$730
36" Drawers, metal top	22 1/4"	36"	20"	SCRD3620MT(J/B)	\$1,376	\$1,513	\$1,651	+ \$632	+ \$695	+ \$758
42" Drawers, metal top	22 1/4"	42"	20"	SCRD4220MT(J/B)	\$1,491	\$1.640	\$1.789	+ \$678	+ \$745	+ \$813



### Credenza - Shelves — includes 1 adj. shelf

30" Shelf, metal top	22 1/4" 3	30" 20"	SCRS3020MT	\$1,054	\$1,159	\$1,264	N/A	N/A	N/A
36" Shelf, metal top	22 1/4" 3	36" 20"	SCRS3620MT	\$1,123	\$1,235	\$1,347	N/A	N/A	N/A
42" Shelf, metal top	22 1/4" 4	42" 20"	SCRS4220MT	\$1 215	\$1 336	\$1.458	N/A	N/A	N/A

### Credenza – Accessories

Floating top supports, 2 legs	5 ½"	2 ½"	1 1/8"	SCRSL2	\$284	\$312	\$340	N/A	N/A	N/A
Credenza center leg support				SCRCLS	\$226	N/A	N/A	N/A	N/A	N/A
Credenza ganging kit				SCRGK	\$169	N/A	N/A	N/A	N/A	N/A


					Options
	<b>Drawer Width</b>	Shelf Width	Тор	Pull	
SCR Credenza	30 D Drawer	20 S Shelf	MT Metal Top	<b>J J Pull</b> B Bar Pull	DL Digital Lock \$410
SCR	30 D	20 S	МТ	J	DL

### Specify

- 1. Model#
- 2. Case finish
- 3. Front finish
  Laminate not
  available on J pull

### Credenza Includes

- 2 low storage cabinets
- 1 laminate top & ganging kit
- 1 credenza center support leg



### **Application Notes**

- Credenzas must be assembled in the field
- When ganging 2 units together, order ganging kit
- Leveling glides allow for 1 5%" adjustment
- Drawer units include 1

   6" drawer & 1 12" file
   drawer & counterweight

### Center Leg

- Helps to gang 2 credenza pieces together side by side
- Eliminate the 4 legs in the center and replace with this single support leg

### **Ganging Kit**

 Ganging kit for use when specifying laminate top separately, does not include center leg

### **Floating Top Supports**

 Floating top supports may not be used on a metal top, includes top mounting bracket, screws & drill plate




Credenza – Common Tops						LAMINATE	
DESCRIPTION	Н	W	D	MODEL#	L1	L2	L3
Single 30" W credenza top	5/8"	30"	20"	<b>CT</b> 30	\$419	\$460	\$502
Single 36" W credenza top	5/8"	36"	20"	<b>CT</b> 36	\$448	\$492	\$537
Single 42" W credenza top	5/8"	42"	20"	CT42	\$483	\$531	\$579
Double 30" W credenza top	5/8"	60"	20"	CT60	\$546	\$600	\$655
Double 30"/36" W credenza top	5/8"	66"	20"	<b>CT</b> 66	\$575	\$632	\$690
Double 36" W credenza top OR 30"/42" W credenza top	5/8"	72"	20"	<b>CT</b> 72	\$586	\$644	\$703
Double 36"/42" W credenza top	5/8"	78"	20"	<b>CT</b> 78	\$609	\$669	\$730
Double 42" W credenza top	5/8"	84"	20"	<b>CT</b> 84	\$644	\$708	\$772
Triple 30" W credenza top	5/8"	90"	20"	CT90	\$678	\$745	\$813



Credenza Cushion Tops					FABRIC						
Н	W	D	MODEL#	A/1	B/2	C/3	D/4	E/5	F/6	G/7	H/8
1"	12"	20"	SCRC2012	\$238	\$463	\$538	\$638	\$738	\$838	\$1,163	\$1,338
1"	18"	20"	SCRC2018	\$284	\$509	\$584	\$684	\$784	\$884	\$1,209	\$1,384
1"	30"	20"	SCRC2030	\$376	\$601	\$676	\$776	\$876	\$976	\$1,301	\$1,476
1"	36"	20"	SCRC2036	\$456	\$681	\$756	\$856	\$956	\$1,056	\$1,381	\$1,556
1"	42"	20"	SCRC2042	\$502	\$727	\$802	\$902	\$1,002	\$1,102	\$1,427	\$1,602
1"	60"	20"	SCRC2060	\$606	\$831	\$906	\$1,006	\$1,106	\$1,206	\$1,531	\$1,706
1"	66"	20"	SCRC2066	\$652	\$877	\$952	\$1,052	\$1,152	\$1,252	\$1,577	\$1,752
1"	72"	20"	SCRC2072	\$686	\$911	\$986	\$1,086	\$1,186	\$1,286	\$1,611	\$1,786

### Specify

- 1. Model#
- 2. Case finish
- 3. Front finish
  Laminate not
  available on J pull



### **Application Notes**

### Center Leg

 Helps to gang 2 credenza pieces together side by side

### **Ganging Kit**

 When ganging 2 units together, order ganging kit, does not include center leg

### Floating Top Supports

 Floating top supports may not be used on a metal top, includes top mounting bracket, screws & drill plate

### Step 1 – Model #

	н	W	D		Pull
SCAB Cabi	net 77	30	18	J	J Pull
				В	Bar Pull
SCAB	77	30	18	J	

### Step 2 – Case Finish

	Paint
301	Champagne
:	
:	
301	
	. <b>:</b>

### **FEATURES**

### **LOCK**

- Lock core is removable.
- Keyed alike available upon request.
- Master and change key available upon request. See (page 9).

### **DOORS**

 Concealed hinges allow for 110° degrees opening.

### **LEVELING GLIDES**

• 4 Leveling glides allow for 1/4" adjustment.

### **CONSTRUCTION**

### **OUTER SHELL & DRAWER CONSTRUCTION**

Welded steel frame construction & formed channels ensure strength in key areas.

Back panel	20 – 22 Gauge
Side panels	20 – 22 Gauge
Inner channels	18 Gauge
Тор	18 Gauge
Doors	18 Gauge

### SHELF LOAD CAPACITY

Shelf 140 lbs

### **TOP LOAD CAPACITY**

30" Wide cabinets	140 lbs
36" Wide cabinets	169 lbs
42" Wide cabinets	197 lbs

### **INNER DIMENSIONS**

Depth 18" Deep

24" Deep

Height	
2 High	23 ½"
3 High	35"
4 High	46 ½"
5 High	61"
6 High	72 ½"
Width	
30" Wide cabinet	26 ¾"
36" Wide cabinet	32 ¾"
42" Wide cabinet	38 ¾"

### **PULL STYLES**





### **SURFACE MATERIALS**

### CASE

Paint

### **FRONTS**

w/Bar Pull **(B)** Paint w/J Pull **(J)** Paint

### **DRAWER PULL**

Bar (B) Satin nickel J (J) Paint


### LOCK

17 ¾10"

22 3/5"

Satin nickel

# **CABINETS**





2 High	h				PAINT	
Н	W	D	MODEL#	P1	P2	P3
28 3/8"	30"	18 1/4"	SCAB293018(J/B)	\$1,146	\$1,260	\$1,375
28 3/8"	36"	18 1/4"	SCAB293618(J/B)	\$1,261	\$1,387	\$1,513
28 3/8"	42"	18 1/4"	SCAB294218(J/B)	\$1,376	\$1,513	\$1,651



### 3 High

39 %"	30"	18 ¼"	SCAB403018(J/B)	\$1,376	\$1,513	\$1,651
39 %"	36"	18 1/4"	SCAB403618(J/B)	\$1,491	\$1,640	\$1,789
39 %"	42"	18 1/4"	SCAB404218(J/B)	\$1,606	\$1,766	\$1,927



### 4 High

9.	•					
51 3/8"	30"	18 1/4"	SCAB523018(J/B)	\$1,664	\$1,830	\$1,996
51 3/8"	36"	18 1/4"	SCAB523618(J/B)	\$1,779	\$1,956	\$2,134
51 ¾"	42"	18 1/4"	SCAB524218(J/B)	\$1,894	\$2,083	\$2,272

Specify	
1. Model # 2. Case finish	

Application Notes	
Leveling glides allow for ¼" adjustment	

					Options
	Н	W	D	Pull	
SCAB Cabinet	77	30	18	<b>J J Pull</b> B Bar Pull	DL Digital Lock \$410
SCAB	77	30	18	J	DL

# **Cabinets**



5 High	1			PAINT			
Н	W	D	MODEL#	P1	P2	P3	
65 %"	30"	18 1/4"	SCAB663018(J/B)	\$1,894	\$2,083	\$2,272	
65 %"	36"	18 1/4"	SCAB663618(J/B)	\$2,009	\$2,209	\$2,410	
65 %"	36"	23 ½"	SCAB663624(J/B)	\$2,469	\$2,715	\$2,962	
65 %"	42"	18 1/4"	SCAB664218(J/B)	\$2,124	\$2,336	\$2,548	



### 6 High

vg.	•					
77 3/8"	30"	18 1/4"	SCAB773018(J/B)	\$2,181	\$2,399	\$2,617
77 3/8"	36"	18 1/4"	SCAB773618(J/B)	\$2,296	\$2,525	\$2,755
77 3/8"	36"	23 ½"	SCAB773624(J/B)	\$2,584	\$2,842	\$3,100
77 3/8"	42"	18 1/4"	SCAB774218(J/B)	\$2,411	\$2,652	\$2,893
					. , ,	


Specify	
1. Model #	
<ol><li>Case finish</li></ol>	

Application Notes	
Leveling glides allow	
for ¼" adjustment	

					Options
	Н	W	D	Pull	
SCAB Cabinet	77	30	18	J J Pull	DL Digital Lock \$410
•		:	:	B Bar Pull	
		:	:		
		:			
SCAB	77	30	12	1	DI
JCAD			10		DL

# Storage

### Step 1 - Model #



Step 2 - Case Finish

	Paint
301	Champagne
:	
:	
	:
301	

### **FEATURES**

### **LOCK**

- Lock core is removable.
- Keyed alike available upon request.
- Master and change key available upon request. See (page 9).
- Digital lock available upon request.
- Keyless available upon request.

#### **BODY**

 $\bullet$  Available in 2 depths: 18 ½" and 23 ½".

### **DOORS**

- All lockers come standard with metal doors.
- Concealed hinges allow for 100 degree opening.

### **SHELF**

- Includes one fixed shelf on top w/ 12" clear height above.
- Additional shelves may be ordered separately.

### **COAT ROD**

• Includes side-to-side coat rod beneath shelf.

### **LEVELING GLIDES**

- 4 leveling glides allow for \%" adjustment.
- Glides are accessible from the inside of the locker.

### **CONSTRUCTION**

### **OUTER SHELL & DRAWER CONSTRUCTION**

Welded steel frame construction & formed channels ensure strength in key areas.

Top panel	21 Gauge
Side panels	21 Gauge
Back panel	21 Gauge
Center panel	21 Gauge
Inner top channel	18 Gauge
Inner bottom channel	18 Gauge
Inner side channels	18 Gauge
Bottom panel	16 Gauge
Door fronts	20 – 22 Gauge
Shelves	18 Gauge

### **DRAWER INNER DIMENSIONS**

Height

23 1/2" Deep locker

neight	
Above shelf	12"
Below coat rod – 51" High	31 1/10"
Below coat rod – 66" High	46 1/5"
Width	
All lockers	9 1/5"
Depth	
18 ½" Deep locker	17 %"

22 ¾"

### **PULL STYLES**





### **SURFACE MATERIALS**

### **LOCKER**

Paint


### **DRAWER PULL**

Bar (B) Satin nickel J (J) Paint

### LOCK

Satin nickel


# **LOCKERS**



Single — 51" High							PAINT	
TYPE	HINGE	Н	W	D	MODEL#	P1	P2	P3
1 Door	L	51 %"	12"	18"	SLKR5118L(J/B)	\$1,606	\$1,766	\$1,927
1 Door	R	51 %"	12"	18"	SLKR5118R(J/B)	\$1,606	\$1,766	\$1,927
1 Door	L	51 %"	12"	24"	SLKR5124L(J/B)	\$1,641	\$1,805	\$1,968
1 Door	R	51 ¾"	12"	24"	SLKR5124R(J/B)	\$1,641	\$1,805	\$1,968


### Single — 66" High

1 Door	L	65 %"	12"	18"	SLKR6618L(J/B)	\$1,698	\$1,867	\$2,037
1 Door	R	65 %"	12"	18"	SLKR6618R(J/B)	\$1,698	\$1,867	\$2,037
1 Door	L	65 %"	12"	24"	SLKR6624L(J/B)	\$1,756	\$1,931	\$2,106
1 Door	R	65 %"	12"	24"	SLKR6624R(J/B)	\$1,756	\$1,931	\$2,106



### **Double**

2 Door	L	65 %"	12"	18"	SLKR2D6612L(J/B)	\$1,848	\$2,032	\$2,217
2 Door	R	65 %"	12"	18"	SLKR2D6612R(J/B)	\$1,848	\$2,032	\$2,217
2 Door	L	65 %"	18"	18"	SLKR2D6618L(J/B)	\$1,963	\$2,159	\$2,355
2 Door	R	65 %"	18"	18"	SLKR2D6618R(J/B)	\$1,963	\$2,159	\$2,355



### Quad

4 Door	L	65 %"	24"	18"	SLKR4D6624L(J/B)	\$3,113	\$3,424	\$3,735
4 Door	R	65 %"	24"	18"	SLKR4D6624R(J/B)	\$3,113	\$3,424	\$3,735



### **Cubby**

4 Door	L	34 ¾"	24"	18"	SLKR4D3524L(J/B)	\$2,193	\$2,412	\$2,631
4 Door	R	34 ¾"	24"	18"	SLKR4D3524R(J/B)	\$2,193	\$2,412	\$2,631
8 Door	L	65 %"	24"	18"	SLKR8D6624L(J/B)	\$3,803	\$4,183	\$4,563
8 Door	R	65 %"	24"	18"	SLKR8D6624R(J/B)	\$3,803	\$4,183	\$4,563

### **Shelves**

Qty 2	12"	SLKRS122	\$295	\$324	\$354
Qty 2	18"	SLKRS182	\$341	\$375	\$409
Qty 4	24"	SLKRS244	\$410	\$451	\$492

### Specify

- 1. Model#
- 2. Case finish

### **Application Notes**

- Includes 1 fixed shelf on top with 12" clear height above
- Leveling glides allow for 1/8" adjustment

### 18" Deep


 Include (2) twopronged coat hooks

### 24" Deep

Include (1) side-to-side coat rod

					Options
	Н	D	Hinge	Pull	
SLKR Locker	51	18	L	J J Pull	DL Digital Lock \$410
			R	B Bar Pull	
		•			
;	,	,		;	
SLKR	51	18	L	J	DL

# Lockers




				<del>,</del>	· · · · · · · · · · · · · · · · · · ·	
Lock	er Com	mon To	p – 18" Deep		LAMINATE	
Н	W	D	MODEL#	L1	L2	L3
5/8"	24"	18"	<b>LKRT</b> 2418	\$368	\$404	\$441
5/8"	36"	18"	<b>LKRT</b> 3618	\$437	\$480	\$524
5/8"	42"	18"	LKRT4218	\$449	\$493	\$538
5/8"	48"	18"	LKRT4818	\$457	\$502	\$548
5/8"	54"	18"	<b>LKRT</b> 5418	\$465	\$511	\$558
5/8"	60"	18"	<b>LKRT</b> 6018	\$472	\$519	\$566
5/8"	72"	18"	<b>LKRT</b> 7218	\$558	\$613	\$669
5/8"	84"	18"	<b>LKRT</b> 8418	\$564	\$620	\$676
5/8"	90"	18"	LKRT9018	\$569	\$625	\$682
5/8"	96"	18"	LKRT9618	\$589	\$647	\$706
5/8"	108"	18"	LKRT10818	\$610	\$671	\$732

<b>эресту</b>								
1. Model #								
2. Laminate finish								

			W	D
Ī	SLKR	Locker Common Top	48	18
:		•	:	
:				
:				
:	SLKRT	:		10
i	SLKKI		00	18

Step 1 – Model #



Step 2 – Case Finish

		- 1
	Paint	
301	Champagne	
301		
	. <u>:</u>	

### **FEATURES**

### **SHELVES**

- 1" thick.
- Adjustable in 1/2" increments.
- 2-high bookcases will accommodate binder-height storage on both shelves.
- All other bookcases, binder-height storage is available on all but 1 shelf.

### **LEVELING GLIDES**

• 4 Leveling glides allow for 1 %" adjustment.

### **SAFETY:**

- To ensure stability, do not install a 4, 5 or 6 high bookcase in the center of a room.
- Bookcases should be installed backto back or against a wall.

### NOTE

- 2 high bookcases are slightly shorter than 2-high lateral files and double door storage cabinets.
- 2 high bookcases are designed to fit under a worksurface.

### **CONSTRUCTION**

### OUTER SHELL & DRAWER CONSTRUCTION

Welded steel frame construction & formed channels ensure strength in key areas.

Side channels	22 Gauge
Side panels	22 Gauge
Bottom panel	18 Gauge
Shelves	18 Gauge

### SHELF LOAD CAPACITY

All bookcases 140 lbs

### **INNER DIMENSIONS**

Height	
2 High	25 1/5"
3 High	37 ¾10"
4 High	48 1/5"
5 High	63 ¾10"
6 High	74 1/5"
Width	
30" Wide bookcase	27 1/10"
36" Wide bookcase	33 1/10"
42" Wide bookcase	39 1/10"
Depth	
All cabinets	13 1/10"

### **SURFACE MATERIALS**


### CASE

Paint

### TOP

Paint

# **BOOKCASES**





2 High					PAINT	
Н	W	D	MODEL#	P1	P2	P3
27 ¾"	30"	13 %"	SBC2830	\$951	\$1,046	\$1,140
27 ¾"	36"	13 %"	SBC2836	\$1,008	\$1,108	\$1,209
27 ¾"	42"	13 %"	SBC2842	\$1,123	\$1,235	\$1,347



# 3 High

39 %"	30"	13 %"	SBC4030	\$1,031	\$1,134	\$1,237
39 %"	36"	13 ¾"	<b>SBC</b> 4036	\$1,123	\$1,235	\$1,347
39 %"	42"	13 ¾"	SBC4042	\$1,238	\$1,361	\$1,485



### 4 High

_	illigii						
	51 %"	30"	13 %"	<b>SBC</b> 5230	\$1,146	\$1,260	\$1,375
	51 %"	36"	13 3/8"	SBC5236	\$1,238	\$1,361	\$1,485
	51 3/8"	42"	13 3/8"	SBC5242	\$1,353	\$1,488	\$1,623

Specify	

- 1. Model#
- 2. Case finish


#### **Application Notes**

- Steel frame construction
- Double wall construction on side panels
- Leveling glides allow for 5%" adjustment
- Shelves adjust in ½" increments
- Bookcases should be installed with back against a wall
- Shelf capacity 140 lbs
- 2 high bookcase is slightly shorter than 2 door cabinet as it is designed to fit under a worksurface

		Н	W
SBC	Bookcase	66	42
			:
			:
SBC		66	42
	<b>:</b>	ii	i

# **Bookcases**







#### 6 High

Ulligii						
77 3/8"	30"	13 %"	<b>SBC</b> 7730	\$1,376	\$1,513	\$1,651
77 3/8"	36"	13 %"	<b>SBC</b> 7736	\$1,468	\$1,614	\$1,761
77 3/8"	42"	13 ¾"	SBC7742	\$1,583	\$1,741	\$1,899

Spe	cify

- 1. Model#
- 2. Case finish

#### **Application Notes**

- Steel frame construction
- Double wall construction on side panels
- Leveling glides allow for 5%" adjustment
- Shelves adjust in 1/2" increments
- Bookcases should be installed with back against a wall.
- Shelf capacity 140 lbs
- 2 high bookcase is slightly shorter than 2 door cabinet as it is designed to fit under a worksurface

		н	w
SBC	Bookcase	66	42
SBC		66	42

# Workplace Accessories


#### **WORKPLACE ACCESSORIES**

Neutral Posture is proud to offer the complete package for commercial office furniture. Workplace accessories round out our offering and allow users to truly customize their space to be as comfortable and as ergonomic as possible.

#### **CUSTOMIZE YOUR SPACE WITH:**

Keyboard mechanisms
Keyboard trays
Monitor arms
Footrests
Tablet holders
CPU holders
Forearm supports
Patented ergonomic products

# **WORKPLACE ACCESSORIES**




# **Keyboard Trays & Arms**

#### **KEYBOARD ARMS**

			201	
	Leverless	Sit/Stand	Econo	<b>Dual Indicator</b> <i>HFES compliant</i>
Code	A	С	Е	U
Leverless Height	✓	✓	N/A	N/A
Height	-6" – 2.5"	-6" – 8"	-5.25" – 0"	-6.5" – 2.38"
Tilt	-15° – 0°	-15° – 0°	-15° – 15°	-20° – 10°
Spring Assist	✓	✓	✓	✓
360° Rear Swivel	✓	✓	✓	✓
Track Length	23"	21"	18"	19"
(OPTIONAL) Short Track	18"	18"	N/A	N/A
Glide Track	✓	✓	✓	✓
Quick Ship	QS	QS	QS	
List	\$231	\$253	\$176	\$269

#### **KEYBOARD TRAYS**





- Straights, corners & natural keyboards
- Anti-skid neoprene pads hold keyboard securely in place

\$170




List



#### 52

- Straight
- 20" "green" tray
- Height adjustable tilt
   & swivel mouse
- · Gel filled palm rest


**List** \$357



#### 2

- Straight
- 20" phenolic tray
- Height adjustable tilt & swivel mouse
- Gel filled palm rest


**List** \$357



#### 86 — ELEMENTAL®

- Straights, corners and natural keyboards
- Made from 100% recycled aluminum
- Polished surface

**List** \$324



#### 43 — SOFTOUCH™

- Straight
- Urethane over steel plate
- Includes mouse surface

**List** \$253



# **EASY COMBOS**

			Keyboa	ard Arms	
				700	
		Leverless (A)	Sit/Stand (C)	Econo (E)	Dual Indicator (U)
	0 0 0		· · · ·	· · ·	
	''	<b>Easy A11</b> \$401	<b>Easy C11</b> \$423	<b>Easy E11</b> \$346	<b>Easy U11</b> \$440
		• • •	· · ·	· · · ·	
_	21	Easy A21 \$588	<b>Easy C21</b> \$610	<b>Easy E21</b> \$533	Easy U21 \$627
Keyboard Trays	43 – SofTouch™				
ay:		Easy A43 \$484	Easy C43 \$506	<b>Easy E43</b> \$429	<b>Easy U43</b> \$522
6					
	52	Easy A52 \$588	<b>Easy C52</b> \$610	<b>Easy E52</b> \$533	Easy U52 \$627
	86 – elementAl®				
	or cicinetta	<b>Easy A86</b> \$555	<b>Easy C86</b> \$577	<b>Easy E86</b> \$500	<b>Easy U86</b> \$594

General

S Short Track – 18" \$0
Only available on (A) or (C) arm

# **Monitor Arms**



#### **MONITOR ARMS**

#### B00ST™

- Yields 13" of vertical movement & 24" of extension
- Supports monitors weighing up to 20 lbs
- Effortlessly position two monitors at the same height on a single post
- Easily attach two arms on a single post without additional brackets
- Install three or more arms with an optional cross bar
- Convenient keyhole slots to effortlessly install monitor onto mounting plate

# NOTE: For multi-screen solutions, contact customerservice@neutralposture.com


Model #	Description	List
Single Arm		
KCG-110B	Black	\$500
KCG-110S	Silver	\$500
Double Arm		
KCG-110DB	Black	\$988
KCG-110DS	Silver	\$988
_		
Wall Mount		
KCG-WMB	Black	\$577
KCG-WMS	Silver	\$577



#### **FREEDOM**

- Includes vesa plate aluminum articulating arm & desk clamp base
- Tilt: Up 90°, Down 45°
- Pan: 180°
- Rotation: 360°
- Offers 14" of dynamic onetouch height adjustment
- Full extension range of 23.4"

Model #	Description	List
918001	Silver	\$544



#### SIT/STAND

- Sturdy aluminum construction with vesa compatibility
- Width & depth adjustable fasteners
- Convenient pull handle

Model #	Description	List
KCG-SSB	Black	\$632
KCG-SSS	Silver	\$632

# **Workplace Accessories**

#### **ACCESSORIES**



#### **FOREARM SUPPORTS**

- Alleviates shoulder, neck & body burden
- Promotes good posture & ergonomic sitting
- Reduces pressure on ulnar nerve
- Reduces upper body fatigue
- Lightweight & portable



Model 1	Model 2	
160241 \$264	160243 \$264	w/Hooks
160242 \$264	160244 \$264	w/Screws



#### **ANTI-FATIGUE FLOOR MATS**

- Premium comfort will not bottom out or lose bounce over time
- Commercial-grade heavy-duty polyurethane
- Matte texture provides optimum traction
- Beveled edge reduces tripping potential
- Available in black

Н	W	D	MODEL#	LIST
3/4"	32"	20"	EAM3220B	\$313
3/4"	48"	20"	EAM4820B	\$478
3/4"	72"	20"	EAM7220B	\$712
3/4"	36"	24"	EAM3624B	\$396
3/4"	60"	36"	EAM6036B	\$910



#### **TABLET HOLDER**

- Light weight & portable
- Dimensions: 6.76 x 5.5 x 2
- Holds tablets, phones or documents upright
- Easily adjusts for comfortable viewing angle
- Rests on desktop or flat surfaces
- Available in black only


Model #	List
TABHLDR	\$150

#### **CPU HOLDERS**

#### **CPU HOLDER**

- Mounts easily under worksurface storing CPU safely under desk & off the floor
- Adjusts to either a vertical or horizontal position
- Adjustable width of 5.5" 9.8"
  & height of 15.5" 20"

Model #	List
VCPUF	\$192



#### **CPU HOLDER**

- CPU retracts on a 17" track & swivels to allow full accessibility & easy storage
- Accommodates CPU weighing up to 75 lbs & measuring 64" in perimeter
- Installation is quick & easy
- Soft touch anti-slip pads prevent CPU from slipping

Model #	List
VCPU	\$214

# Sit/Stand



#### **STANDUP®**

- Retrofits between most existing keyboard trays & keyboard arms
- Mounts directly to worksurface without keyboard arm
- Additional 2" 11" of height adjustment
- Infinite range positioning
- \$50 discount when ordered with any Easy Combo

MODEL#	LIST
SUP04	\$462





#### STANDUP® A1


- The integral dual tray system offers a spacious keyboard & mouse platform as well as a secondary surface for other items
- Extends forward to allow the keyboard tray to rest below the desk surface supporting proper ergonomic positioning
- Over 22" of assisted positioning
- Accommodates users ranging from 5<sup>th</sup> percentile seated female to 95<sup>th</sup> percentile standing male
- Supports monitors weighing between 5–20 lbs
- Supports technology ranging from 5–25 lbs
- Grommet or clamp mount
- Single or dual monitor


1 MONITOR	MECH	LIST
SUPA1B	Black	\$1,096
SUPA1S	Silver	\$1,096

2 MONITORS	MECH	LIST
SUPA2B	Black	\$1,305
SUPA2S	Silver	\$1,305












#### **GROMMET MOUNT**

#### **CLAMP MOUNT**







#### **GRADED-IN AND COM UPHOLSTERY**

Neutral Posture's furniture is manufactured to the highest standards. Our artisans are skilled in creating consistent finishes across all products and materials. However, the unique nature of upholstery and the other materials that are used in production means that no two pieces of furniture will be exactly alike. Fabrics will upholster differently based on composition and construction. Neutral Posture makes every effort to ensure that each item is produced to our exacting standards, but cannot be held responsible for slight variations in upholstery, color and general appearance.

Similarly, the images in our publications are as accurate as your monitor is calibrated. Customers are reminded that colors and finishes may vary according to the unique nature of each item of furniture.

Neutral Posture will not be responsible for variances in the acoustical performance of a panel due to the fact that certain fabrics perform differently from others. Additionally, Neutral Posture cannot guarantee that the graded-in fabrics will be Indoor Air Quality and/ or BIFMA Level compliant. Please see the fabric manufacturer's website for these details and cleaning instructions specific to selected fabric.

For specific color matching requirements please contact Customer Servicet.

Please note: The finish codes used by Neutral Posture are used as a guide to the appearance of the furniture and should not be used to determine the specific materials used in the construction of an item of furniture.

The Neutral Posture Upholstery Department is pleased to offer a Graded-in program and also accepts COM for most products. For certain items or in cases of unusual or difficult fabric patterns additional material may be required. Any unusual or special cutting requirements must be requested in writing and a full-width fabric repeat sent to the Customer Service in order for a quotation to be provided. The customer is responsible for shipping COM to Customer Service.

CARNEGIE		
Manufacturer	Pattern	Grade
Carnegie	Abacus Embroider	Н
Carnegie	Arrow X	G
Carnegie	Bardot	F
Carnegie	Buff	E
Carnegie	Cane Embroider X	Call
Carnegie	Channel	E
Carnegie	Chelsea	E
Carnegie	Cirque Couture	Call
Carnegie	Covet	D
Carnegie	Crossing	F
Carnegie	Dazzle	Н
Carnegie	Departure	E
Carnegie	Edge	F
Carnegie	Elite	C
Carnegie	Groove	E
Carnegie	Hashtag	E
Carnegie	Haze X	G
Carnegie	Hepburn	F
Carnegie	Hide	E
Carnegie	Impress	E
Carnegie	Index	D
Carnegie	Keystone	E
Carnegie	Kid	E
Carnegie	Merge	F
Carnegie	Monocle Embroider	1
Carnegie	0la	Call
Carnegie	Reverie	E
Carnegie	Rise	C
Carnegie	Roxy	E
Carnegie	Tangle	F
Carnegie	Theory	E
Carnegie	Touch	C
Carnegie	Trace X	G
Carnegie	Twine	F
Carnegie	Verse	D

Manufacturer	Pattern	Grade
C. F. Stinson	Aerie	D
C. F. Stinson	Ally	C
C. F. Stinson	Aperture	C
C. F. Stinson	Array	D
C. F. Stinson	Axis Too!	C
C. F. Stinson	Backdrop	C
C. F. Stinson	Binary	E
C. F. Stinson	Code	C
C. F. Stinson	Dapple	D
C. F. Stinson	Del Mar	D
C. F. Stinson	Focus	C
C. F. Stinson	Galaxy	E
C. F. Stinson	Genesis	C
C. F. Stinson	Imprint	C
C. F. Stinson	Intermix	C
C. F. Stinson	Linea	E
C. F. Stinson	Lulu	C
C. F. Stinson	Luther II	D
C. F. Stinson	Mason	C
C. F. Stinson	Mira	C
C. F. Stinson	Nikko	D
C. F. Stinson	Prime	В
C. F. Stinson	Repetition	D
C. F. Stinson	Ringer	C
C. F. Stinson	Sight Line	D
C. F. Stinson	Spree	C
C. F. Stinson	Surf	C
C. F. Stinson	Tally	E
C. F. Stinson	Tussah	D
C. F. Stinson	Venture	C

DESIGNTEX		
Manufacturer	Pattern	Grade
Designtex	Appleseed	F
Designtex	Arne	E
Designtex	Birdseye	D
Designtex	Brushed Flannel	E
Designtex	Cloud Velvet	E
Designtex	Crossweave	E
Designtex	Ellipsis	D
Designtex	Everywhere Texture	E
Designtex	Gamut	D
Designtex	Gridley	E
Designtex	"Hem Stitch	"
Designtex	Melange	E
Designtex	Minnie	D
Designtex	Otto	F
Designtex	"Reppweave	"
Designtex	Rocket	E
Designtex	Singing In The Rain	E
Designtex	Ulster	C
Designtex	Wend	E
Designtex	Woolish	E

GUILFORD O		
Manufacturer		Grade
Guilford of Maine Guilford of Maine	Amaze Anchorage	B B
Guilford of Maine		B R
	Auster	_
Guilford of Maine	Axiom	В
Guilford of Maine	Bailey	В
Guilford of Maine	2000,	В
Guilford of Maine		В
Guilford of Maine	Birdseye	В
Guilford of Maine	Block Party	C
Guilford of Maine	Broadcast	В
Guilford of Maine	Cape Cod	В
Guilford of Maine	Chase	В
Guilford of Maine	Couture (54" bolt)	В
Guilford of Maine	Crossings	В
Guilford of Maine	Crosstown	В
Guilford of Maine	Dashing	В
Guilford of Maine	Drift	C
Guilford of Maine	Essence	В
Guilford of Maine	Felt (64" bolt)	C
Guilford of Maine	FR701°	C
Guilford of Maine	FR702°	C
Guilford of Maine	Framework	В
Guilford of Maine	Galaxy	C
Guilford of Maine	Groove	C
Guilford of Maine	Hatchet	В
Guilford of Maine	Highbeams (54" bolt)	В
Guilford of Maine	Intermix	В
Guilford of Maine	Intuition (54" bolt)	C
Guilford of Maine	Jane (54" bolt)	В
Guilford of Maine	Lido	В
Guilford of Maine	Meander	В
Guilford of Maine	Metallation	R
Guilford of Maine	Metro	B
Guilford of Maine		B
Guilford of Maine	Network	C
Guilford of Maine	Open House (54" bolt)	A
Guilford of Maine	-	B
Guilford of Maine	• • • • • • • • • • • • • • • • • • • •	C
Guilford of Maine		В
dumora or manic	i diddisc	-
Guilford of Maine	Parameter	В
Guilford of Maine	Phone Tag	(
Guilford of Maine		В
Guilford of Maine	<b></b>	В
Guilford of Maine	Rattan	C
Guilford of Maine	Reeds	В
Guilford of Maine	Sand	C
Guilford of Maine		В
Guilford of Maine	-p	В
Guilford of Maine	Steadfast	В
Guilford of Maine	Strata	В
Guilford of Maine	Streetwise	C
Guilford of Maine	Studio 54	C
Guilford of Maine	Synopsis (54" bolt)	В
Guilford of Maine	Tempest	C
Guilford of Maine	Theory	В
Guilford of Maine	Tweed	В
Guilford of Maine	Twigs	В
Guilford of Maine	Vertical Surface Blends	C
Guilford of Maine	Vertical Surface Solids	C
		-

Manufacturer	Pattern	Grade
<b>Guilford of Maine</b>	Vortex	В
<b>Guilford of Maine</b>	Whisper	В

LUNA		
Manufacturer	Pattern	Grade
Luna	Affinity	G
Luna	Aspect	G
Luna	Facet	G
Luna	ldyll	E
Luna	Incandescent	E
Luna	Intersect	E
Luna	Luminescente	E
Luna	Radar	E
Luna	Signal	E
Luna	Stitch	E
Luna	Transmission	E
Luna	Twiggy	Н
Luna	Twist	E

**Call** – Call for pricing 979.778.0502

MAHARAM		
Manufacturer	Pattern	Grade
Maharam	Crisp	E
Maharam	Field	E
Maharam	Flock	E
Maharam	Glance	E
Maharam	Glint	E
Maharam	Hum	E
Maharam	Morse	E
Maharam	Parallel	E
Maharam	Reply	E
Maharam	Sharkskin 2	F
Maharam	Sketch	E
Maharam	Spiral	E
Maharam	Unit	E

MAYER		
Manufacturer	Pattern	Grade
Mayer	Basic	Α
Mayer	Blueprint	В
Mayer	Cipher	В
Mayer	Code	Α
Mayer	Сора	В
Mayer	Cross Check (54" Bolt)	В
Mayer	Echo (54" Bolt)	4
Mayer	Equal	В
Mayer	Flair	C
Mayer	Forte (54" Bolt)	Α
Mayer	Fresco	В
Mayer	Graph	В
Mayer	Grasscloth	В
Mayer	Gridline	C
Mayer	Interlude	В
Mayer	Luminary	В
Mayer	Melange	C
Mayer	Multi-Crepe	В
Mayer	Nexus	В
Mayer	Paragon	C
Mayer	Pebble Beach	В
Mayer	Quattro (54" Bolt)	В
Mayer	Reverb (54" Bolt)	В
Mayer	Space Odyssey	C
Mayer	Spectre	C
Mayer	Strata	В
Mayer	Whirlwind	В
Mayer	Zest	В

Manufacturer	Pattern	Grad
Momentum	Alpha	C
Momentum	Cameo	C
Momentum	Curtain Call	C
Momentum	Edict	C
Momentum	Encore	C
Momentum	Glint	В
Momentum	Infinity C-Zero	C
Momentum	Kinect	В
Momentum	Marathon C-Zero	C
Momentum	Meander	В
Momentum	Millennium C-Zero	C
Momentum	Odyssey C-Zero	C
Momentum	Pact	В
Momentum	Proverb	В
Momentum	Script	В
Momentum	Tenor	D
Momentum	Tradition C-Zero	C
Momentum	Universe	В
Momentum	Verse	D

**Call** – Call for pricing 979.778.0502

# **LEGACY TABLE OF CONTENTS**

LEGACY FINISHES Laminate Edge Band Paint Plexiglass Fabric	190 190 191 191
GEN 1 & 2 PANELS	192
Fabric Panels	
Fabric Panels	
Insert Panels	194
Insert Panels	195
Wall Starter & Wall Mount Chanel	196
POST ASSEMBLIES	197
Straight	
Corner (90°)	
End	197
End	198
3-way (T)	198 198
3-way (T) 3-way (Y) 4-way (X) Dual Height Posts	198 198 198 199
3-way (T) 3-way (Y) 4-way (X) Dual Height Posts Triple Height Posts	198 198 198 199 200
3-way (T) 3-way (Y) 4-way (X) Dual Height Posts Triple Height Posts Single Height Posts	198 198 198 199 200
3-way (T) 3-way (Y) 4-way (X) Dual Height Posts Triple Height Posts	198 198 198 199 200 201 202

GEN 3	204
Fabric Panels	204
Insert Panels	205
POST ASSEMBLIES	206
Straight	206
2-way (L)	206
2-way (120)	206
3-way (T)	
3-way (120)	
4-way (X)	206
Single Height	207
Dual Height	207
Triple Height	207
End Kits	208
Wall Starter/Wall Mounted Channel	209
PANEL ACCESSORIES	210
Vertical Wire Manager	210
Metal Ceiling Module	
Coat Hook	211
Carpet Gripper	211
COUNTER CAPS	212
Straights	
C	212

FREESTANDING Flat Brackets. Column Base Tackable Privacy.	214 214
WALL MOUNTING Wall Mounting Suggestions	
KEY LOCK PROGRAM  General Information  How to Specify Key Alike  Key-alike ordered prior to 6/12/00	218

Legacy
finishes
are only
available
for existing
customers
to match
existing
installs

LAMINATES		EDGE BANDS	
L1			
Bright White	118	Bright White	118
Caramel Maple	MC	Caramel Maple	MC
Clear Maple	CM	Clear Maple	CM
Deep Mahogany	MP58	Jet Black	111
Jet Black	111	Medium Cherry	124
Medium Cherry	124	Pumice (was LF)	119
Pearwood	PA		
Pumice (was LF)	119		
Warm Cherry	WM		
White Essence	ES7		
Winter Grey Matrix	MR6		

NOTE: If your laminate is not listed please contact Customer Service at customerservice@neutralposture.com or 979.778.0502 ext. 301 to check availability.

NOTE: Laminates and other finishes may vary in color due to different dye lots. Slight variations are normal.

#### **PAINTS & PLASTICS P1** Jet Black 111 Brown 112 Dark Grey (was Y3) 113 Folkstone Grey (was LA) 114 Med. Grey (was Y2) 115 Sandstone 116 Soft Grey (was E) 117 Dark Neutral D R Taupe **P2** Beige Mist Metallic 611 Medium Metallic Grey 612 Beige Metallic Н Light Tan Metallic W **P3** Bright White 118 Silver 613

PLEXIGLASS	
Clear	CL
Ice	IC
Smoked	SM
Translucent	TR
NOT AVAILABLE ON INSERT PANELS	
Frost	LF

FABRICS		
E		
Annex	KnollTextiles	W1360
Circle Line	KnollTextiles	W1146
Criss Cross	KnollTextiles	W305
Growth Spurt	KnollTextiles	W692
Photon II	KnollTextiles	W1293
Reflect	KnollTextiles	W884
Symbolic Detail	KnollTextiles	W693
Versatility	KnollTextiles	W432
F		
Amplify	KnollTextiles	W1215
Foil Rap	KnollTextiles	W535
Hard Rock	KnollTextiles	W1007
Heavy Metal	KnollTextiles	W539
Micro	KnollTextiles	W465
Relay	KnollTextiles	W1020


NOTE: All 72 privacy screens require that the textile is railroaded (turned 90 degrees) for application. This must be considered when applying a patterned textile.

# NOTE: EP1 and EP2 panels and components are not available in the following:

Bright White	118
Brown	112
Jet Black	111

# **Generation 1 Fabric Panel**

28" thru 48" High



28" H									PAIN	IT
W	MODEL#	А	В	C	D	E	F	G	P2	P3
12"	EP1FA1228R	\$752	\$811	\$830	\$849	\$864	\$879	\$901	N/A	+ \$57
18"	EP1FA1828R	\$783	\$845	\$861	\$882	\$895	\$916	\$937	N/A	+ \$57
24"	EP1FA2428R	\$810	\$877	\$892	\$917	\$932	\$948	\$976	N/A	+ \$57
30"	EP1FA3028R	\$834	\$897	\$917	\$941	\$960	\$977	\$1,002	N/A	+ \$57
36"	EP1FA3628R	\$872	\$940	\$959	\$983	\$1,003	\$1,018	\$1,046	N/A	+ \$57
42"	EP1FA4228R	\$910	\$980	\$1,002	\$1,028	\$1,048	\$1,063	\$1,089	N/A	+ \$57
48"	EP1FA4828R	\$943	\$1,020	\$1,036	\$1,066	\$1,085	\$1,105	\$1,133	N/A	+ \$57
60"	EP1FA6028R	\$1,005	\$1,082	\$1,104	\$1,136	\$1,154	\$1,171	\$1,204	N/A	+ \$57
40" H										
12"	EP1FA1240R	\$790	\$851	\$869	\$892	\$907	\$924	\$944	N/A	+ \$57
18"	EP1FA1840R	\$828	\$892	\$910	\$932	\$948	\$966	\$989	N/A	+ \$57
24"	EP1FA2440R	\$864	\$932	\$951	\$978	\$994	\$1,013	\$1,036	N/A	+ \$57
30"	EP1FA3040R	\$891	\$963	\$979	\$1,008	\$1,025	\$1,043	\$1,068	N/A	+ \$57
36"	EP1FA3640R	\$920	\$994	\$1,013	\$1,039	\$1,060	\$1,076	\$1,105	N/A	+ \$57
42"	EP1FA4240R	\$1,026	\$1,106	\$1,129	\$1,158	\$1,181	\$1,199	\$1,233	N/A	+ \$57
48"	EP1FA4840R	\$1,059	\$1,144	\$1,161	\$1,194	\$1,214	\$1,237	\$1,266	N/A	+ \$57
60"	EP1FA6040R	\$1,189	\$1,284	\$1,306	\$1,343	\$1,367	\$1,389	\$1,428	N/A	+ \$57

48" H										
12"	EP1FA1248R	\$811	\$878	\$893	\$918	\$933	\$951	\$977	N/A	+ \$57
18"	EP1FA1848R	\$852	\$921	\$937	\$964	\$980	\$1,002	\$1,025	N/A	+ \$57
24"	EP1FA2448R	\$933	\$1,010	\$1,029	\$1,048	\$1,075	\$1,095	\$1,118	N/A	+ \$57
30"	EP1FA3048R	\$961	\$1,036	\$1,059	\$1,085	\$1,105	\$1,124	\$1,154	N/A	+ \$57
36"	EP1FA3648R	\$975	\$1,052	\$1,069	\$1,099	\$1,115	\$1,137	\$1,166	N/A	+ \$57
42"	EP1FA4248R	\$1,082	\$1,168	\$1,192	\$1,222	\$1,245	\$1,266	\$1,299	N/A	+ \$57
48"	EP1FA4848R	\$1,154	\$1,245	\$1,266	\$1,302	\$1,327	\$1,348	\$1,384	N/A	+ \$57
60"	EP1FA6048R	\$1,312	\$1,420	\$1,444	\$1,481	\$1,508	\$1,535	\$1,575	N/A	+ \$57

Order Code					
e.g.	EP1FA3648R, W3513, 117				
EP1FA	Fabric panel				
36	Width				
48	Height				
R	Raceway				
W351-3	Foundation, Corn Silk				
117	Soft Grey trim				

#### Specification Information

Specify fabric and trim color. Post assemblies or connection elements must be ordered separately.

NOTE: Power duplexes cannot be installed on 12" W panels. Side mount receptacles available in 24" W panels and wider while using "E" series power. Electrical components must be ordered separately.

NOTE: P2 trim colors are not available on EP1 panels and panel components.

#### Application Notes

Panel is fabric covered. If two different fabrics are used on one panel, price will reflect cost of the more expensive panel fabric.



									•••••••••••••••••••	•••••
53" H									PAIN	T
W	MODEL#	A	В	C	D	E	F	G	P2	P:
12"	EP1FA1253R	\$832	\$894	\$915	\$936	\$953	\$970	\$998	N/A	+ \$57
18"	EP1FA1853R	\$874	\$941	\$960	\$984	\$1,005	\$1,020	\$1,048	N/A	+ \$57
24"	EP1FA2453R	\$921	\$998	\$1,016	\$1,043	\$1,061	\$1,077	\$1,106	N/A	+ \$57
30"	EP1FA3053R	\$944	\$1,022	\$1,039	\$1,069	\$1,087	\$1,106	\$1,136	N/A	+ \$57
36"	EP1FA3653R	\$1,087	\$1,174	\$1,198	\$1,233	\$1,251	\$1,275	\$1,306	N/A	+ \$57
42"	EP1FA4253R	\$1,137	\$1,229	\$1,251	\$1,285	\$1,306	\$1,331	\$1,365	N/A	+ \$57
48"	EP1FA4853R	\$1,201	\$1,298	\$1,322	\$1,359	\$1,382	\$1,405	\$1,442	N/A	+ \$57
60"	EP1FA6053R	\$1,365	\$1,474	\$1,500	\$1,541	\$1,569	\$1,597	\$1,637	N/A	+ \$57
0" H										
12"	EP1FA1260R	\$851	\$920	\$936	\$963	\$979	\$998	\$1,022	N/A	+ \$57
18"	EP1FA1860R	\$901	\$976	\$992	\$1,018	\$1,033	\$1,055	\$1,082	N/A	+ \$57
24"	EP1FA2460R	\$920	\$994	\$1,013	\$1,039	\$1,060	\$1,076	\$1,105	N/A	+ \$57
30"	EP1FA3060R	\$1,017	\$1,099	\$1,115	\$1,152	\$1,168	\$1,191	\$1,216	N/A	+ \$57
36"	EP1FA3660R	\$1,110	\$1,199	\$1,220	\$1,254	\$1,279	\$1,299	\$1,334	N/A	+ \$57
42"	EP1FA4260R	\$1,210	\$1,306	\$1,334	\$1,368	\$1,390	\$1,415	\$1,452	N/A	+ \$57
48"	EP1FA4860R	\$1,307	\$1,414	\$1,438	\$1,477	\$1,504	\$1,529	\$1,573	N/A	+ \$57
60"	EP1FA6060R	\$1,503	\$1,624	\$1,653	\$1,698	\$1,728	\$1,758	\$1,804	N/A	+ \$57
5" H										
12"	EP1FA1265R	\$895	\$970	\$986	\$1,016	\$1,031	\$1,053	\$1,076	N/A	+ \$57
18"	EP1FA1865R	\$918	\$991	\$1,012	\$1,036	\$1,059	\$1,072	\$1,102	N/A	+ \$57
24"	EP1FA2465R	\$1,029	\$1,112	\$1,133	\$1,161	\$1,186	\$1,204	\$1,236	N/A	+ \$57
30"	EP1FA3065R	\$1,089	\$1,177	\$1,199	\$1,235	\$1,254	\$1,276	\$1,307	N/A	+ \$57
36"	EP1FA3665R	\$1,158	\$1,251	\$1,276	\$1,308	\$1,334	\$1,355	\$1,389	N/A	+ \$57
42"	EP1FA4265R	\$1,262	\$1,367	\$1,389	\$1,429	\$1,453	\$1,477	\$1,519	N/A	+ \$57
48"	EP1FA4865R	\$1,368	\$1,476	\$1,504	\$1,544	\$1,574	\$1,601	\$1,642	N/A	+ \$57
60"	EP1FA6065R	\$1,580	\$1,705	\$1,739	\$1,787	\$1,815	\$1,849	\$1,897	N/A	+ \$57
0" H										
12"	EP1FA1280R	\$914	\$983	\$1,003	\$1,029	\$1,049	\$1,066	\$1,095	N/A	+ \$57
18"	EP1FA1880R	\$970	\$1,049	\$1,068	\$1,098	\$1,114	\$1,136	\$1,163	N/A	+ \$57
24"	EP1FA2480R	\$1,033	\$1,116	\$1,140	\$1,170	\$1,192	\$1,212	\$1,242	N/A	+ \$57
30"	EP1FA3080R	\$1,161	\$1,254	\$1,282	\$1,314	\$1,337	\$1,360	\$1,393	N/A	+ \$57
36"	EP1FA3680R	\$1,297	\$1,397	\$1,426	\$1,467	\$1,491	\$1,516	\$1,554	N/A	+ \$57
12"	EP1FA4280R	\$1,428	\$1,541	\$1,569	\$1,611	\$1,642	\$1,669	\$1,711	N/A	+ \$57
18"	EP1FA4880R	\$1,554	\$1,679	\$1,708	\$1,757	\$1,788	\$1,818	\$1,864	N/A	+ \$57
50"	EP1FA6080R	\$1,813	\$1,956	\$1,994	\$2,049	\$2,086	\$2,120	\$2,176	N/A	+ \$57

Order Code							
e.g.	EP1FA2460R, W3513, 117						
EP1FA	Fabric panel						
24	Width						
60	Height						
W351-3	Foundation,Corn Silk						
117	Soft Grey trim						

#### **Specification Information**

Specify fabric and trim color. Post assemblies or

connection elements must be ordered separately.

NOTE: Power duplexes cannot be installed on 12" W panels. Side mount receptacles available in 24" W panels and wider while using "E" series power.

Electrical components must be ordered separately.

NOTE: P2 trim colors are not available on EP1 panels and panel components.

#### Application Notes

Panel is fabric covered. If two different fabrics are used on one panel, price will reflect cost of the more expensive panel fabric.

# **Generation 2 Insert Panel**

(compatible with generation 1 panel components only)



28" H				PAINT	••••••
W	MODEL#	OPEN FRAME (OF)	PLEXIGLASS (PG)*	P2	P3
12"	EP2()1228R	\$801	\$1,076	N/A	+ \$57
18"	EP2()1828R	\$817	\$1,154	N/A	+ \$57
24"	EP2( )2428R	\$833	\$1,216	N/A	+ \$57
30"	EP2( )3028R	\$851	\$1,289	N/A	+ \$57
36"	EP2( )3628R	\$872	\$1,350	N/A	+ \$57
42"	EP2( )4228R	\$894	\$1,459	N/A	+ \$57
48"	EP2( )4828R	\$916	\$1,486	N/A	+ \$57
60"	EP2()6028R	\$959	\$1,619	N/A	+ \$57
40" H					
12"	EP2()1240R	\$846	\$1,182	N/A	+ \$57
18"	EP2()1840R	\$863	\$1,253	N/A	+ \$57
24"	EP2()2440R	\$877	\$1,327	N/A	+ \$57
30"	EP2()3040R	\$895	\$1,460	N/A	+ \$57
36"	EP2()3640R	\$916	\$1,644	N/A	+ \$57
42"	EP2( )4240R	\$940	\$1,679	N/A	+ \$57
48"	EP2( )4840R	\$961	\$1,703	N/A	+ \$57
60"	EP2()6040R	\$1,005	\$1,876	N/A	+ \$57
48" H					
12"	EP2()1248R	\$863	\$1,215	N/A	+ \$57
18"	EP2()1848R	\$880	\$1,339	N/A	+ \$57
24"	EP2()2448R	\$893	\$1,435	N/A	+ \$57
30"	EP2()3048R	\$916	\$1,562	N/A	+ \$57
36"	EP2()3648R	\$932	\$1,589	N/A	+ \$57
42"	EP2()4248R	\$959	\$1,750	N/A	+ \$57
48"	EP2()4848R	\$979	\$2,072	N/A	+ \$57
60"	EP2( )6048R	\$1,020	\$2,094	N/A	+ \$57
53" H					
12"	EP2( )1253R	\$892	\$1,254	N/A	+ \$57
18"	EP2()1853R	\$910	\$1,376	N/A	+ \$57
24"	EP2()2453R	\$920	\$1,470	N/A	+ \$57
30"	EP2()3053R	\$943	\$1,601	N/A	+ \$57
36"	EP2()3653R	\$961	\$1,706	N/A	+ \$57
42"	EP2()4253R	\$985	\$1,895	N/A	+ \$57
48"	EP2()4853R	\$1,008	\$1,919	N/A	+ \$57
60"	EP2()6053R	\$1,052	\$2,132	N/A	+ \$57

<sup>\*</sup> All Colors

Order Code							
e.g.	EP2PG3648R, PC, 613						
EP2PG	Plexiglass Insert Panel						
36	Width						
48	Height						
R	Raceway						
PC	Clear						
613	Silver trim						

#### Specification Information

Specify insert type, insert color and trim color.

#### **Application Notes**


Top caps and base raceway covers are included with panels. Posts and panel connectors must be ordered separately.

NOTE: P2 trim colors are not available on EP2 panels or panel components.

Generation 2 insert panels incorporate the generation 3 mitered panel frame with generation 1 top caps and base raceway covers and will only work with generation 1 panels and panel components.

# **Generation 2 Insert Panel**

(compatible with generation 1 panel components only)



<sup>\*</sup> All Colors

Order Code						
e.g.	EP2PG2460R, 613					
EP2PG	Plexiglass Insert Panel					
24	Width					
60	Height					
R	Raceway					
613	Silver trim					

S	pecificatio	n Info	rmatio

Specify insert type, insert color and trim color.

Top caps and base raceway covers are included with panels. Posts and panel connectors must be ordered separately.

NOTE: P2 trim colors are not available on EP2 panels or panel components.

#### **Application Notes**

Generation 2 insert panels incorporate the generation 3 mitered panel frame with generation 1 top caps and base raceway covers and will only work with generation 1 panels and panel components.

# (5)3

#### **Panel Wall Starter**

W	D	Н*	ACTUAL HEIGHT	MODEL#	P1	P2	Р3
1½"	1/2"	28"	23"	EP1PWS28	\$50	N/A	\$55
1½"	1/2"	40"	35"	EP1PWS40	\$50	N/A	\$55
11/2"	1/2"	48"	43"	EP1PWS48	\$55	N/A	\$59
1½"	1/2"	53"	48"	EP1PWS53	\$57	N/A	\$64
11/2"	1/2"	60"	55"	EP1PWS60	\$57	N/A	\$64
11/2"	1/2"	65"	60"	EP1PWS65	\$59	N/A	\$67
11/2"	1/2"	80"	75"	EP1PWS80	\$67	N/A	\$79

#### **Wall Mounted Channel**

Wall IVIC	Juliccu	manne					
27/8"	3/4"	28"	23"	EP1WMC28	\$128	N/A	\$140
21/8"	3/4"	40"	35"	EP1WMC40	\$128	N/A	\$140
21/8"	3/4"	48"	43"	EP1WMC48	\$131	N/A	\$142
27/8"	3/4"	53"	48"	EP1WMC53	\$133	N/A	\$147
27/8"	3/4"	60"	55"	EP1WMC60	\$149	N/A	\$166
21/8"	3/4"	65"	60"	EP1WMC65	\$152	N/A	\$172
21/8"	3/4"	80"	75"	EP1WMC80	\$186	N/A	\$204
27/8"	3/4"	120"	120"	EP1WMC120	\$286	N/A	\$317

<sup>\* -</sup> actual height

Order Code				
e.g.	EP1PWS60, 117			
EP1PWS	Panel wall starter			
60	Height			
117	Soft Grey trim			

٠..١... ٢. .١.

#### Specification Information

Specify trim color.

NOTE: Neutral Posture, Inc. assumes no responsibility for wall construction or performance of fasteners used.

#### **Application Notes**

#### Wall starter:

Used to start a run of panels by fastening to an existing wall and attaching a connector assembly to it. Creates 1¼" space from face of wall to centerline of post. Constructed of steel.

The wall starter includes panel top and bottom hooks and modified panel connector. Fasteners not included to attach to wall.

Post and shrouds must

be ordered separately.

#### Wall mount channel:

Allows hanging of all components and accessories on reinforced building walls.

Painted extruded aluminum with a plastic inset which snaps in place, covering mounting screws.



# **Straight**

W	D	Н	MODEL#	P1	P2	P3
-	-	28"	EP1P28S	\$170	N/A	\$188
-	-	40"	EP1P40S	\$172	N/A	\$189
-	-	48"	EP1P48S	\$174	N/A	\$190
-	-	53"	EP1P53S	\$177	N/A	\$193
-	-	60"	EP1P60S	\$179	N/A	\$195
-	-	65"	EP1P65S	\$180	N/A	\$197
_	_	80"	EP1P80S	\$185	N/A	\$203



# 2-way L

28" <b>EP1P28L</b> \$165 N/A 40" <b>EP1P40L</b> \$166 N/A	\$179 \$180
40" ED10401 \$166 N/A	\$180
40" <b>EP1P40L</b> \$166 N/A	
48" <b>EP1P48L</b> \$167 N/A	\$185
53" <b>EP1P53L</b> \$170 N/A	\$188
60" <b>EP1P60L</b> \$172 N/A	\$189
65" <b>EP1P65L</b> \$174 N/A	\$190
80" <b>EP1P80L</b> \$179 N/A	\$195



#### End

LIIG						
-	-	28"	EP1P28E	\$180	N/A	\$197
-	-	40"	EP1P40E	\$182	N/A	\$200
-	-	48"	EP1P48E	\$185	N/A	\$203
-	-	53"	EP1P53E	\$186	N/A	\$204
-	-	60"	EP1P60E	\$188	N/A	\$205
-	-	65"	EP1P65E	\$189	N/A	\$210
-	-	80"	EP1P80E	\$192	N/A	\$215

Urder Code				
e.g.	EP1P48S, 117			
EP1P	Post			
48	Height			
S	Straight assembly			
117	Soft Grey trim			

Specification	

Specify trim color.

- 1	۱.,			٠:٠	n۱	ه ۱	-
- 1	٩IJ	ы	Ka	LIO	пп	ЮL	ω,

Used to connect panels of the same height.

Kit includes single height post, panel connector and base raceway shroud(s) appropriate for the geometry specified.

NOTE: EP1 & EP2 Panels and components are available in legacy colors only.

Bottom levelers on post allow for up to 1½" vertical adjustment.

# **Generation 1**

single height post assemblies three and four way



# 3-way (T)

W	D	Н	MODEL#	P1	P2	P3
-	-	28"	EP1P28T	\$165	N/A	\$179
-	-	40"	EP1P40T	\$166	N/A	\$180
-	-	48"	EP1P48T	\$167	N/A	\$185
-	-	53"	EP1P53T	\$170	N/A	\$188
-	-	60"	EP1P60T	\$172	N/A	\$189
-	-	65"	EP1P65T	\$174	N/A	\$190
-	-	80"	EP1P80T	\$179	N/A	\$195



#### 3-wav (Y)

	~, \·,					
_	_	28"	EP1P28Y	\$205	N/A	\$231
-	-	40"	EP1P40Y	\$210	N/A	\$232
-	-	48"	EP1P48Y	\$212	N/A	\$233
-	-	53"	EP1P53Y	\$213	N/A	\$235
-	-	60"	EP1P60Y	\$215	N/A	\$236
-	-	65"	EP1P65Y	\$218	N/A	\$239
_	-	80"	EP1P80Y	\$220	N/A	\$239



## 4-way (X)

28" <b>EP1P28X</b> \$142 N/A	\$156
	4.50
<b>40</b> " <b>EP1P40X</b> \$147 N/A	\$162
<b>48</b> " <b>EP1P48X</b> \$148 N/A	\$165
– – 53" <b>EP1P53X</b> \$149 N/A	\$166
60" <b>EP1P60X</b> \$150 N/A	\$167
65" <b>EP1P65X</b> \$151 N/A	\$169
<b>80</b> " <b>EP1P80X</b> \$155 N/A	\$172

Order Code			
e.g.	EP1P80T, 117		
EP1P	Post		
80 Height			
T	"T" assembly		
117 Soft Grey trim			

Specification	Information

Specify trim color

#### Application Notes


Used to connect panels of the same height.

Kit includes single height post, panel connector and base raceway shroud(s) appropriate for the geometry specified.

NOTE: EP1 & EP2 Panels and components are available in legacy colors only.

Bottom levelers on post allow for up to 1½" vertical adjustment.





Order Code				
e.g.	EP1DP4860, 613			
EP1DP	Dual height post			
48	Height one			
60 Height two				
613	Silver			

c	nacification	Information
3	pecilication	IIIIVIIIIauvii

Specify trim color.

#### **Application Notes**

Dual height posts are used where panels of two different heights intersect.

Bottom levelers on posts allow for up to 1½" vertical adjustment.

Due to the variety of combinations possible, connector caps, shrouds and post covers must all be ordered separately.

# J J

# **Triple Height Post**

W	D	Н	MODEL#	P1	P2	P3
-	-	28"/40"/48"	EP1TP284048	\$221	N/A	\$247
-	-	28"/40"/53"	EP1TP284053	\$221	N/A	\$247
-	-	28"/40"/60"	EP1TP284060	\$221	N/A	\$247
-	-	28"/40"/65"	EP1TP284065	\$236	N/A	\$263
-	-	28"/40"/80"	EP1TP284080	\$264	N/A	\$290
-	-	28"/48"/53"	EP1TP284853	\$221	N/A	\$247
-	-	28"/48"/60"	EP1TP284860	\$221	N/A	\$247
-	-	28"/48"/65"	EP1TP284865	\$236	N/A	\$263
-	-	28"/48"/80"	EP1TP284880	\$264	N/A	\$290
-	-	28"/53"/60"	EP1TP285360	\$221	N/A	\$247
-	-	28"/53"/65"	EP1TP285365	\$235	N/A	\$261
-	-	28"/53"/80"	EP1TP285380	\$263	N/A	\$286
-	-	28"/60"/65"	EP1TP286065	\$236	N/A	\$263
-	-	28"/60"/80"	EP1TP286080	\$264	N/A	\$290
_	_	28"/65"/80"	EP1TP286580	\$264	N/A	\$290
-	-	40"/48"/53"	EP1TP404853	\$221	N/A	\$247
-	-	40"/48"/60"	EP1TP404860	\$221	N/A	\$247
-	-	40"/48"/65"	EP1TP404865	\$236	N/A	\$263
_	_	40"/48"/80"	EP1TP404880	\$264	N/A	\$290
-	-	40"/53"/60"	EP1TP405360	\$221	N/A	\$247
-	-	40"/53"/65"	EP1TP405365	\$235	N/A	\$261
-	-	40"/53"/80"	EP1TP405380	\$263	N/A	\$286
-	-	40"/60"/65"	EP1TP406065	\$236	N/A	\$263
-	-	40"/60"/80"	EP1TP406080	\$264	N/A	\$290
-	-	40"/65"/80"	EP1TP406580	\$264	N/A	\$290
-	-	48"/53"/60"	EP1TP485360	\$221	N/A	\$247
-	-	48"/53"/65"	EP1TP485365	\$235	N/A	\$261
-	-	48"/53"/80"	EP1TP485380	\$239	N/A	\$265
_	_	48"/60"/65"	EP1TP486065	\$236	N/A	\$263
-	-	48"/60"/80"	EP1TP486080	\$264	N/A	\$290
-	-	48"/65"/80"	EP1TP486580	\$264	N/A	\$290
-	-	53"/60"/65"	EP1TP536065	\$235	N/A	\$261
_	_	53"/60"/80"	EP1TP536080	\$238	N/A	\$264
-	-	53"/65"/80"	EP1TP536580	\$264	N/A	\$290
_	-	60"/65"/80"	EP1TP606580	\$264	N/A	\$290

Order Code				
e.g.	EP1TP406080, 113			
EP1TP	Triple height post			
40	Height one			
60	Height two			
80	Height three			
113	Dark Grey trim			

#### Specification Information

Specify trim color.

#### **Application Notes**

Triple height posts are used where 3 or 4 panels of three different heights intersect.

Bottom levelers on posts allow for up to 1½" vertical adjustment.

Due to the variety of combinations possible, connector caps, shrouds and post covers must all be ordered separately.

# **Single Height Post**

W	D	Н	MODEL#	P1	P2	P3
-	-	28"	EP1P28	\$82	N/A	\$89
-	-	40"	EP1P40	\$83	N/A	\$92
-	-	48"	EP1P48	\$85	N/A	\$95
-	-	53"	EP1P53	\$87	N/A	\$96
-	-	60"	EP1P60	\$88	N/A	\$98
-	-	65"	EP1P65	\$89	N/A	\$100
-	-	80"	EP1P80	\$95	N/A	\$102

Order C	Order Code			
e.g.	EP1P48, 177			
EP1P	Post			
48	Height			
117	Soft Grey trim			

Specification	Information
Specification	IIIIVIIIIativii


Specify trim color.
Panel connectors
and shrouds must be
order separately.

#### **Application Notes**

Bottom leveler on posts allow for up to 1½" of vertical adjustment.


## **Generation 1**

**Panel connectors and shrouds** 



#### **Panel Connectors**

TYPE	MODEL#	P1	P2	Р3
Straight	EP1PCS	\$35	\$37	\$40
2-way L	EP1PCL	\$44	\$46	\$47
2-way L (for post covers)	EP1PCLK	\$44	\$46	\$47
2-way Adjustable	EP1PCA	\$56	\$64	\$64
3-way T	EP1PCT	\$54	\$56	\$59
3-way Y 120	EP1PCY	\$54	\$56	\$59
4-way X	EP1PCX	\$59	\$64	\$71
End	EP1PCEP	\$41	\$43	\$44
End (for post covers)	EP1PCEPK	\$41	\$43	\$44
Multi-height filler	EP1PCMF	\$29	\$32	\$33
Trim filler	EP1PCTF	\$29	\$32	\$33
Post plug (pkg. of 25)	EP1PLUG	\$19	\$26	\$27



# **Raceway Shrouds**

Straight	EP1SS	\$29	N/A	\$33
L outside	EP1SL	\$41	N/A	\$44
L outside (for post covers)	EP1SLK	\$41	N/A	\$44
120 outside	EP1SO120	\$32	N/A	\$35
120 inside	EP1SI120	\$19	N/A	\$27
135 outside	EP1SO135	\$32	N/A	\$35
End	EP1SEP	\$56	N/A	\$64
End (for post covers)	EP1SEPK	\$56	N/A	\$64

Order Code				
e.g.	EP1SEP			
EP1S	Post shroud			
EP	End with post			

#### Specification Information

Specify panel connector and shroud trim color.

Specify one multi-height filler (EP1PCMF) for each low panel in a multi-height connection.

NOTE: EP1 & EP2 Panels and components are available in legacy colors only.

EXCEPTION: EP1 posts connectors only are available in all colors as they may need to be specified when ordering stack-on panels with an EP3 profile.

#### **Application Notes**

Panel connectors stabilize panel to panel connections.

Panel connectors have painted finish and a quick mount design.

Mounting screws are included. Conical connector screw is included with post.

The EP1PCTF is a trim filler piece that is to be used when no other post part can be used in a given panel layout.

This piece butts against EP1PCS and EP1PCT, when installed as an addition.

Shrouds provide a finished raceway cover at posts. Two-way "L" connections do not require an inside shroud.





W	D	Н	MODEL#	P1	P2	ADD FOR P3
36"	-	40"	EP1PE3640R	\$404	N/A	+ \$57
36"	-	48"	EP1PE3648R	\$450	N/A	+ \$57
36"	-	53"	EP1PE3653R	\$486	N/A	+ \$57
36"	-	60"	EP1PE3660R	\$518	N/A	+ \$57
36"	-	65"	EP1PE3665R	\$548	N/A	+ \$57
36"	-	80"	EP1PE3680R	\$635	N/A	+ \$57

## Panel Extender Kit – 40" Wide

	18"	-	40"	EP1PE4840R	\$420	N/A	+ \$57
4	18"	-	48"	EP1PE4848R	\$469	N/A	+ \$57
4	18"	-	53"	EP1PE4853R	\$500	N/A	+ \$57
4	18"	-	60"	EP1PE4860R	\$539	N/A	+ \$57
4	18"	-	65"	EP1PE4865R	\$562	N/A	+ \$57
4	18"	-	80"	EP1PE4880R	\$654	N/A	+ \$57

## Panel Extender Kit - 60" Wide

60"	-	40"	EP1PE6040R	\$445	N/A	+ \$57
60"	-	48"	EP1PE6048R	\$486	N/A	+ \$57
60"	-	53"	EP1PE6053R	\$519	N/A	+ \$57
60"	-	60"	EP1PE6060R	\$557	N/A	+ \$57
60"	-	65"	EP1PE6065R	\$583	N/A	+ \$57
60"	-	80"	EP1PE6080R	\$669	N/A	+ \$57

Order Code				
e.g.	EP1PE6065R, 117			
EP1PE	Raceway panel extender kit			
60	Width in inches			
65	Height			
R	Raceway			
117	Soft Grey trim			

#### Specification Information

Specify trim color.


Jumpers to carry power through panel are ordered separately. With panel extender kits, add 3" to jumper length for each panel extender kit used. A kit designed to be field mounted onto panels to extend the width of the panel by 3" ( 1½" on each side). This adaption of the panel(s) will allow clearance when positioning existing freestanding equipment, i.e., files and desks, between side panels.

#### Application Notes

Kit contains two aluminum side extrusions, an extended top cap, extended baseboard covers, and installation hardware and instructions.


#### Generation 3

**Fahric Pane** 



64"	64" H							PAIN	т	
W	MODEL#	A	В	C	D	E	F	G	P2	P3
12"	EP3FA1264(K/N)	\$759	\$816	\$885	\$977	\$1,115	\$1,265	\$1,437	+ \$28	+ \$57
18"	EP3FA1864(K/N)	\$816	\$874	\$943	\$1,035	\$1,173	\$1,322	\$1,495	+ \$28	+ \$57
24"	EP3FA2464(K/N)	\$874	\$931	\$1,000	\$1,092	\$1,230	\$1,380	\$1,552	+ \$28	+ \$57
30"	EP3FA3064(K/N)	\$931	\$989	\$1,058	\$1,150	\$1,288	\$1,437	\$1,610	+ \$28	+ \$57
36"	EP3FA3664(K/N)	\$1,023	\$1,150	\$1,299	\$1,483	\$1,771	\$2,093	\$2,461	+ \$28	+ \$57
42"	EP3FA4264(K/N)	\$1,081	\$1,207	\$1,357	\$1,541	\$1,828	\$2,150	\$2,518	+ \$28	+ \$57
48"	EP3FA4864(K/N)	\$1,138	\$1,265	\$1,414	\$1,598	\$1,886	\$2,208	\$2,576	+ \$28	+ \$57
60"	EP3FA6064(K/N)	\$1,242	\$1,368	\$1,518	\$1,702	\$1,989	\$2,311	\$2,679	+ \$28	+ \$57


	Тор Сар	Panel Type	w	н	Raceway
EP Equity panel	3 Beveled FA	Fabric panel	36	29	K With knockouts N Without knockouts
EP	3 FA	:	: :	29	К



64" H	PAINT				
W	MODEL #	OPEN FRAME (OF)	PLEXIGLASS (PG)*	P2	P3
12"	EP3()1264(K/N)	\$916	\$1,319	+ \$28	+ \$57
18"	EP3()1864(K/N)	\$928	\$1,457	+ \$28	+ \$57
24"	EP3()2464(K/N)	\$939	\$1,606	+ \$28	+ \$57
30"	EP3()3064(K/N)	\$962	\$1,721	+ \$28	+ \$57
36"	EP3()3664(K/N)	\$985	\$1,836	+ \$28	+ \$57
42"	EP3( )4264(K/N)	\$1,008	\$1,951	+ \$28	+ \$57
48"	EP3()4864(K/N)	\$1,031	\$2,066	+ \$28	+ \$57
60"	EP3()6064(K/N)	\$1,089	\$2,296	+ \$28	+ \$57

	Panel Type	w	Н	Raceway
EP3 Equity panel	OF Open frame PG Plexiglass insert	36	29	K With knockouts N Without knockouts
EP	PG	36	29	ĸ

**Post Assemblies** 




Straight			PAINT	
Н	MODEL#	P1	P2	Р3
64"	EP3P64S	\$180	\$189	\$197



3-wa	ay T		PAINT	
Н	MODEL#	P1	P2	P3
64"	EP3P64T	\$ 174	\$182	\$190



2-wa	ıy L		PAINT	
Н	MODEL#	P1	P2	P3
C 411	ED2DC4I	ċ174	ċ102	ċ100



3-wa	ay 120		PAINT	
Н	MODEL#	P1	P2	P3
64"	EP3P64Y	\$218	\$231	\$239



2-wa	ay 120		PAINT	
Н	MODEL#	P1	P2	P3
64"	EP3P64120	\$180	\$189	\$197



4-way X		•	PAINT	
Н	MODEL#	P1	P2	P3
64"	FP3P64X	\$151	\$162	\$169

#### Specify

- 1. Model#
- 2. Paint trim color

#### **Application Notes**

Used to connect panels of the same height

Bottom glides on post allow for up to 1 ½" of vertical adjustment.

#### Assembly

#### Included

- Single height postPanel connector
- Appropriate metal shroud

#### Top Cap Style

3 – Beveled



Single Height			PAINT		
	Н	MODEL#	P1	P2	P3
	64"	EP3P64	\$89	\$95	\$100

# **Dual Height**

vuai neignt					
29"/64"	EP3DP2964	\$203	\$215	\$226	
41"/64"	EP3DP4164	\$203	\$215	\$226	
49"/64"	EP3DP4964	\$203	\$215	\$226	
54"/64"	EP3DP5464	\$203	\$215	\$226	
61"/64"	EP3DP6164	\$203	\$215	\$226	
64"/81"	EP3DP6481	\$221	\$235	\$247	

······································					
<b>Triple Heig</b>	Triple Height		PAINT		
Н	MODEL#	P1	P2	P3	
29"/41"/64"	EP3TP294164	\$239	\$253	\$266	
29"/49"/64"	EP3TP294964	\$239	\$253	\$266	
29"/54"/64"	EP3TP295464	\$239	\$253	\$266	
29"/61"/64"	EP3TP296164	\$239	\$253	\$266	
29"/64"/81"	EP3TP296481	\$264	\$274	\$287	
41"/49"/64"	EP3TP414964	\$239	\$253	\$266	
41"/54"/64"	EP3TP415464	\$239	\$253	\$266	
41"/61"/64"	EP3TP416164	\$239	\$253	\$266	
41"/64"/81"	EP3TP416481	\$264	\$274	\$287	
49"/54"/64"	EP3TP495464	\$239	\$253	\$266	
49"/61"/64"	EP3TP496164	\$239	\$253	\$266	
49"/64"/81"	EP3TP496481	\$264	\$274	\$287	
54"/61"/64"	EP3TP546164	\$239	\$253	\$266	
54"/64"/81"	EP3TP546481	\$264	\$274	\$287	
61"/64"/81"	EP3TP616481	\$264	\$274	\$287	

		Н		Connection Type
EP3 Equity panel	P Post	64	120	2-way 120
<u>:</u>			Е	End w/post
			ETK	Postless end
		:	L	2-way L
			Т	3-way T
			S	Straight
		:	Χ	4-way
			Υ	3-way 120
		:		
EP3	D	64	ς	
; = ;	<u>ii</u>	: • - :		



End	w/Post	PAINT		
Н	MODEL#	P1	P2	Р3
64"	EP3P64E	\$213	\$221	\$230



Postless End			PAINT			
Н	MODEL#	P1	P2	P3		
29"	EP3ETK29	\$180	\$184	\$187		
41"	EP3ETK41	\$182	\$186	\$189		
49"	EP3ETK49	\$185	\$188	\$192		
54"	EP3ETK54	\$187	\$190	\$194		
61"	EP3ETK61	\$189	\$193	\$196		
64"	EP3ETK64	\$192	\$195	\$198		
66"	EP3ETK66	\$192	\$195	\$198		
81"	EP3ETK81	\$202	\$205	\$209		

# **End w/Post**

# Specify

- 1. Model#
- 2. Paint trim color

#### **Application Notes**

Used to finish a panel end that is not being connected to another panel.

# **Postless End**

# Specify

- 1. Model #
- 2. Paint trim color

#### **Application Notes**

Used to finish a panel end that is not being connected to another panel.

NOTE: Postless end kit should not be used on panels that are placed perpendicular to a worksurface of the same depth as the front of the worksurface will extend approximately 3/4" beyond the panel end.

#### Assembly

#### Included

- Single height post
- Panel connector
- Appropriate metal shroud

#### **Top Cap Styles**

3 – Beveled



#### Assembly

#### Included

- Panel connector
- Appropriate metal shroud

#### **Top Cap Styles**

3 – Beveled



Panel \	Wall St	tarter				PAINT	
W	D	Н	<b>H</b> (Actual)	MODEL#	P1	P2	P3
1 ½"	1/2"	64"	60"	EP3PWS64	\$59	\$64	\$71

## **Wall Mounted Channel**

2 %"	3/4"	64"	60"	EP3WMC64	\$152	\$165	\$170

## **Panel Wall Starter**

#### Specify

- 1. Model#
- 2. Paint trim color

#### Application Notes

Used to start a run of panels by fastening to an existing wall and attaching a connector assembly to it. Creates 1¼" space from face to wall to centerline of post. Constructed of steel.

**NOTE: Neutral Posture assumes** no responsibility for wall construction or performance of fasteners used.

**Top Cap Styles** 

3 - Beveled

#### Assembly

#### Included

- Panel top & bottom hook
- Panel connector

#### Not Included

• Fasteners to attach to wall

#### **Ordered Separately**

- Post
- Shrouds

# **Wall Mounted Channel**

#### Specify

- 1. Model#
- 2. Paint trim color

#### Application Notes

Allows hanging of all components and accessories on reinforced building walls.

Painted extruded aluminum with a plastic insert which snaps in place, covering mounting screws.

**NOTE: Neutral Posture assumes** no responsibility for wall construction or performance of fasteners used.

#### Assembly

#### Included

- Extruded aluminum
- Insert which snaps

- channel
- into place

# **Panel accessories**

**Cable and Wire Managers** 



## **Vertical Wire Manager**

W	D	Н	MODEL#	P1	P2	P3
1/2"	3/4"	80"	EC1VWM80	\$33	\$35	\$37



## **Metal Ceiling Module**

4"	1½"	120"	EE1CM40M	\$718	N/A	\$792
4"	1½"	120"	EE1CM48M	\$718	N/A	\$792
4"	1½"	120"	EE1CM53M	\$718	N/A	\$792
4"	1½"	120"	EE1CM60M	\$718	N/A	\$792
4"	1½"	120"	EE1CM65M	\$718	N/A	\$792
4"	1½"	120"	EE1CM80M	\$718	N/A	\$792

# **Ceiling Infeeds – Generation 3**

4"	1 ½"	120"	EE3CM64M	\$718	\$754	\$792

Order Code				
e.g.	EC1VWM80, 177			
EC1VWM	Vertical Wire Manager			
80	Length			
117	Soft Grey trim			

#### **Specification Information**

Specify trim color.

### Vertical Wire Manager:

A plastic strip designed to hide a cord running down the edge of the panel. Cut to desired length in field.

#### Ceiling Infeed Modules:

Electrical harnesses not included with modules. Modules are hollow to accommodate power and/ or data cables from source into systems furniture.

With electrical harness installed, infeed holds 35 CAT 5 cables.

Cables/conduit are laid into the lower metal body by removal of the front 1-½" wide access cover and into the upper plastic extrusion by separating the front edge of the pliable tube. Infeed module is attached to an available post location of the appropriate height. The module can not be used for panel support and there are no "hang on" capabilities. Includes escutcheon plate. Plate and plastic tube are white to integrate with standard ceiling color.

No "hang on" capabilities. Module cannot be used for panel support. Painted metal module is 120" long metal extrusion with attachment hooks at proper height to attach to appropriate height post.

To connect a metal ceiling infeed to a corner or a straight connection you must use an adjustable angle connector or adjustable angle connector with a multi-height panel connector.

\$43

N/A



## **EP1 Coat Hook (6/carton)**

W	D	Н	MODEL#	P1	P2	Р3
1/2"	3/4"	5"	EP1CH	\$138	N/A	N/A
	ı					
.oat H	anger					



## **EP3 Coat Hook Straight (5 pack)**

			` .	,			
16"	13/4"	23/4"		ED2MMCH (P/D)	\$162	NI/A	NI/A

EP1CG12



## **EP3 Coat Hook Postless End (5 pack)**

			,			
13/8"	3/8"	23/8"	EP3MMCHPE (R/L)(B/P)	\$162	N/A	N/A

order Code					
e.g.	EP1CH, 117				
EP1CH	Coat hook				
117	Soft Grev trim				

0...1..........................

### Specification Information

Specify trim color.

Coat Hook and Coat Hanger available only in Dark Neutral, Medium Grey, Soft Grey or Taupe.

NOTE: EP1 & EP2 Panels and components are available in legacy colors only.

### Application Notes

### **Coat Hanger**

A plastic coat hanger available to hang on coat hook. EP1 Coat hook: Molded plastic hook hangs over EP1 panels to hold coats and hangers.

Coat hook must hang over straight post location if being used w/EP3 panels.


Carpet gripper:12 per package.

#### EP3 Coat hook

Aluminum coat hook attaches to any exposed Equity vertical slot. There are two versions. The straight version will work on any Equity vertical slot except for those on an inside corner. The postless end version is handed and extends beyond the edge of a panel with a postless end. Hand is determined by which side of the panel the coat hook is installed on while facing the panel. Available in two colors; Black (B) or Matte Aluminum (P).

# Counter Caps, Straight Generation 1 and Generation 2 profiles

# **Straight**



NOMINAL W	ACTUAL W	D	Н	MODEL#	P1	P2	P3
12"	10.5"	15.25"	-	EW(1/2)1215	\$308	\$319	\$326
24"	22.5"	15.25"	-	EW(1/2)2415	\$341	\$348	\$357
30"	28.5"	15.25"	-	EW(1/2)3015	\$371	\$381	\$389
36"	34.5"	15.25"	-	EW(1/2)3615	\$371	\$381	\$389
42"	40.5"	15.25"	-	EW(1/2)4215	\$379	\$386	\$395
48"	46.5"	15.25"	-	EW(1/2)4815	\$382	\$392	\$400
60"	58.5"	15.25"	-	EW(1/2)6015	\$422	\$430	\$439
72"	70.5"	15.25"	-	EW(1/2)7215	\$445	\$450	\$462
84"	82.5"	15.25"	-	EW(1/2)8415	\$481	\$491	\$500
96"	94.5"	15.25"	-	EW(1/2)9615	\$500	\$510	\$518
108"	106.5"	15.25"	-	EW(1/2)10815	\$516	\$524	\$533
120"	118.5"	15.25"	-	EW(1/2)12015	\$575	\$581	\$589

## Straight – Extended One End



- ti tii gt							
12"	12"	15.25"	-	EW(1/2)1215E	\$320	\$328	\$340
24"	24"	15.25"	-	EW(1/2)2415E	\$350	\$361	\$370
30"	30"	15.25"	-	EW(1/2)3015E	\$378	\$384	\$393
36"	36"	15.25"	-	EW(1/2)3615E	\$378	\$384	\$393
42"	42"	15.25"	-	EW(1/2)4215E	\$386	\$395	\$403
48"	48"	15.25"	-	EW(1/2)4815E	\$399	\$405	\$415
60"	60"	15.25"	-	EW(1/2)6015E	\$428	\$437	\$446
72"	72"	15.25"	-	EW(1/2)7215E	\$465	\$471	\$480
84"	84"	15.25"	-	EW(1/2)8415E	\$485	\$494	\$503
96"	96"	15.25"	-	EW(1/2)9615E	\$507	\$515	\$523
108"	108"	15.25"	-	EW(1/2)10815E	\$543	\$553	\$562
	12" 24" 30" 36" 42" 48" 60" 72" 84"	12" 12" 24" 30" 30" 36" 42" 42" 48" 48" 60" 60" 72" 72" 84" 84" 96" 96"	12"     12"     15.25"       24"     24"     15.25"       30"     30"     15.25"       36"     36"     15.25"       42"     42"     15.25"       48"     48"     15.25"       60"     60"     15.25"       72"     72"     15.25"       84"     84"     15.25"       96"     96"     15.25"	12"     12"     15.25"     -       24"     24"     15.25"     -       30"     30"     15.25"     -       36"     36"     15.25"     -       42"     42"     15.25"     -       60"     60"     15.25"     -       72"     72"     15.25"     -       84"     84"     15.25"     -       96"     96"     15.25"     -	12"       12"       15.25"       —       EW(1/2)1215E         24"       24"       15.25"       —       EW(1/2)2415E         30"       30"       15.25"       —       EW(1/2)3015E         36"       36"       15.25"       —       EW(1/2)3615E         42"       42"       15.25"       —       EW(1/2)4215E         48"       48"       15.25"       —       EW(1/2)4815E         60"       60"       15.25"       —       EW(1/2)7215E         72"       72"       15.25"       —       EW(1/2)8415E         96"       96"       15.25"       —       EW(1/2)9615E	12"       12"       15.25"       -       EW(1/2)1215E       \$320         24"       24"       15.25"       -       EW(1/2)2415E       \$350         30"       30"       15.25"       -       EW(1/2)3015E       \$378         36"       36"       15.25"       -       EW(1/2)3615E       \$378         42"       42"       15.25"       -       EW(1/2)4215E       \$386         48"       48"       15.25"       -       EW(1/2)4815E       \$399         60"       60"       15.25"       -       EW(1/2)6015E       \$428         72"       72"       15.25"       -       EW(1/2)7215E       \$465         84"       84"       15.25"       -       EW(1/2)8415E       \$485         96"       96"       15.25"       -       EW(1/2)9615E       \$507	12"       12"       15.25"       -       EW(1/2)1215E       \$320       \$328         24"       24"       15.25"       -       EW(1/2)2415E       \$350       \$361         30"       30"       15.25"       -       EW(1/2)3015E       \$378       \$384         36"       36"       15.25"       -       EW(1/2)3615E       \$378       \$384         42"       42"       15.25"       -       EW(1/2)4215E       \$386       \$395         48"       48"       15.25"       -       EW(1/2)4815E       \$399       \$405         60"       60"       15.25"       -       EW(1/2)6015E       \$428       \$437         72"       72"       15.25"       -       EW(1/2)7215E       \$465       \$471         84"       84"       15.25"       -       EW(1/2)8415E       \$485       \$494         96"       96"       15.25"       -       EW(1/2)9615E       \$507       \$515

# Straight – Extended Both Ends



g							
12"	13.5"	15.25"	-	EW(1/2)1215EE	\$328	\$340	\$347
24"	25.5"	15.25"	-	EW(1/2)2415EE	\$366	\$373	\$382
30"	31.5"	15.25"	-	EW(1/2)3015EE	\$384	\$393	\$402
36"	37.5"	15.25"	-	EW(1/2)3615EE	\$384	\$393	\$402
42"	43.5"	15.25"	-	EW(1/2)4215EE	\$399	\$405	\$415
48"	49.5"	15.25"	-	EW(1/2)4815EE	\$445	\$450	\$462
60"	61.5"	15.25"	-	EW(1/2)6015EE	\$440	\$448	\$456
72"	73.5"	15.25"	-	EW(1/2)7215EE	\$474	\$483	\$492
84"	85.5"	15.25"	-	EW(1/2)8415EE	\$501	\$511	\$519
96"	97.5"	15.25"	-	EW(1/2)9615EE	\$516	\$524	\$533
108"	109.5"	15.25"	-	EW(1/2)10815EE	\$560	\$568	\$577

Order (	Order Code					
e.g.	EW16015,117, 117, 117					
EW1	Worksurface					
60	Width					
15	Depth					
117	Soft Grey laminate					
117	Soft Grey edge					
117	Soft Grey					

#### Specification Information

Specify surface, trim and cantilever trim color.

EW1 Counter caps work with all existing counter caps and are for use on Generation 1 or Generation 2 panels only. Plastic cantilevers are supplied.

EW2 counter caps are for use with Generation 3 panels only. Steel brackets are provided.

Counter caps are designed for mounting on top of panels.

Straight counter caps overhang both sides of the panel equally.

Counter caps fit between posts, appropriate to fit between two taller panels and a dual/triple height connectors.

A counter cap extension (E) covers one post.

A counter cap extension (EE) covers 2 posts.

Steel mounted brackets are supplied.



### Corner

1	W	D	Н	MODEL#	P1	P2	P3
	24"	15.25"	-	EW(1/2)CC2415	\$434	\$450	\$470
	30"	15.25"	-	EW(1/2)CC3015	\$466	\$481	\$500
	36"	15.25"	-	EW(1/2)CC3615	\$474	\$492	\$511



## Corner – Extended Left

•	24"	15.25"	-	EW(1/2)CC2415LHE	\$445	\$462	\$478
	30"	15.25"	-	EW(1/2)CC3015LHE	\$474	\$492	\$511
	36"	15.25"	_	EW(1/2)CC3615LHE	\$485	\$503	\$520



# Corner – Extended Right

24"	15.25"	-	EW(1/2)CC2415RHE	\$445	\$462	\$478
30"	15.25"	-	EW(1/2)CC3015RHE	\$474	\$492	\$511
36"	15 25"	_	FW(1/2)CC3615RHF	\$485	\$503	\$520



### Corner – Extended Both Ends

24"	15.25"	-	EW(1/2)CC2415EE	\$462	\$478	\$496
30"	15.25"	-	EW(1/2)CC3015EE	\$501	\$519	\$535
36"	15.25"	-	EW(1/2)CC3615EE	\$511	\$530	\$545

Order Code					
e.g.	EW1CC3015, 117, 117, 117				
EW1	Worksurface				
CC Curved corner					
30	Width				
15	Depth				
117	Soft Grey laminate				
117	Soft Grey edge				
117	Soft Grey cantilever trim				

0...1..........................

## Specification Information

Specify surface, trim and cantilever trim color.

EW1 counter caps work with all existing counter caps and are for use with Generation 1 or Generation 2 panels. Plastic cantilevers are supplied.

EW2 counter caps are for use with Generation 3 panels only.

### **Application Notes**

Counter caps are designed for mounting on top of panels.

Corner counter caps-(E) extended one end, mount on top of 24", 30" or 36" panels at 90° to each other. They are non-handed and screw holes for the mounting brackets must be field-drilled.

Steel mounting brackets are supplied.

A counter cap extension (E) covers one post.

A counter cap extension (EE) covers 2 posts.

# Freestanding support components



# Flat Brackets (black only)

W	D	Н	TOP SIZE	MODEL#.	P1	P2	P3
	15"			EB1F24	\$51	N/A	N/A
	21"			EB1F30	\$59	N/A	N/A



# **Column Base**

27¾"	EB1FCOL	\$368	\$400	\$416

# **Tackable Privacy Screens**



# **Tackable Privacy**

W	D	Н	MODEL #.	А	В	C	D	E	F	G
36"	3/4"	21"	EF2PS36	\$450	\$489	\$495	\$509	\$518	\$526	\$542
42"	3/4"	21"	EF2PS42	\$472	\$509	\$519	\$537	\$543	\$555	\$569
48"	3/4"	21"	EF2PS48	\$492	\$530	\$542	\$557	\$564	\$573	\$589
60"	3/4"	21"	EF2PS60	\$527	\$571	\$583	\$596	\$608	\$616	\$635
72"	3/4"	21"	EF2PS72	\$564	\$610	\$622	\$639	\$649	\$660	\$680

Order Co	Order Code				
e.g.	EF2OS60, 117				
EF20S	Equity freestanding privacy screen				
60	Length in inches				
117	Soft Grey trim				

## Specification Information

Specify shelf and stanchion trim color where required.

NOTE: Fabric on 72" privacy screens and will be railroaded (turned 90°).

# **Wall Mounting**

#### **WALL MOUNTING SUGGESTIONS**

The following information is provided only as a guide, and represents minimum recommendations only. Neutral Posture does not accept responsibility for the attachment of any Neutral Posture product to a Customer's site wall. Wall specification/construction is the responsibility of the Customer and its structural engineer/architect. Failure to properly attach Neutral Posture products to adequate wall structures can lead to property damage and/or personal injury.

You should consult your own structural engineers and/or architects and must not rely on the information provided herein.

It is the responsibility of the Customer and its structural engineers/architects to verify that the permanent structural walls (studs, blocks, solid masonry, etc.) on which the Neutral Posture products are intended to be mounted are designed appropriately to support the product weight, PLUS 3 lbs. per linear inch for each usable shelf length.

NOTE: A cabinet's top is considered a "usable shelf" and MUST be included in the calculation of the total load for an overhead cabinet.

It is the responsibility of the Customer and its structural engineer/architects to specify the fasteners and method for attaching the Neutral Posture supplied wall mounting cleat, bracket, frame, etc. to the supporting wall and to confirm that the installers have adhered to these specifications. For all local building standards and codes, and additional requirements (including, but not limited to, seismic conditions) the Customer should always consult local code agencies.

# **New Construction**

# **Existing Construction**

		Cinder Block or Poured Concrete Masonry Wall	Wood Stud Wall, the studs being <b>FULL HEIGHT</b> to the roof/floor above	Wood Stud Wall, the studs being only ceiling height	Steel Stud Wall, the studs being <b>FULL HEIGHT</b> to the roof/floor above	Steel Stud Wall, the studs being only ceiling height
Stud Specification	Wood studs, grade #2 or better, 3 ½" minimum width, OR Metal studs, minimum 25 gage thickness, 3 %" minimum width	The wall must be a minimum of 6" thick, and must be full height to the roof/floor structure above	Wood studs must be Grade #2, or better, 3 ½" minimum width	Wood studs must be Grade #2, or better, 3 ½" minimum width	Metal studs must be minimum 25 gage thickness, 3 %" minimum width	Metal studs must be minimum 25 gage thickness, 3 %" minimum width
Stud Centers	Metal and wood studs must be spaced at 16" c/c maximum.	N/A	Wood studs must be spaced at 16" c/c maximum.	Wood studs must be spaced at 16" c/c maximum.	Metal studs must be spaced at 16" c/c maximum.	Metal studs must be spaced at 16" c/c maximum.
Stud Height	Metal and wood studs must extend upwards, and be securely attached to the roof/floor structure above.			Wood studs must be braced above the ceiling, and be securely attached to the roof/floor structure above Affix #2 grade 'cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof/floor structure above.		Metal studs must be braced above the ceiling and be securely attached to the roof/floor structure above Affix metal bracing 'cap' across the top of the studs. Then place diagonal studs from the top cap up to underside of the roof / floor structure above.
Mounting the Neutral Posture Supplied Cleat, Bracket, Frame, etc	Insert a 2" x 6" wood block, #2 grade or better, for a locally approved flexible wood backing system] horizontally between each of the studs to accommodate the full width of the cabinet and beyond to the next stud.  Fasten the wood block to each stud using three screws at the ends of each block.  (Fasten the locally approved wood backing system as directed by the manufacturer.)  Fasten the Neutral Posture supplied wall mounting cleat, bracket, frame, etc directly to each wood block every 6".  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6" and fasten the lower horizontal element to each wall stud, using one fastener per stud.	Fasten the Neutral Posture supplied cabinet wall mounting cleat, bracket, frame, etc. directly to the masonry wall every 6".  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wall every 6" and fasten the lower horizontal element to the wall every 16".	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet and beyond to the next stud.  Insert a 2" x 6" wood block, #2 grade or better, horizontally between each of the exposed studs.  Fasten the wood block to each stud using three screws at the ends of each block.  Replace the drywall and repair as desired.  Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6".  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud.  Insert a 2" x 6" wood block, #2 grade or better, horizontally between each of the exposed studs.  Fasten the wood block to each stud using three screws at the ends of each block.  Replace the drywall and repair as desired.  Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6".  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet and beyond to the next stud.  Insert a 2" x 6" wood block, #2 grade or better, [or a locally approved flexible wood backing system] horizontally between each of the exposed studs.  Fasten the wood block to each stud using three screws at the ends of each block.  Replace the drywall and repair as desired.  Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6".  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet and beyond to the next stud.  Insert a 2" x 6" wood block, #2 grade or better, [or a locally approved flexible wood backing system] horizontally between each of the exposed studs.  Fasten the wood block to each stud using three screws at the ends of each block.  Replace the drywall and repair as desired.  Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6".  For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6" and fasten the lower horizontal element to each wall stud, using one fastener per stud.
Fasten the Neutral Posture Supplied Wall Cleat With	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	%e" x 3 ½" masonry screws Screws or equiv. in every mounting hole provided with 1 ½" embedment, screwed directly into the masonry wall	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking

# **Key Lock Program**

#### **GENERAL INFORMATION**

Following is the Neutral Posture key lock policy, applicable to all products.

Neutral Posture pedestals, overheads, and storage cabinets ship without lock cores installed. The locks are field installed. If your purchase order does not specify key-alike you will automatically receive random lock cores with your order.

Neutral Posture furniture can be keyed-alike or random keyed.

#### **KEY-ALIKE**

Furniture may be keyed alike at no charge. Write "key-alike" in the description of your purchase order for any storage piece you wish to have keyed alike.

Using the key-alike instructions, order cores and keys as line items on your purchase order. Neutral Posture will select key numbers from the standard range of 226 – 425. Key numbers will not be repeated unless over 199 sets are ordered.

There is no charge for key-alike orders if placed with the furniture order.

If product is ordered and shipped random-keyed, additional lock cores for key-alike are billable.

#### **KEYS**

A key is shipped with every lock core. 199 Key numbers are available. For numbers above 199, contact Sales Support. Additional keys and key blanks are available.

#### **MASTER KEYING**

Neutral Posture locks can be controlled by means of a master key. There is no additional per-lock charge for master keying. Master keys must be ordered separately.

#### **INSTALLING LOCK CORES**

Lock cores can be installed or removed in the field by using a change key. Cores must be in the unlocked position to be removed. See service parts for change key pattern number and pricing.

#### **SERVICE PARTS**

MODEL#	DESCRIPTION	LIST
NLCKE	Shrouded Key (Specify key number desired)	\$20
NAKC	Change Key	\$20
NKM	Master Key	\$20

NOTE: A letter of approval on company letterhead from the client must accompany all orders for master keys.


NOTE: Neutral Posture locks/keys are not compatible with Knoll Equity pedestals/double pedestals.

#### **HOW TO SPECIFY KEY-ALIKE**

Following is an example of how to specify keyalike for a cluster of 10 workstations.

#### STEP 1

Using the project floor plan, count the number of locks in each workstation.



#### STEP 2

Count the number of workstations with the same quantity of locks. Group together the workstations with a like number of locks.

5 workstations with 2 locks per station 3 workstations with 4 locks per station 2 workstations with 5 locks per station

#### STEP 3

For the first group (5 sets of 2 locks), enter the number of workstations in the quantity column.

QTY	MODEL#	DESCRIPTION	UNIT LIST	EXT LIST
5	NSPEC 2	Set of 2 cores/keys	N/C	N/C

#### STEP 4

Then enter the pattern number "NSPEC\_\_" and add a suffix for the number of locks for that group (i.e., for 2 locks per station, add the suffix "2"). Up to 30 lock cores are available in a set (i.e., NSPEC 30).

QTY	MODEL#	DESCRIPTION	UNIT LIST	EXT LIST
5	NSPEC 2	Set of 2 cores/keys	N/C	N/C

#### STEP 5

Repeat for other groups.

QTY	MODEL#	DESCRIPTION	UNIT LIST	EXT LIST
5	NSPEC 2	Set of 2 cores/keys	N/C	N/C
3	NSPEC 4	Set of 4 cores/keys	N/C	N/C
2	NSPEC 5	Set of 5 cores/keys	N/C	N/C

Your key instructions are complete.

Neutral Posture will select key numbers for each set from 199 available numbers.

For additions to existing installations, specify desired key numbers in the description.

#### **EQUITY**

In order to specify an Equity locking component with an "H" series core, apply an "A" suffix to the Equity Base pattern number.

All keyed locks in the Equity system are randomly\* keyed, as a standard offering. For those requiring all locks within a workstation (or group of workstations) to be keyed alike, Equity also offers a key-alike option.

## **EQUITY LOCKING COMPONENTS**

Identify the cabinets to be keyed alike by adding the suffix "P" to the standard catalog number (i.e., EC20F36AP indicates a keyalike EC20F36A cabinet). The cabinet will be factory-prepared with the hardware mechanisms excluding the lock core and key. List price will be reduced by \$22.

#### **MULTIPLE KEY-ALIKE PACKAGES**

For multiple keys of the same number, specify ALCKE - (number of keys desired, from 2 to 8.) Price is: Number of Keys x \$22. (i.e.: ALCKE-5 Pkg. of five cores with keys = \$110.00)

#### **LOCK CORES**

Order the lock cores required separately (ALCKE series). Cores are numbered sequentially, with up to 250 different combinations available (ALCKEH6001- ALCKEH6250). Use one line item for each quantity of lock cores to be keyed alike. Series H6001-H6100 are standard lead-time.

#### **MASTER KEY**

A master key (AKM) is available that will unlock all cabinets and pedestals with the same prefix letter, for

example: H6001, H6002. A single key is supplied and priced, as shown below.

DESCRIPTION	CATALOG NUMBER	LIST
Equity Lock and Keys	ALCKE(H6)	\$25
Change Key	AKC	\$20
Master Key	AKM	\$20

#### **SHIPMENT**

Additional lead time of 2-4 weeks may apply when more than 100 lock sequences are specified for key-alike (contact Sales Support for current lead times).

The key-alike core and keys are shipped separately from the components for field installation in the appropriate workstation components.

<sup>\*</sup>Randomly keyed means that no attempt is made to assure that locks have the same number or that they are, in fact, different.

# **Neutral**Posture

NeutralPosture.com 3904 N. Texas Ave. Bryan, TX 77803

**T** 979.778.0502

**F** 979.778.0408

GSA SCS Indoor Advantage BIFMA e3/LEVEL ISO 9001:2008 Approved





# STATE OF NEBRASKA CONTRACT AWARD

PAGE	ORDER DATE			
1 of 3	10/19/20			
BUSINESS UNIT	BUYER			
9000	VICKI COLLINS (AS)			
VENDOR NUMBER: 538854				
VENDOR ADDRESS:				
NEUTRAL POSTURE INC ATTN ACCOUNTS PAYABLE				

State Purchasing Bureau 1526 K Street, Suite 130 Lincoln, Nebraska 68508

Telephone: (402) 471-6500 Fax: (402) 471-2089

# CONTRACT NUMBER

AN AWARD HAS BEEN MADE TO THE CONTRACTOR NAMED ABOVE FOR THE FURNISHING OF MATERIALS AND/OR SERVICES AS LISTED BELOW FOR THE PERIOD:

### **NOVEMBER 24, 2020 THROUGH JUNE 26, 2022**

NO ACTION ON THE PART OF THE CONTRACTOR NEEDS TO BE TAKEN AT THIS TIME. ORDERS FOR THE MATERIALS AND/OR SERVICES WILL BE MADE AS NEEDED BY THE VARIOUS AGENCIES OF THE STATE.

THIS CONTRACT IS NOT AN EXCLUSIVE CONTRACT TO FURNISH THE MATERIALS AND/OR SERVICES SHOWN BELOW, AND DOES NOT PRECLUDE THE PURCHASE OF SIMILAR MATERIALS AND/OR SERVICES FROM OTHER SOURCES.

THE STATE RESERVES THE RIGHT TO EXTEND THE PERIOD OF THIS CONTRACT BEYOND THE TERMINATION DATE WHEN MUTUALLY AGREEABLE TO THE CONTRACTOR AND THE STATE OF NEBRASKA.

Awarded from GSA Contract GS-27F-0014Y

Contract to supply and deliver EQUITY SYTEMS FURNITURE, SEATING, ACCESSORIES AND ASSOCIATED SERVICES using GSA-like pricing to the State of Nebraska agencies and political sub-divisions for the period of November 24, 2020 through June 26, 2022. The state reserves the right to extend the period of this contract beyond the termination date when mutually agreeable to the vendor and the State of Nebraska. The GSA Master Agreement contract can be found at https://www.gsaelibrary.gsa.gov/ElibMain/contractorInfo.do? contractNumber=GS-27F-0014Y&contractorName=NEUTRAL+POSTURE%2C+INC.&executeQuery=NO

Payment Terms: Net 30

3904 N TEXAS AVE BRYAN TX 77803-0555

(For State Agencies -Contact Neutral Posture Inc. for a written quote at orderentry@neutralposture.com or phone 979-778-0502 or 800-466-3746. List prices based upon GSA Contract GS-27F-0014Y and includes all Equity Systems Furniture. Seating must be sourced first through Cornhusker State Industries (CSI) per Nebraska Statutes before purchasing seating through this contract.)

Vendor Contact: Crystal O' Rear Phone: 979-778-0502 Ext 118

Fax: 979-778-0408

Email: corear@neutralposture.com

Local Dealer: Encompas Vendor Contact: Wendy O'Brien

Phone: 402-499-7251

Email: wendy@encompas.com

(10/19/20 sc)

Line	Description	Estimated Quantity	Unit of Measure	Unit Price
1	EQUITY SYSTEMS FURNITURE INCLUDES: Equity System Panels, Connections and Power Accessories	1,000,000.0000	\$	1.0000
		V-		

11/13/2020

Vicki Collins 1/13/2020

11/13/2020

BUYER

# STATE OF NEBRASKA CONTRACT AWARD

PAGE	ORDER DATE
2 of 3	10/19/20
BUSINESS UNIT	BUYER
9000	VICKI COLLINS (AS)

State Purchasing Bureau 1526 K Street, Suite 130 Lincoln, Nebraska 68508

Telephone: (402) 471-6500 Fax: (402) 471-2089

**CONTRACT NUMBER** 

VENDOR NUMBER:	538854	15378 OC

Line	Description  Equity Eurniture Systems, Work Surfaces, Computer Eurniture	Estimated Quantity	Unit of Measure	Unit Price
	Equity Furniture Systems, Work Surfaces, Computer Furniture Equity Freestanding Support Equity Drawer Pedestals and Files Equity Cabinets and Shelves; includes Task Lights			
	Systems - Discount 70% from list price			
2	INSTALLATION SERVICES PER PERSON/PER HOUR FOR NON-UNION MEMBER	100.0000	HR	51.5000
3	INSTALLATION SERVICES PER PERSON/PER HOUR FOR UNION MEMBER	100.0000	HR	106.2500
4	CHECK IN SERVICES PER PERSON/PER HOUR Delivery locations that require verification of items delivered by Contractor-Authorized Dealer/Distributor	100.0000	HR	75.0000
5	INSIDE DELIVERY FEE PER PROJECT, TO BE QUOTED Products delivered by the Authorized Dealer or a carrier inside location. The driver is required to go inside (beyond the front d loading dock) to deliver a shipment instead of remaining on the the truck.	oor or	\$	1.0000
	NO ASSEMBLY IS REQUIRED BY THE AUTHORIZED DEAL	ER		
6	LIFTGATE SERVICE DELIVERY FEE Per project, to be quoted Products delivered to a receiving address that does not have a	4,000,0000	\$	1.0000
7	DELIVERY AND INSTALLATION FULL SERVICE Per Project, to be quoted. Products will be delivered, unloaded and assembled according and move-in ready condition.	35,000.0000	\$	1.0000
8	NEUTRAL POSTURE SEATING INCLUDES: High Performance Ergonomic Task and Conference Seating Industrial Seating	100,000.0000	\$	1.0000
	Guest Seating			DS VC

538854

VENDOR NUMBER:

# STATE OF NEBRASKA CONTRACT AWARD

PAGE	ORDER DATE
_ 3 of 3	10/19/20
BUSINESS UNIT	BUYER
	VICKI COLLINS (AS)

State Purchasing Bureau 1526 K Street, Suite 130 Lincoln, Nebraska 68508

Telephone: (402) 471-6500 Fax: (402) 471-2089

### CONTRACT NUMBER 15378 OC

Line	Description 24-7 Seating (multi-shift) Bariatric Seating	Estimated Quantity	Unit of Measure	Unit Price
	Seating -Discount 58% from list price			
9	NEUTRAL POSTURE WORPLACE ACCESSORIES INCLUDES: Key Board Trays and Arms Monitor Arms and Attachments CPU Holders Forearm Supports Anti-fatigue Floor Mats Tablet Holder StandUps	50,000.0000	\$	1.0000

Workplace Accessories - Discount 58% from list price

# **GSA Contract Details**

**WORKPLACE ACCESSORIES** 

Anti-fatigue Mats

**CPU Holders** 

Freedom Arm

StandUp

StandUp A1

**Tablet Holder** 

**Boost Monitor Arm** 

Forearm Supports

Sit/Stand Monitor Arm

StandUp X1 - SUPX136BL

StandUp X1 – SUPX136WL

StandUp X1 – SUPX140BL

StandUp X1 - SUPX140WL

StandUp X1 – SUPX142BL

StandUp X1 - SUPX148BL

StandUp X1 - SUPX1CR36BL

StandUp X1 - SUPX1CR42BL

GS-27F-0014Y

# **Neutral**Posture

#### **GSA CONTRACT**

We have had a contract with GSA for over 20 years and they continue to be our most favored customer.

NP is dedicated to helping government agencies meet their facilities and acquisition needs. NP is registered with the System For Award Management (SAM) formerly Central Contractor Registry (CCR) with ORCA certifications, has an assigned cage code of OUTL8 and is eligible to receive federal contract awards. NP is also recognized as a Woman Owned Small Disadvantaged Business by the U.S. Small Business Administration (SBA).

# WOMEN-OWNED SMALL BUSINESS (WOSB) /ECONOMICALLY DISADVANTAGED WOMEN-OWNED SMALL BUSINESS (EDWOSB)

The U. S. Small Business Administration (SBA) issued the Final Rule to amend its regulations governing small business contracting procedures. The SBA has increased the emphasis and awareness of contracting mandates regarding the new 5% spend mandate for WOSB/EDWOSB's similar to those in place for 8a, SDV and HUB Zone businesses.

The SBA has also implemented a Sole Source vehicle for Economically Disadvantaged Women-Owned Small Businesses (EDWOSB). Neutral Posture, a small business manufacturer, received this certification in April of 2016.

Our Packaged Office contract includes many great manufacturing partners and we are willing to team with other manufacturers to support strong GSA Dealers and meet the needs of our customers.

For more information please visit NeutralPosture.com/WOSB

#### **GSA OVERVIEW**

GSA Contract# GS-27F-0014Y

Schedule MAS - Furniture

SIN 337121H Household, Dormitory & Quarters Furniture

SIN 337127 Institutional Furniture SIN 33721 Office Furniture

SIN 33721P Packaged Office Furniture

SIN 541614CF Comprehensive Furniture Management Services

SIN OLM Order Level Materials

#### **NAICS CODES**

337127 Institutional Furniture Manufacturing
 337211 Wood Office Furniture Manufacturing
 337214 Office Furniture (except wood) Manufacturing
 423210 Furniture Merchant Wholesalers

541614 Process, Physical Distribution and Logistics Consulting Services

NP products may be found on GSA Advantage.

#### **AVAILABLE ON GSA**

Products available on GSA as of March 2020. For the most current list of products available on GSA contact Customer Service or visit NeutralPosture.com.

SEATING 1000 Series 5000 Series 6000 Series 8000 Series Adapta Big & Tall Balance Cozi Cozi 24/7 Cozi Guest Dice **E**·Series **Embrace Embrace Guest Equity**NF

Facet Geo Graphite Icon Knomi NV Renati Right Chair Right Chair Guest

U4ia U4ia Guest Ulius Ulius Guest XSM – Extra Small

### **NOT AVAILABLE ON GSA**

Products not available on GSA as of March 2020.

SEATING WORKPLACE ACCESSORIES

AbChair Ascension Arm
Guardian SofTouch Keyboard Tray
NBF074 StandUp X1 – SUPX136B
NBF075 StandUp X1 – SUPX136W
P Arm StandUp X1 – SUPX142B
TheraGel Memory Foam StandUp X1 – SUPX1CR42B



#### TERM DATE 6/26/2012 - 6/26/2022

#### 1a. Special Item Numbers Awarded

SIN 337121H Household, Dormitory & Quarters Furniture

SIN 337127 Institutional Furniture SIN 33721 Office Furniture SIN 33721P Packaged Office Furniture

SIN 541614CF Comprehensive Furniture Management Services

SIN OLM **Order Level Materials** 

#### 1b. Lowest Priced Item

SIN 337121H Contact Corporate Office SIN 337127 **Contact Corporate Office** 

SPTRY Pencil Tray SIN 33721 \$5.95

SIN 33721P Contact Corporate Office

SIN 541614CF Not applicable

#### Installation Rate — SIN 33721

\$51.50 per hour (non-union inclusive IFF) \$106.25 per hour (union inclusive of IFF)

#### Project Management Fee — SIN 541614CF

Senior Project Manager \$75 per hour (inclusive IFF) Project Manager \$55.58 per hour (inclusive IFF) **Project Coordinator** \$50 per hour (inclusive IFF)

#### Design/Layout Fee — 541614CF

\$65 per hour (inclusive IFF)

\$85 per hour CADD service (inclusive IFF)

#### **Maximum Order**

SIN 337121H	\$1,000,000
SIN 337127	\$250,000
SIN 33721	\$250,000
SIN 33721P	\$5,000,000
SIN 541614CF	\$250,000
SIN OLM	\$0

#### Minimum Order 3.

All SINs

#### **Geographic Coverage** 4.

CONUS & OCONUS

#### **Point of Production** 5.

3904 N. Texas Avenue, Bryan, Brazos County, Texas, USA

#### **Discount from List Price** 6.

#### Seating/Workplace Accessories

SIN 33721 — Discount 58%

#### Systems

SIN 33721 — Discount 70%

#### **Quantity Discounts**

No discount tiers have been negotiated.

#### 8. **Prompt Payment Terms**

Net 30 Davs

#### **Government Purchase Cards Accepted**

Visa/Master Card

#### 10. Foreign Item

None

#### 10a. Time of Delivery

5 - 90 days after receipt of order

#### 10b. Expedited Delivery

Expedited delivery available. Contact NP Customer Service.

#### 10c. Overnight and 2-day Delivery

Available with an upcharge. Contact NP Customer Service.

#### 12. F.O.B. Points

Destination/CONUS, within the 48 contiguous states and the District of Columbia. Port of embarkation for delivery to Alaska, Hawaii, Puerto Rico, the Virgin Islands and U.S. Government installations overseas.

#### 13. Ordering Address

Neutral Posture, Inc. attn: Order Entry/ \* or dealer 3904 N. Texas Avenue Bryan, TX 77803 979.778.0502 800.446.3746 fax 979.778.0408

orderentry@neutralposture.com

\* Authorized Dealers should be cited on order

#### 14. Payment Address

Neutral Posture, Inc. 3904 N. Texas Avenue Bryan, TX 77803

#### **Warranty Provision** 15.

Neutral Posture's commercial warranty applies.

#### 16. Export Packing Charges

Contact NP Customer Service for quote.

#### Terms and Conditions of Government Purchase Card

Government purchase cards will be accepted for purchases at prices shown in this authorized price list (no additional discount offered).

#### Terms and Conditions Of Rental, Maintenance, and Repair Not applicable

#### 19. Terms and Conditions of Installation

Installation and instruction are available from authorized dealers. Please contact your local NP Dealer for pricing.

#### 20. Terms and Conditions of Repair Parts

Repair parts are offered at the agreed upon discount from the NP repair parts price list in effect at the time the repair parts are ordered.

#### 20a. Terms and Conditions for Any Other Services

GSA has accepted all of our standard terms and conditions as noted on page 6-7.

#### 21. List of Service and Distribution Points

Not applicable

#### 22. **List of Dealers**

Please contact NP, or visit NeutralPosture.com for the name of your nearest authorized Dealer.

#### 23. **Preventive Maintenance**

Not offered or applicable

#### **Environmental Attributes**

Not applicable

#### 25. Other Information

Tax Identification Number (TIN): 74-2983577 DUNS: 61-0339723 Cage Code: 0UTL8 NAICS: 337214

#### 26. SAM

NP is registered in System For Award Management (SAM).

NOTE: It is mandatory that all Government purchase orders be made out to NP only. Local Dealers are not authorized to accept purchase orders, issue invoices or receive payment of Government funds for these items without serious violation of this Federal Supply Schedule Contract.



